

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET

E-ZEE / 1757

JUNE 2010

PAGE 1

HEALTH	1
FIRE	0
REACTIVITY	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.200)

SECTION 1 – Chemical and Company Identification**PRODUCT USE:** Anti-Seize Compound**SECTION 2 – Composition on Ingredients**

INGREDIENT	CAS #	WT %
Petroleum oil mixture	8002-05-9	7 - 13
Graphite	7782-42-5	5 - 10
Silica, amorphous, fumed	7631-86-9	1 - 5
VM&P naphtha	8032-32-4	1 - 5
Aluminum, elemental	7429-90-5	1 - 5
Nitrogen	7727-37-9	0.5 - 1.5
Silica, crystalline, quartz	14808-60-7	0.1 - 1

SECTION 3 – Hazards Information**EMERGENCY OVERVIEW:** CAUTION. May cause eye irritation. May cause skin irritation. Contents under pressure. Container may explode if heated.**POTENTIAL HEALTH EFFECTS:** See Section 11 for more information.**LIKELY ROUTES OF EXPOSURE:** Skin contact, eye contact, inhalation, and ingestion.**INHALATION:** May cause respiratory tract irritation. May cause asphyxiation. This product may be aspirated into the lungs and cause chemical pneumonitis.**EYE CONTACT:** May cause eye irritation.**SKIN CONTACT:** May cause skin irritation.**INGESTION:** Not a normal route of exposure. Harmful: may cause lung damage if swallowed.**CHRONIC EFFECTS:** Prolonged or repeated contact may dry skin and cause irritation.**SIGNS AND SYMPTOMS:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin. Vapors may cause drowsiness and dizziness.**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Asthma. Allergies.**TARGET ORGANS:** Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

POTENTIAL ENVIRONMENTAL EFFECTS: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.**SECTION 4 – First Aid Measures****EYE CONTACT:** In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn.**SKIN CONTACT:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.**INHALATION:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.**INGESTION:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.**GENERAL ADVICE:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).**NOTE TO PHYSICIANS:** Symptoms may not appear immediately.**SECTION 5 – Fire Fighting Measures****FLAMMABILITY:** Flammable by WHMIS/OSHA criteria.**MEANS OF EXTINCTION:** **Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.
Unsuitable Extinguishing Media: Not available.**PRODUCTS OF COMBUSTION:**

May include, and are not limited to: oxides of carbon.

EXPLOSION DATA:**Sensitivity to Mechanical Impact:** Not available.**Sensitivity to Static Discharge:** Not available.**PROTECTION OF FIREFIGHTERS:** Containers may explode when heated. Spills of this material are a slipping hazard. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).**SECTION 6 – Accidental Release Measures****PERSONAL PRECAUTIONS:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.**ENVIRONMENTAL PRECAUTIONS:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.**METHODS FOR CONTAINMENT:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).**METHODS FOR CLEAN-UP:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.**OTHER INFORMATION:** Not available.**SECTION 7 – Handling and Storage****HANDLING:** Keep away from sources of ignition. - No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using, do not eat or drink. Wash hands before eating, drinking, or smoking.**STORAGE:** Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 49°C / 120°F.**SECTION 8 – Exposure Controls/Personal Protection****EXPOSURE GUIDELINES**

INGREDIENT	OSHA-PEL	ACGIH-TLV
Petroleum oil mixture	5 mg/m3	5 mg/m3
Graphite	2.5 mg/m3	2 mg/m3
Silica, amorphous, fumed	80 mg/m3/%SiO2	10 mg/m3
VM&P naphtha	300 ppm	300 ppm
Aluminum, elemental	15 mg/m3	10 mg/m3
Nitrogen	Not available.	Not available.
Silica, crystalline, quartz	((10 mg/m3)/(%SiO2+2) TWA (resp)); ((30 mg/m3)/(%SiO2+2) TWA (total)); ((250)/(%SiO2+5) mppcf TWA (resp))	0.025 mg/m3

ENGINEERING CONTROLS:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:**EYE/FACE PROTECTION:**

Wear eye/face protection.

HAND PROTECTION:

Wear suitable gloves.

SKIN AND BODY PROTECTION:

Wear suitable protective clothing.

RESPIRATORY PROTECTION:

In case of insufficient ventilation, wear suitable respiratory equipment.

GENERAL HYGIENE CONSIDERATIONS: Handle according to established industrial hygiene and safety practices.

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET

E-ZEE / 1757

JUNE 2010

PAGE 2

HEALTH	1
FIRE	0
REACTIVITY	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.200)

SECTION 9 – Physical and Chemical Properties

Appearance: Opaque
Color: Silver.
Physical State: Gas/Pressurized Liquid.
Viscosity: Not available.
Boiling Point: Not available.
Evaporation Rate: > 1 (Water = 1)
Upper Flammability Limit: Not available.
Vapor Density: Not available.
Solubility in Water: Negligible.
Auto-ignition Temperature: Not available.
VOC content, wt. %: 3.9% (US federal/CARB/OTC/LADCO)

Odor: Solvent
Odor Threshold: Not available.
pH: Not applicable.
Freezing Point: Not available.
Flash Point: Not available.
Vapor Pressure: < 0.01 @ 25°C (Compound only)
Lower Flammability Limit: Not available.
Specific Gravity: 0.800 (Concentrate only)
Coefficient of Water/Oil Distribution: Not available.
Percent Volatile, wt. %: Not available.

MUTAGENICITY: Not hazardous by WHMIS/OSHA criteria.
REPRODUCTIVE EFFECTS: Not hazardous by WHMIS/OSHA criteria.
DEVELOPMENTAL EFFECTS:
Teratogenicity: Not hazardous by WHMIS/OSHA criteria.
Embryotoxicity: Not hazardous by WHMIS/OSHA criteria.
RESPIRATORY SENSITIZATION: Not hazardous by WHMIS/OSHA criteria.
SKIN SENSITIZATION: Not hazardous by WHMIS/OSHA criteria.
TOXICOLOGICALLY SYNERGISTIC MATERIALS: Not available.

SECTION 10 – Stability and Reactivity

STABILITY: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.
CONDITIONS OF REACTIVITY: Heat. Incompatible materials.
INCOMPATIBLE MATERIALS: Oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: May include, and are not limited to: oxides of carbon.
POSSIBILITY OF HAZARDOUS REACTIONS: No dangerous reaction known under conditions of normal use.

SECTION 11 – Toxicological Information**EFFECTS OF ACUTE EXPOSURE****Component Analysis**

Ingredient	LD ₅₀ (oral)	LC ₅₀
Petroleum oil mixture	Not available.	Not available.
Graphite	Not available.	Not available.
Silica, amorphous, fumed	Not available.	Not available.
VM&P naphtha	Not available.	3400 ppm 4hr, rat
Aluminum, elemental	Not available.	Not available.
Nitrogen	Not available.	Not available.
Silica, crystalline, quartz	500 mg/kg, rat	Not available.

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Handling can cause dry skin.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: May cause respiratory tract irritation. May cause asphyxiation. This product may be aspirated into the lungs and cause chemical pneumonitis. Vapors may cause drowsiness and dizziness.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Hazardous by WHMIS/OSHA criteria.

Carcinogenicity: Hazardous by WHMIS/OSHA criteria.

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen *
Petroleum oil mixture	G-A2C, 1-1, N-1, CP65
Graphite	Not listed.
Silica, amorphous, fumed	1-3, N-1, CP65
VM&P naphtha	Not listed.
Aluminum, elemental	Not listed.
Nitrogen	Not listed.
Silica, crystalline, quartz	G-A2, 1-1, N-1, CP65

* See Section 15 for more information.

SECTION 12 – Ecological Information

ECOTOXICITY: May cause long-term adverse effects in the aquatic environment
PERSISTENCE/DEGRADABILITY: Not available.
BIOACCUMULATION/ACCUMULATION: Not available.
MOBILITY IN ENVIRONMENT: Not available.

SECTION 13 – Disposal Consideration**DISPOSAL INSTRUCTIONS:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

SECTION 14 – Transport Information

DOT CLASSIFICATION: ORM-D

TDG CLASSIFICATION: Limited quantity

SECTION 15 – Regulatory Information**Federal Regulations**

Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Petroleum oil mixture	Not listed.	Not listed.	Not listed.	Not listed.
Graphite	Not listed.	Not listed.	Not listed.	Not listed.
Silica, amorphous, fumed	Not listed.	Not listed.	Not listed.	Not listed.
VM&P naphtha	Not listed.	Not listed.	Not listed.	Not listed.
Aluminum, elemental	Not listed.	Not listed.	Not listed.	313
Nitrogen	Not listed.	Not listed.	Not listed.	Not listed.
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations

California Proposition 65: This product contains a chemical known to the State of California to cause cancer.

Global Inventories

Ingredient	Canada DSL/NDSL	USA TSCA
Petroleum oil mixture	DSL	Yes
Graphite	DSL	Yes
Silica, amorphous, fumed	DSL	Yes
VM&P naphtha	DSL	Yes
Aluminum, elemental	DSL	Yes
Nitrogen	DSL	Yes
Silica, crystalline, quartz	DSL	Yes

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
 ALPHARETTA, GA 30004
 EMERGENCY/INFO # (800) 241-8180
 ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET**E-ZEE / 1757****JUNE 2010****PAGE 3**

HEALTH	1
FIRE	0
REACTIVITY	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.200)

HMIS - Hazardous Materials Identification System

Health - 1 Flammability - 0 Physical Hazard - 0 PPE-B

NFPA - National Fire Protection Association:

Health - 1 Fire - 0 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class A - Compressed Gas

Class D2A - Carcinogenicity

Class D2A - Chronic Toxic Effects

Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:**SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:****OSHA (O)** Occupational Safety and Health Administration.**ACGIH (G)** American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

SECTION 16 – Other Information*Disclaimer:*

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.