

PRODUCT NAME: PRODUCT DESCRIPTION:		PRODUCT NUMBER: 2737		1-800-241-8180	
PRODUCT DESCRIPTION:	RODUCT NAME: HI-TEMP		EMERGENCY TELEPHO	NE: 1-800-241-8180	
	System with	Automatic Lubricator Multipurpose, High Impact,	INFOTRAC:	1-800-535-5053	
COMPANY INFORMATION:	Green Gel Grease ANY INFORMATION: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004				
2. Hazards Identification					
GHS CLASSIFICATION: Not a GHS controlled substance or mixture.		SIGNAL WORD: N/A	SYMBOL:	NOT A CONTROLLED	
AZARD STATEMENT:				PRODUCT UNDER GHS	
Not a GHS controlled	substance or r	nixture.			
B. Composition / Information of	on Ingredients				
			CAS	Concentration % by Weight	
Distillates (petroleum), hydrotrea Mineral Oil Mixture	ated light naph	thenic	64742-53-6	>= 70 - < 90	
Mineral OII Mixture Distillates (petroleum), solvent-r	efined heavy n	araffinic	Not assigned 64741-88-4	>= 0.1 - < 1 >= 0.1 - < 1	
quartz (SiO2)	οπιου πεανγ μ		14808-60-7	>= 0.1 - < 1	
. First Aid Measures					
		II a physician. Keep respirator symptoms persist, call a physi		k or alcoholic beverages. Never give anything	
5. Fire-Fighting Measures	•				
SUITABLE FIRE EXTINGUISH					
	Foam Carbo				
Dry chemical. Water.					
UNSUITABLE FIRE EXTINGUI High volume water jet	SHING MEDIA	. :			
UNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING	SHING MEDIA L G FROM THE C	A: CHEMICAL:	s.		
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I	SHING MEDIA FROM THE C om firefighting PRODUCTS:	A: CHEMICAL: to enter drains or watercourse	S.		
UNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME	SHING MEDIA t. FROM THE C om firefighting PRODUCTS:). Carbon mon THODS:	A: CHEMICAL: to enter drains or watercourse oxide. Smoke.			
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing mater so disposed of in accord	SHING MEDIA t. FROM THE C om firefighting PRODUCTS:). Carbon mon THODS: asures that are eparately. This ance with local	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations.	ances and the surrounding er	nvironment. Collect contaminated fire taminated fire taminated fire extinguishing water must be	
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing mater sa disposed of in accord. SPECIAL PROTECTIVE EQUIF Wear self-contained b ENVIRONMENTAL PRECAUTI	SHING MEDIA t. FROM THE C om firefighting PRODUCTS: Carbon mon THODS: asures that are eparately. This ance with local PMENT FOR F oreathing appar ONS AND CL	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations. IREFIGHTERS: ratus for firefighting if necessar EAN-UP METHODS:	ances and the surrounding er rains. Fire residues and con y.	taminated fire extinguishing water must be	
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr IAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing me extinguishing water se disposed of in accord SPECIAL PROTECTIVE EQUIF Wear self-contained b ENVIRONMENTAL PRECAUTI Collect contaminated	SHING MEDIA t. FROM THE C om firefighting PRODUCTS: Carbon mon THODS: asures that are eparately. This ance with local PMENT FOR F oreathing appar ONS AND CL fire extinguishi	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations. IREFIGHTERS: ratus for firefighting if necessar EAN-UP METHODS:	ances and the surrounding er rains. Fire residues and con ry. t not be discharged into drair		
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing water se disposed of in accord. SPECIAL PROTECTIVE EQUIF Wear self-contained b ENVIRONMENTAL PRECAUTI Collect contaminated extinguishing water m S. Accidental Release Measure	SHING MEDIA t. FROM THE C om firefighting PRODUCTS:). Carbon mon THODS: asures that are eparately. This ance with local PMENT FOR F preathing appar ONS AND CL fire extinguishing the dispose es	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations. IREFIGHTERS: ratus for firefighting if necessar EAN-UP METHODS: ng water separately. This mus ed of in accordance with local r	ances and the surrounding er rains. Fire residues and con ry. t not be discharged into drair	taminated fire extinguishing water must be	
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing me extinguishing water se disposed of in accord SPECIAL PROTECTIVE EQUIF Wear self-contained b ENVIRONMENTAL PRECAUTI Collect contaminated extinguishing water m S. Accidental Release Measur ENVIRONMENTAL PRECAUTI Prevent product from	SHING MEDIA t. FROM THE C om firefighting PRODUCTS: . Carbon mon THODS: asures that are eparately. This ance with local PMENT FOR F preathing appar ONS AND CL fire extinguishing to dispose es ONS AND CL entering drains norities. Soak	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations. IREFIGHTERS: ratus for firefighting if necessar EAN-UP METHODS: ng water separately. This mus ed of in accordance with local r EAN-UP METHODS: s. Prevent further leakage or s up with inert absorbent materia	ances and the surrounding er rains. Fire residues and con ry. t not be discharged into drair egulations. pillage if safe to do so. If the	taminated fire extinguishing water must be	
JNSUITABLE FIRE EXTINGUI High volume water jet SPECIFIC HAZARDS ARISING Do not allow run-off fr HAZARDOUS COMBUSTION I Carbon dioxide (CO2) SPECIFIC FIRE-FIGHTING ME Use extinguishing me extinguishing water se disposed of in accord SPECIAL PROTECTIVE EQUIF Wear self-contained b ENVIRONMENTAL PRECAUTI Collect contaminated extinguishing water m S. Accidental Release Measur ENVIRONMENTAL PRECAUTI Prevent product from inform respective auth	SHING MEDIA t. FROM THE C om firefighting PRODUCTS: . Carbon mon THODS: asures that are eparately. This ance with local PMENT FOR F preathing appar ONS AND CL fire extinguishing to dispose es ONS AND CL entering drains norities. Soak	A: CHEMICAL: to enter drains or watercourse oxide. Smoke. e appropriate to local circumsta must not be discharged into d regulations. IREFIGHTERS: ratus for firefighting if necessar EAN-UP METHODS: ng water separately. This mus ed of in accordance with local r EAN-UP METHODS: s. Prevent further leakage or s up with inert absorbent materia	ances and the surrounding er rains. Fire residues and con ry. t not be discharged into drair egulations. pillage if safe to do so. If the	taminated fire extinguishing water must be ns. Fire residues and contaminated fire e product contaminates rivers and lakes or drai	

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations/working materials must comply with the technological safety standards.

MATERIALS TO AVOID: Oxidizing agents.

8. Exposure Controls / Personal Protection

PERSONAL PROTECTIVE EQUIPMENT:



HAND PROTECTION: The suitability for a specific workplace should be discussed with the producers of the protective gloves. **EYE PROTECTION:** Eye wash bottle with pure water. Tightly fitting safety goggles.

SKIN PROTECTION: Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

HYGIENE MEASURES: When using, do not eat or drink. When using, do not smoke. Wash hands before breaks and at the end of workday.

9. Physical & Chemical Properties			
APPEARANCE:	Gel.	FLASH POINT:	204°C
Color:	Dark green.	EVAPORATION RATE:	No data available.
ODOR:	Oily.	Explosive Limit – lower (%):	No data available.
ODOR THRESHOLD:	No data available.	Explosive Limit – upper (%):	No data available.
pH:	No data available.	VAPOR PRESSURE:	< 0.01 hPa
MELTING/FREEZING POINT:	Not applicable.	DENSITY:	1 g/cm3
BOILING POINT:	Not applicable.	RELATIVE VAPOR DENSITY:	No data available.
PARTITION COEFFICIENT (n- octanol/water):	No data available.	SOLUBILITY (water):	Negligible.
VISCOSITY(dynamic):	No data available.	AUTO-IGNITION TEMP:	No data available.
VISCOSITY (kinematic):	> 10,000 mm2/s (40°C)	THERMAL DECOMPOSITION:	No data available.

10. Stability & Reactivity Information

REACTIVITY:

REACTIVITY.
Stable. No decomposition if stored and applied as directed.
CHEMICAL STABILITY:
Stable under normal conditions. No decomposition if stored and applied as directed.
POSSIBILITY OF HAZARDOUS REACTIONS:
No decomposition if stored and applied as directed.
INCOMPATIBLE MATERIALS:
No data available.
CONDITIONS TO AVOID:
No data available.
DECOMPOSITION PRODUCTS:
Organic substances. Carbon oxides.
11. Toxicological Information
ACUTE TOXICITY:
No data available.
SKIN CORROSION/IRRITATION:
No data available.
SERIOUS EYE DAMAGE/EYE IRRITATION:
No data available.
RESPIRATORY OR SKIN SENSITIZATION:
No data available.
GERM CELL MUTAGENICITY:
No data available.
CARCINOGENICITY:
Not classifiable as a human carcinogen.
IARC: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human
carcinogen by IARC.
ACGIH: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human
carcinogen by ACGIH.
OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human
carcinogen by OSHA.
NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human
carcinogen by NTP.
REPRODUCTIVE TOXICITY:
No data available.
Distillates (petroleum), hydrotreated light naphthenic:
Mineral Oil Mixture:
Distillates (petroleum), solvent-refined heavy paraffinic:
guartz (SiO2):

STOT - single exposure: No data available. STOT - repeated exposure: No data available. ASPIRATION TOXICITY: No data available.
STOT - repeated exposure: No data available. ASPIRATION TOXICITY: No data available.
No data available. ASPIRATION TOXICITY: No data available.
ASPIRATION TOXICITY: No data available.
No data available.
FURTHER INFORMATION
No data available.
12. Ecological Information
ECOTOXICITY:
No data available. PERSISTENCE AND DEGRADABILITY:
No data available.
BIOACCUMULATIVE POTENTIAL:
Partition coefficient: n-octanol/water: No data available.
Distillates (petroleum), solvent-refined heavy paraffinic
Partition coefficient: n-octanol/water: log Pow: 5
MOBILITY IN SOIL:
No data available. OTHER ADVERSE EFFECTS:
No data available.
Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act
Section 602 (40 CFR 82, Subpt. A, App.A + B).
ADDITIONAL ECOLOGICAL INFORMATION:
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting
effects.
13. Disposal Consideration
DISPOSAL METHODS:
The product should not be allowed to enter drains, watercourses, or the soil. Do not contaminate ponds, waterways, or ditches with chemical
used container. Dispose of in accordance with local regulations. Send to a licensed waste management company.
CONTAMINATED PACKAGING:
Empty remaining contents. Dispose of as unused product. Do not reuse empty containers.
14. Transportation Information
Transportation Regulation: 49 CFR (USA):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
Transportation Regulation: IMDG (Vessel):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
Transportation Regulation: IATA (Cargo Air):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL Transportation Regulation: IATA (Passenger Air):
Transportation negulation. TATA (Fassenger Air).
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL Transportation Regulation: TDG (Canada):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs)
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs)
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (Ibs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (Ibs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. * * SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. *
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards:
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards.
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. SARA 302: No SARA Hazards.
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards.
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (Ibs) CALCULATED PRODUCT RQ (Ibs) XICULATED PRODUCT RQ
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL IS. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: California Prop 65:
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL IS. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity * This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL IST REGULATED PRODUCT IST REGULATED PRODUCT RQ (Ibs) COMPONENTS CAS # COMPONENT RQ (Ibs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. Calif
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL ISTER OF THE STORE OF THE ST
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL ISTER COLSPANSE COMPONENT RO (Ibs) CALCULATED PRODUCT RQ (Ibs) CALCULATED PRODUCT RQ (Ibs) CALCULATED PRODUCT RQ (Ibs) Xylenes
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (ibs) Xylenes 1330-20-7 100 * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product contains one or several components that are not on the Canadian DSL nor NDSL. AICS AICS Not in compliance with the inventory DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. AICS
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories: TSCA On the inventory, or in compliance with the inventory DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. AICS Not in compliance with the inventory DSL Not in compliance with the inventory DSL Not in compliance with th
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories: TSCA On the inventory, or in compliance with the inventory DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. AICS AICS Not in compliance with the inventory NZIOC Not in compliance with the inventory NZIOC Not in
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product are reported in the following inventories: TSCA On the inventory, or in compliance with the inventory DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. AICS Not in compliance with the inventory DSL Not in compliance with the inventory DSL Not in compliance with the inventory PICCS Not in compliance with the inventory PICCS Not in compliance with the inventory </td
Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL 15. Regulatory Information EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity COMPONENTS CAS # COMPONENT RQ (lbs) CALCULATED PRODUCT RQ (lbs) Xylenes 1330-20-7 100 * * Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: No SARA Hazards. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories: TSCA On the inventory, or in compliance with the inventory DSL This product contains one or several components that are not on the Canadian DSL nor NDSL. AICS AICS Not in compliance with the inventory NZIOC Not in compliance with the inventory NZIOC Not in

N/A = Not Applicable; N/D = Not Determined

NFPA	Health Hazards: 1	Flammability: 1	Instability: 0	Physical & Chemical Properties:	
HMIS	Health Hazards: 1	Flammability: 1	Physical hazards: 0	Personal protection:	
0 = not significant, 1 =Slight,					

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the product simproper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.