



SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	1732	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	LONG LIFE	EMERGENCY TELEPHONE:	1-800-241-8180
PRODUCT DESCRIPTION:	Aerosol Cutting and Tapping Fluid	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION:

Flammable aerosols: Category 1
Serious eye damage/eye irritation: Category 2A
Specific target organ toxicity, single exposure: Category 3 Narcotic effects
OSHA defined hazards: Not classified.

SIGNAL WORD:
DANGER

SYMBOL:



HAZARD STATEMENTS:

Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS:

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

HAZARDS NOT OTHERWISE SPECIFIED:

None.

3. Composition / Information on Ingredients

CHEMICAL NAME	CAS	Concentration % by Weight
2-Propanone	67-64-1	20 - <50%
Butane	106-97-8	10 - <20%
Propane	74-98-6	5 - <10%
Distillates (petroleum), hydrotreated light	64742-47-8	1 - <5%
Polyethylene glycol mono(branched p-nonylphenyl) ether	127087-87-0	1 - <5%

*All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: The components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First Aid Measures

EMERGENCY OVERVIEW:

EYES: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

SKIN: Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

INHALATION:

Move to fresh air.

INGESTION:

Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

PERSONAL PROTECTION FOR FIRST-AID RESPONDERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Symptoms: No data available.

Hazards: No data available.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Treatment: Get medical attention if symptoms occur.

5. Fire-Fighting Measures

GENERAL FIRE HAZARDS:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk

SUITABLE FIRE EXTINGUISHING MEDIA:

Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE FIRE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Vapors may travel considerable distance to a source of ignition and flash back.

SPECIFIC FIRE-FIGHTING METHODS:

No data available.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental Release Measures**PERSONAL PRECAUTIONS:**

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

ACCIDENTAL RELEASE MEASURES:

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

ENVIRONMENTAL PRECAUTIONS:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and Storage**SAFE HANDLING:**

Technical Measures (e.g. Local and general Ventilation): No data available.

Safe Handling Advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Contact Avoidance Advice: No data available.

SAFE STORAGE AND INCOMPATIBILITIES:

Safe Storage Conditions: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

Safe Packaging Materials: No data available.

Storage Temperature: No data available.

8. Exposure Controls / Personal Protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Chemical Identity	TYPE	Exposure Limit Values		Source
2-Propanone	STEL	1,000 ppm	2,400 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	1,000 ppm	2,400 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	250 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	750 ppm	1,800 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended
Butane	REL	800 mg/m ³	1,900 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 mg/m ³	1,900 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Propane	REL	1,000 ppm	1,800 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	1,000 ppm	1,800 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated light	REL	100 mg/m ³		US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	200 mg/m ³		US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), hydrotreated light - Non-aerosol - as total hydrocarbon vapor	TWA	200 mg/m ³		US. ACGIH Threshold Limit Values, as amended
	Ceil_Time	5 ppm	9 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Oxirane	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	OSHA_ACT	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	REL	0.1 ppm	0.18 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	1 ppm		US. ACGIH Threshold Limit Values, as amended

1,4-Dioxane	TWA	1 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	5 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	25 ppm	90 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceil_Time	1 ppm	3.6 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Acetic Acid	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	PEL	100 ppm	360 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	STEL	15 ppm	37 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	10 ppm	25 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	10 ppm	25 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	10 ppm	25 mg/m ³	US. ACGIH Threshold Limit Values, as amended
	TWA	10 ppm	25 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	15 ppm		US. ACGIH Threshold Limit Values, as amended

BIOLOGICAL LIMIT VALUE:

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL
Oxirane (N-(2-hydroxyethyl)-valine (HEV) hemoglobin adducts: Sampling time: Not critical.)	5000 pmol/g (Hemoglobin adducts)	ACGIH BEL
Oxirane (S-(2-hydroxyethyl) mercapturic acid (HEMA): Sampling time: End of shift.)	5 µg/g (Creatinine in urine)	ACGIH BEL

EXPOSURE GUIDELINES:

Chemical Identity	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
1,4-Dioxane	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

APPROPRIATE ENGINEERING CONTROLS:

No data available.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:



Eye/Face Protection: Wear safety glasses with side shields (or goggles).

Skin Protection:

Hand Protection: No data available.

Skin and Body Protection: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Thermal Hazards: Wear appropriate thermal protective clothing, when necessary.

General Hygiene Measures: Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke.

9. Physical & Chemical Properties

Appearance:		Flammability(solid/gas):	No data available.
Physical State:	Liquid.	Explosive Limit – lower (%):	Estimated 2.5%(V)
Form:	Spray Aerosol.	Explosive Limit – upper (%):	Estimated 12.4%(V)
Color:	Not data available.	Density:	Estimated 0.784 g/cm ³
Odor:	Not data available.	Vapor Pressure:	2,757 - 4,136 hPa (20°C)
Odor Threshold:	Not data available.	Vapor Density (air=1):	No data available.
pH:	Not data available.	Relative Density:	Estimated 447.88°C
Freezing Point:	Not data available.	Solubility (water):	Not data available.
Boiling Point:	Estimated 56.05°C	Solubility (other):	Not data available.
Partition Coeff (n-octanol/water):	Not data available.	Self-Ignition Temperature:	Estimated 447.88°C
Kinematic Viscosity:	Not data available.	Decomposition Temperature:	Not data available.
Dynamic Viscosity:	Not data available.	Evaporation Rate:	No data available.
Flash Point:	-104.44°C	Oxidizing Properties:	No data available.
Explosive Properties:	Not data available.		

10. Stability & Reactivity Information

REACTIVITY:

No data available.

CHEMICAL STABILITY:

Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:

No data available.

INCOMPATIBLE MATERIALS:

No data available.

CONDITIONS TO AVOID:

Avoid heat or contamination.

HAZARDOUS DECOMPOSITION PRODUCTS:

No data available.

11. Toxicological Information

PRIMARY ROUTE OF ENTRY:

Eyes: Not data available.

Skin: Not data available.

Inhalation: Not data available.

Ingestion: Not data available.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

Eyes: Not data available.

Skin: Not data available.

Inhalation: Not data available.

Ingestion: Not data available.

ACUTE TOXICITY (list all possible routes of exposure):

Oral Product: ATEmix: 120,445.81 mg/kg

Dermal Product: Not classified for acute toxicity based on available data.

Inhalation Product: Not classified for acute toxicity based on available data.

REPEATED DOSE TOXICITY:

Product: No data available.

COMPONENTS

2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study

SKIN CORROSION/IRRITATION:

Product: No data available.

COMPONENTS

2-Propanone	in vivo (Rabbit): Not irritant.
Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant.
Polyethylene glycol mono(branched p-nonylphenyl) ether	Assessment Irritating.

SERIOUS EYE DAMAGE/IRRITATION:

Product: No data available.

COMPONENTS

2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant
Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating

RESPIRATORY OR SKIN SENSITIZATION:

Product: No data available.

COMPONENTS

2-Propanone	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising

CARCINOGENICITY:

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified.

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified.

GERM CELL MUTAGENICITY:**In vitro Product:** No data available.**In vivo Product:** No data available.**REPRODUCTIVE TOXICITY:****Product:** No data available.**SPECIFIC TARGET ORGAN TOXICITY (single exposure):****Product:** No data available.**Components:**

2-Propanone: Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

SPECIFIC TARGET ORGAN TOXICITY (repeated exposures):**Product:** No data available.**Target Organs:**

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

ASPIRATION HAZARD:**Product:** No data available.**Components:**

Distillates (petroleum), hydrotreated light: May be fatal if swallowed and enters airways.

Other Effects: No data available.**12. Ecological Information****ECOTOXICITY:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Components:**

2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Polyethylene glycol mono(branched p-nonylphenyl) ether	LC 50 (96 h): 84.7 mg/l European Chemicals Agency, http://echa.europa.eu/ - REACH registration dossiers submitted by companies to ECHA

Aquatic Invertebrates:**Product:** No data available.**Components:**

2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Polyethylene glycol mono(branched p-nonylphenyl) ether	EC 50 (48 h): 23.06 mg/l European Chemicals Agency, http://echa.europa.eu/ - REACH registration dossiers submitted by companies to ECHA

Chronic hazards to the aquatic environment:**Fish****Product:** No data available.**Components:**

Distillates (petroleum), hydrotreated light	NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study.
---	---

Aquatic Invertebrates:**Product:** No data available.**Components:**

2-Propanone	LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study. NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study.
-------------	--

Toxicity to Aquatic Plants:**Product:** No data available.**Components:**

Polyethylene glycol mono(branched p-nonylphenyl) ether	EC 50 (72 h): 19.5 mg/l European Chemicals Agency, http://echa.europa.eu/ - REACH registration dossiers submitted by companies to ECHA. NOEC (96 h): 8 mg/l European Chemicals Agency, http://echa.europa.eu/ - REACH registration dossiers submitted by companies to ECHA.
--	--

PERSISTENCE AND DEGRADABILITY:**Biodegradation:****Product:** No data available.**Components:**

2-Propanone	90.9% (28 d) Detected in water. Experimental result, Key study.
Butane	100% (385.5 h) Detected in water. Experimental result, Key study.
Propane	100% (385.5 h) Detected in water. Experimental result, Key study. 50% (3.19 d) Detected in water. QSAR, Weight of Evidence study.

Distillates (petroleum), hydrotreated light Polyethylene glycol mono(branched p-nonylphenyl) ether 61% Detected in water. Experimental result, Supporting study.
Not readily degradable.

BOD/COD Ratio:
Product: No data available.

BIOACCUMULATIVE POTENTIAL:

Bioconcentration Factor (BCF):
Product: No data available.

Components:

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified.

PARTITION COEFFICIENT N-OCTANOL / WATER (LOG KOW):

Product: No data available.

Components:

Polyethylene glycol mono(branched p-nonylphenyl) ether Log Kow: 5.669 25°C

MOBILITY IN SOIL:

No data available.

Components:

2-Propanone No data available.
Butane No data available.
Propane No data available.
Distillates (petroleum), hydrotreated light No data available.
Polyethylene glycol mono(branched p-nonylphenyl) ether No data available.

OTHER ADVERSE EFFECTS:

No data available.

13. Disposal Consideration

DISPOSAL INSTRUCTIONS:

Wash before disposal. Dispose to controlled facilities.

CONTAMINATED PACKAGING:

No data available.

14. Transportation Information

DOT: UN Number: UN1950
UN Proper Shipping Name: Aerosols, flammable.
Transport Hazard Class(es)
Class: 2.1
Label(s): -
EmS No.:



Packing Group: II
Special Precautions for User: Not regulated.

IATA: UN Number: UN1950
UN Proper Shipping Name: Aerosols, flammable.
Transport Hazard Class(es)
Class: 2.1
Label(s): -
Packing Group: II
Special Precautions for User: Not regulated.



Other Information:
Passenger and Cargo Aircraft: Allowed. 203
Cargo Aircraft Only: Allowed. 203

IMDG: Number: UN1950
UN Proper Shipping Name: Aerosols, flammable.
Transport Hazard Class(es)
Class: 2
Label(s): -
EmS No.:



Packing Group: -
Special Precautions for User: Not regulated.

15. Regulatory Information

US FEDERAL REGULATIONS:

Restrictions on Us: Not known.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):
US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E):
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended.

Chemical Identity
Oxirane

OSHA Hazard(s)
Skin Sensitization

Acute Toxicity
Cancer
Reproductive Toxicity
Mutagenicity
Central Nervous System
Eye Irritation
Respiratory Tract Irritation
Skin Irritation
Flammability

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

Acetone
Unlisted Hazardous Wastes Characteristic of Ignitability
RCRA Hazardous Waste No. D001
Distillates (petroleum), hydrotreated light
Ethylene Oxide
Oxirane
1,4-Diethyleneoxide
Acetic Acid

Superfund Amendments and Reauthorization Act of 1986 (SARA):

Hazard Categories:

Flammable aerosol, Serious Eye Damage/Eye Irritation, Specific Target Organ Toxicity - Single Exposure

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substances.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required.

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US STATE REGULATIONS:

US. California Proposition 65: For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act:

Chemical Identity

2-Propanone
Butane
Propane
Distillated (petroleum), hydrotreated light

US. Massachusetts RTK - Substance List:

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances:

Chemical Identity

2-Propanone
Butane
Propane
Distillated (petroleum), hydrotreated light

US. Rhode Island RTK: No ingredient regulated by RI Right-to-Know Law present.

INTERNATIONAL REGULATIONS:

Montreal Protocol:

2-Propanone
Distillates (petroleum), hydrotreated light

Stockholm Convention:

2-Propanone
Distillates (petroleum), hydrotreated light

Rotterdam Convention:

2-Propanone
Distillates (petroleum), hydrotreated light

Kyoto Protocol:

INVENTORY STATUS:

Australia AICS	On or in compliance with the inventory.
Canada DSL Inventory List	On or in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory.
Japan (ENCS) List	Not in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	On or in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory.
Philippines PICCS	On or in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory.
US TSCA Inventory	On or in compliance with the inventory.
EINECS, ELINCS or NLP	Not in compliance with the inventory.

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.