


SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	2750	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	NO SEIZE	EMERGENCY TELEPHONE:	1-800-535-5053
PRODUCT DESCRIPTION:	Copper Anti-Seize & Lubricating Paste	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION: AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1 OSHA/HCS STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	SIGNAL WORD: WARNING	SYMBOL:	
HAZARD STATEMENTS: H410 - Very toxic to aquatic life with long lasting effects.			
PRECAUTIONARY STATEMENTS: Prevention: P273 - Avoid release to the environment. Response: P391 - Collect spillage. Storage: Not applicable. Disposal: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.			
HAZARDS NOT OTHERWISE SPECIFIED: None known.			

3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Copper	7440-50-8	1 - 5
Crystalline silica, respirable powder	14808-60-7	0.1 - 1

Substance/mixture: Mixture

United States: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Canada: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First Aid Measures

EMERGENCY OVERVIEW

EYES: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

SKIN: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

INHALATION:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

INGESTION:

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

OVER-EXPOSURE SIGNS/SYMPTOMS:

Eye Contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin Contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:
Notes to Physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific Treatments: No specific treatment.
Protection of First-Aiders: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See Toxicological Information (Section 11)

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:
In case of fire, use foam, dry chemical or carbon dioxide.
UNSUITABLE FIRE EXTINGUISHING MEDIA:
None known.
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:
This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:
Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
metal oxide/oxides
SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS:
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:
For Non-Emergency Personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For Emergency Responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
ENVIRONMENTAL PRECAUTIONS:
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:
Small Spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large Spill: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING
PROTECTIVE MEASURES:
Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
ADVICE ON GENERAL OCCUPATIONAL HYGIENE:
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure Controls / Personal Protection

CONTROL PARAMETERS
UNITED STATES
OCCUPATIONAL EXPOSURE LIMITS:

Ingredient Name:	Exposure Limits:
Copper	ACGIH TLV (United States, 3/2016). TWA: 1 mg/m ³ , (as Cu) 8 hours. Form: Dust and mist TWA: 0.2 mg/m ³ 8 hours. Form: Fertilizer and/or industrial use. NIOSH REL (United States, 10/2013). TWA: 1 mg/m ³ , (as Cu) 10 hours. Form: Dusts and mists OSHA PEL (United States, 6/2016). TWA: 1 mg/m ³ 8 hours. Form: Dusts and mists TWA: 0.1 mg/m ³ 8 hours. Form: Fertilizer and/or industrial use.

**CANADA
OCCUPATIONAL EXPOSURE LIMITS**

Ingredient Name:	Exposure Limits:
Copper	<p>CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1 mg/m³, (as Cu) 8 hours. Form: Dusts and mists 8 hrs OEL: 0.2 mg/m³ 8 hours. Form: Fertilizer and/or industrial use.</p> <p>CA British Columbia Provincial (Canada, 7/2016). TWA: 1 mg/m³, (as Cu) 8 hours. Form: Dusts and mists TWA: 0.2 mg/m³, (as Cu) 8 hours. Form: Fertilizer and/or industrial use.</p> <p>CA Quebec Provincial (Canada, 1/2014). TWA EV: 0.2 mg/m³, (as Cu) 8 hours. Form: Fertilizer and/or industrial use. TWA EV: 1 mg/m³, (as Cu) 8 hours. Form: dusts & mists</p> <p>CA Ontario Provincial (Canada, 7/2015). TWA: 0.2 mg/m³ 8 hours. Form: Fertilizer and/or industrial use. TWA: 1 mg/m³ 8 hours. Form: dust and mists</p> <p>CA Saskatchewan Provincial (Canada, 7/2013). STEL: 0.6 mg/m³, (measured as Cu) 15 minutes. Form: Fertilizer and/or industrial use. TWA: 0.2 mg/m³, (measured as Cu) 8 hours. Form: Fertilizer and/or industrial use. STEL: 3 mg/m³, (measured as Cu) 15 minutes. Form: dust and mist TWA: 1 mg/m³, (measured as Cu) 8 hours. Form: dust and mist</p>

PERSONAL PROTECTIVE EQUIPMENT:



Eye/Face Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin Protection:

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Skin Protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

General Hygiene Considerations: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

ENVIRONMENTAL EXPOSURE CONTROLS:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

9. Physical & Chemical Properties

Physical State: Solid. [Semi-solid.]	Flammability(solid/gas): Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Color: Copper	Lower and Upper Explosive (Flammable) Limits: Not available.
Odor: Mild.	Vapor Density: Not available.
Odor Threshold: Not available.	Vapor Pressure: Not available.
pH: Not available.	Relative Density: 1.32 g/ml
Melting Point: Not available.	Solubility: Insoluble in the following materials: cold water and hot water.
Boiling Point: Not available.	Auto-Ignition Temp: Not available.
Viscosity: Not available.	Decomposition Temp: Not available.
Flash Point: Open Cup: 215.56°C (420°F) [Cleveland.]	Partition Coeff(n-octanol/water): Not available.
Evaporation Rate: Not available.	Flow Time (ISO 2431): Not available.

10. Stability & Reactivity Information

REACTIVITY:

No specific test data related to reactivity available for this product or its ingredients.

CHEMICAL STABILITY:

The product is stable.

POSSIBILITY OF HAZARDOUS REACTIONS:

Under normal conditions of storage and use, hazardous reactions will not occur.

CONDITIONS TO AVOID:

Do not heat above flash point.

INCOMPATIBLE MATERIALS:

Reactive or incompatible with the following materials: oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information**INFORMATION ON TOXICOLOGICAL EFFECTS****ACUTE TOXICITY:**

There is no data available.

IRRITATION/CORROSION:

There is no data available.

SENSITIZATION:

There is no data available.

MUTAGENICITY:

There is no data available.

CARCINOGENICITY**CLASSIFICATION:**

PRODUCT/INGREDIENT NAME	OSHA	IARC	NTP
Crystalline silica, respirable powder	-	1	Known to be a human carcinogen.

REPRODUCTIVE TOXICITY:

There is no data available.

TERATOGENICITY:

There is no data available.

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):

There is no data available.

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE):

Name	Category	Target organs
Crystalline silica, respirable powder	Category 1	Respiratory tract

ASPIRATION HAZARD:

There is no data available.

INFORMATION ON THE LIKELY ROUTES OF EXPOSURE: Ingestion.**POTENTIAL ACUTE HEALTH EFFECTS****Eye Contact:** No known significant effects or critical hazards.**Inhalation:** No known significant effects or critical hazards.**Skin Contact:** No known significant effects or critical hazards.**Ingestion:** No known significant effects or critical hazards.**SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:****Eye Contact:** No known significant effects or critical hazards.**Inhalation:** No known significant effects or critical hazards.**Skin Contact:** No known significant effects or critical hazards.**Ingestion:** No known significant effects or critical hazards.**DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE****SHORT TERM EXPOSURE:****Potential Immediate Effects:** No known significant effects or critical hazards.**Potential Delayed Effects:** No known significant effects or critical hazards.**LONG TERM EXPOSURE:****Potential Immediate Effects:** No known significant effects or critical hazards.**Potential Delayed Effects:** No known significant effects or critical hazards.**POTENTIAL CHRONIC HEALTH EFFECTS:****General:** No known significant effects or critical hazards.**Carcinogenicity:** No known significant effects or critical hazards.**Mutagenicity:** No known significant effects or critical hazards.**Teratogenicity:** No known significant effects or critical hazards.**Developmental Effects:** No known significant effects or critical hazards.**Fertility Effects:** No known significant effects or critical hazards.**NUMERICAL MEASURES OF TOXICITY****ACUTE TOXICITY ESTIMATES:**

Route	ATE value
Oral	140611.2 mg/kg

12. Ecological Information**TOXICITY:**

Product/ Ingredient Name	Result	Species	Exposure
Copper	Acute EC50 1100 µg/L Fresh water	Aquatic plants - Lemna minor	4 days
	Acute EC50 2.1 µg/L Fresh water	Daphnia - Daphnia longispina – Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute IC50 13 µg/L Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute IC50 5.4 mg/L Marine water	Aquatic plants - Plantae – Exponential growth phase	72 hours
	Acute LC50 0.072 µg/L Marine water	Crustaceans - Amphipoda - Adult	48 hours
	Acute LC50 7.56 µg/L Marine water	Fish - Periophthalmus waltoni - Adult	96 hours
	Chronic NOEC 2.5 µg/L Marine water	Algae - Nitzschia closterium - Exponential growth phase	72 hours
	Chronic NOEC 7 mg/L Fresh water	Aquatic plants - Ceratophyllum demersum	3 days
	Chronic NOEC 0.02 mg/L Fresh water	Crustaceans - Cambarus bartonii - Mature	21 days
	Chronic NOEC 2 µg/L Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 0.8 µg/L Fresh water	Fish - Oreochromis niloticus – Juvenile (Fledgling, Hatchling, Weanling)	6 weeks

PERSISTENCE AND DEGRADABILITY:
There is no data available.

BIOACCUMULATIVE POTENTIAL:
There is no data available.

MOBILITY IN SOIL:
Soil/water partition coefficient (Koc): Not available.

OTHER ADVERSE EFFECTS:
No known significant effects or critical hazards.

13. Disposal Consideration

DISPOSAL METHODS:
The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transportation Information

	DOT CLASSIFICATION	TDG CLASSIFICATION	IMDG	IATA
UN Number	UN3077	UN3077	UN3077	UN3077
UN Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper). Marine pollutant (Copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper)
Transport Hazard Class(es)	9	9	9	9
Packing Group	III	III	III	III
Environmental Hazards	Yes.	Yes.	Yes.	Yes.

AERG: 171

ADDITIONAL INFORMATION:

DOT: Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of §§ 173.24 and 173.24a.

IATA: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

IMDG: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

TDG: Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.

SPECIAL PRECAUTIONS FOR USER:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

15. Regulatory Information

This product does not dry or produce dust under normal use. Since the product is in paste/grease form, the risk of exposure to dust is minimal or non-existent and the related hazard statements are therefore not shown in this SDS even if some hazardous ingredients are listed in this Section for other regulatory requirements.

U.S. FEDERAL REGULATIONS:

TSCA 8(a) CDR Exempt/Partial Exemption: Not determined
United States Inventory (TSCA 8b): All components are listed or exempted.
TSCA 12(b) One-Time Export: None of the components are listed.
TSCA 12(b) Annual Export Notification: None of the components are listed.
Clean Water Act (CWA) 307: Copper

CLEAN AIR ACT SECTION 112 (B) HAZARDOUS AIR POLLUTANTS (HAPS):

Listed.

CLEAN AIR ACT SECTION 602 CLASS I SUBSTANCES:

Not Listed.

CLEAN AIR ACT SECTION 602 CLASS II SUBSTANCES:

Not Listed.

DEA LIST I CHEMICALS (PRECURSOR CHEMICALS):

Not Listed.

DEA LIST II CHEMICALS (ESSENTIAL CHEMICALS):

Not Listed.

SARA 302/304

COMPOSITION/INFORMATION ON INGREDIENTS:

No products were found.

SARA 304 RQ: Not applicable.

SARA 311/312: Classification: Not applicable.

COMPOSITION/INFORMATION ON INGREDIENTS:

Name	Classification
Crystalline silica, respirable powder	CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (respiratory tract) (inhalation) - Category 1

SARA 313

	Product Name	CAS Number
Form R – Reporting requirements	Copper	7440-50-8
Supplier notification	Copper	7440-50-8

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

STATE REGULATIONS:


Massachusetts: The following components are listed: Distillates (petroleum), solvent-refined heavy naphthenic; Distillates (petroleum), hydrotreated light naphthenic; Limestone; Hydrous magnesium silicate; Copper

New York: The following components are listed: Copper

New Jersey: The following components are listed: Distillates (petroleum), solvent-refined heavy naphthenic; Distillates (petroleum), hydrotreated light naphthenic; Limestone; Crystalline silica, respirable powder; Hydrous magnesium silicate; Copper

Pennsylvania: The following components are listed: Limestone; Crystalline silica, respirable powder; Hydrous magnesium silicate; Copper

California Prop. 65

 **WARNING:** This product can expose you to Crystalline silica, respirable powder, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CANADA**CANADIAN LISTS:**

Canadian NPRI: The following components are listed: Copper

CEPA Toxic Substances: None of the components are listed.

Canada inventory (DSL NDSL): All components are listed or exempted.

INVENTORY LIST**NATIONAL INVENTORY:**

Canada: All components are listed or exempted.

China: All components are listed or exempted.

New Zealand: All components are listed or exempted.

Philippines: All components are listed or exempted.

Republic of Korea: All components are listed or exempted.

Taiwan: All components are listed or exempted.

Petroleum components contained in this product meet the IP 346 criteria of less than 3 percent DMSO-extractable components.

16. Other Information**PROCEDURE USED TO DERIVE THE CLASSIFICATION:**

Classification	Justification
AQUATIC HAZARD (ACUTE) - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 1	Calculation method

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.