

1. Product and Company Identification

 PRODUCT NUMBER:
 3905
 COMPANY PHONE:
 1-800-241-8180

 PRODUCT NAME:
 SLO-GEL
 EMERGENCY TELEPHONE:
 1-800-241-8180

INFOTRAC:

SYMBOL:

1-800-535-5053

PRODUCT DESCRIPTION: Air Conditioning Condensate Pan

Treatment For Large Units Up To 7.5 Tons

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification

GHS CLASSIFICATION:
Environmental Hazards: Not classified.
OSHA Defined Hazards: Not classified.
Acute toxicity, oral: Category 4

Skin corrosion/irritation: Category 2
Serious eye damage/eye irritation: Category 1

HAZARD STATEMENTS:

Harmful if swallowed. Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENTS:

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF SWALLOWED: Call a poison center/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Storage: Store away from incompatible materials.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

SIGNAL WORD:

DANGER

HAZARDS NOT OTHERWISE SPECIFIED:

None known.

SUPPLEMENTAL INFORMATION:

5.87% of the mixture consists of component(s) of unknown acute oral toxicity.

3. Composition / Information on Ingredients		
CHEMICAL NAME	CAS	Concentration % by Weight
Urea	57-13-6	53
Benzyl-C12-18-alkyldimethyl ammonium chlorides	68391-01-5	26.8

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid contact with eyes and skin. Keep out of reach of children

EYES: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SKIN: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Specific treatment (see product label).

INHALATION:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

INGESTION:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Direct contact with skin may cause irritation.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED.

Provide general supportive measures and treat symptomatically.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Treat for surrounding material.

UNSUITABLE FIRE EXTINGUISHING MEDIA:

None known.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

During fire, gases hazardous to health may be formed.

SPECIFIC FIRE-FIGHTING METHODS:

In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

GENERAL FIRE HAZARDS:

No unusual fire or explosion hazards noted.

Product Name: SLO-GEL
Product Number: 3905
Revision Date: 11/12/2021
Pro Chem, Inc.
Page 1 of 5

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS:

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Do not get this material in contact with eyes. Avoid contact with skin and clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS)

8. Exposure Controls / Personal Protection

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

 COMPONENTS
 TYPE
 VALUE
 FORM

 Urea (CAS 57-13-6)
 TWA
 10 mg/m³
 Total particulate.

BIOLOGICAL LIMIT VALUES:

No biological exposure limits noted for the ingredient(s).

EXPOSURE GUIDELINES:

Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

APPROPRIATE ENGINEERING CONTROLS:

Provide eyewash station. Ensure adequate ventilation.

PERSONAL PROTÉCTIVE EQUIPMENT



Eye/Face Protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection:

Hand Protection: Wear appropriate chemical resistant gloves.

Other: Wear appropriate chemical resistant clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal Hazards: Not available.

General Hygiene Considerations: When using, do not eat, drink or smoke. Wash hands after handling and before eating.

9. Physical & Chemical Properties			
Appearance:	Solid.	Flash Point:	Not available.
Physical State:	Solid.	Flammability Limit – lower (%)	Not available.
Form:	Solid until mixed with water to form gel.	Flammability Limit – upper (%):	Not available.
Color:	Various.	Explosive Limit – lower (%):	Not available.
Odor:	Fresh.	Explosive Limit – upper (%):	Not available.
Odor Threshold:	Not available.	Flammability:	Not applicable.
pH:	8.3 (10% solution).	Vapor Density:	Not available.
Melting/Freezing Point:	Not available.	Relative Density:	Not available.
Initial Boiling Point/Range:	Not available.	Solubility (ies):	100%
Partition Coeff (n-octanol/water):	Not available.	Auto-Ignition Temperature:	Not available.
Viscosity:	Not available.	Decomposition Temperature:	Not available.
Specific Gravity:	0.981	Pour Point:	Not available.
Evaporation Rate:	Not available.	Vapor Pressure:	Not available.

10. Stability & Reactivity Information

REACTIVITY:

Do not mix with other chemicals.

POSSIBILITY OF HAZARDOUS REACTIONS:

No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY:

Material is stable under normal conditions.

INCOMPATIBLE MATERIALS:

Strong oxidizing agents.

CONDITIONS TO AVOID:

Contact with incompatible materials.

HAZARDOUS DECOMPOSITION PRODUCTS:

May include and are not limited to: Hydrogen chloride. Ammonia.

Product Name: SLO-GEL
Product Number: 3905

Revision Date: 11/12/2021

Pro Chem, Inc.
Page 2 of 5

11. Toxicological Information

PRIMARY ROUTE OF ENTRY: Ingestion, inhalation, skin contact, eye contact.

ACUTE/POTENTIAL HEALTH EFFECTS: Harmful if swallowed.

Eyes: Causes serious eye damage. Skin: May be irritating to the skin.

Inhalation: Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Ingestion: Harmful if swallowed.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. **ACUTE TOXICITY VALUES:**

Harmful if swallowed.

COMPONENTS SPECIES TEST RESULTS Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5) Acute Dermal LD50 Rat 2000 mg/kg 1420 mg/kg Inhalation LC50 Not available. Oral LD50 Mouse 150 mg/kg Rat 240 mg/kg Urea (CAS 57-13-6) Acute Dermal Rabbit LD50 21000 mg/kg Inhalation Not available. LC50 Oral LD50 Cattle 510 mg/kg Mouse 11000 mg/kg 8471 mg/kg Rat

510 mg/kg SKIN CORROSION/IRRITATION: Not corrosive to skin based on in-vitro test data (OECD Guideline 435 - Corrositex®). May cause irritation.

Exposure minutes: Not available. Ervthema value: Not available. Oedema value: Not available.

SERIOUS EYE DAMAGE/EYE IRRITATION: Causes serious eye damage.

Corneal opacity value: Not available. Iris lesion value: Not available.

Conjunctival reddening value: Not available. Conjunctival oedema value: Not available.

Recover days: Not available.

RESPIRATORY SENSITIZATION:

Not available. SKIN SENSITIZATION:

Not applicable.

GERM CELL MUTAGENICITY:

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

CARCINOGENICITY:

This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

Sheep

REPRODUCTIVE TOXICITY:

This product is not expected to cause reproductive or developmental effects.

SPECIFIC TARGET ORGAN TOXICITY - single exposure:

Not classified.

SPECIFIC TARGET ORGAN TOXICITY - repeated exposure:

Not classified.

ASPIRATION HAZARD:

Not available.

CHRONIC EFFECTS:

Not classified

FURTHER INFORMATION:

Not available.

12. Ecolo	gical Information			
ECOTOXICITY:		S	See below	
I	COMPONENTS		SPECIES	TEST RESULTS
· ì	Urea (CAS 57-13-6)			
	Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
	Aquatic			
	Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
	Fish	LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours

Product Name: SLO-GEL Pro Chem, Inc. Product Number: 3905 Revision Date: 11/12/2021 Page 3 of 5

PERSISTENCE AND DEGRADABILITY:

No data is available on the degradability of this product.

BIOACCUMULATIVE POTENTIAL: No data available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11 **MOBILITY IN SOIL:**

No determine

No data available.

MOBILITY IN GENERAL:

Not available.

OTHER ADVERSE EFFECTS:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Consideration

DISPOSAL INSTRUCTIONS:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

LOCAL DISPOSAL REGULATIONS:

Dispose in accordance with all applicable regulations.

HAZARDOUS WASTE CODE:

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

WASTE FROM RESIDUES/UNUSED PRODUCTS:

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (See: Disposal instructions).

CONTAMINATED PACKAGING:

Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transportation Information

GENERAL:

In accordance with DOT-SP 10904 (8th Revision) & TDG section 2.4.0: This product is not considered corrosive for transportation as per OECD 435 Testing.

U.S. Department of Transportation (DOT):

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada):

Not regulated as dangerous goods.

15. Regulatory Information

US FEDERAL REGULATIONS:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

Hazard categories: Immediate Hazard – Yes.

Delayed Hazard – No. Fire Hazard – No. Pressure Hazard – No. Reactivity Hazard – No.

SARA 302 Extremely hazardous substance: No.

SARA 311/312 Hazardous chemical: No.

SARA 313 (TRI reporting): Not regulated.

OTHER FEDERAL REGULATIONS

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated.

Safe Drinking Water Act (SDWA): Not regulated.
Food and Drug Administration (FDA): Not regulated.

US STATE REGULATIONS

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance: Not listed.

US - Minnesota Haz Subs: Listed substance:

Urea (CAS 57-13-6) Listed.

US - Texas Effects Screening Levels: Listed substance:

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5): Listed.

Urea (CAS 57-13-6): Listed.

US. Massachusetts RTK - Substance List: Not regulated.

US. Pennsylvania RTK - Hazardous Substances: Not regulated.

US. Rhode Island RTK: Not regulated.

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s

Product Name: SLO-GEL
Product Number: 3905

Revision Date: 11/12/2021

Pro Chem, Inc.
Page 4 of 5

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: SLO-GEL
Product Number: 3905
Revision Date: 11/12/2021
Pro Chem, Inc.
Page 5 of 5