



Features

- Foaming formula is easy to apply and results in more contact time for better cleaning
- Neutral pH, no VOCs, non-flammable
- Disposable in waste sewer drains
- Removes stains and dries quickly and residue free
- Chemically transforms a variety of oils and oil byproducts into CO₂ and water
- Approved by U.S. EPA's "Design for the Environment" Program



Description

ENVIRO SOLUTION AEROSOL is a revolutionary technology that remediates hydrocarbons into water and carbon dioxide, eliminating 100% of disposal cost. Spray on surfaces to remove oil and slick residue, leaving a non-slip surface. Safe to use on most water-safe surfaces, including metal, plastic, rubber, concrete, and painted surfaces.

Applications

- | | | |
|-------------------|-----------------|-------------------|
| • Crude oil | • Hydraulic oil | • Grease |
| • Fuel oil | • Jet fuel | • Motor oil |
| • Gasoline (BTEX) | • Brake fluid | • Glycols |
| • Cutting fluids | • Diesel fuel | • Lubricating oil |
| • Skydrol | • Ethanol | • Aviation fuels |
| • Synthetic oils | • Kerosene | |

Directions

Shake well before each use. Spray the product onto the surface to be cleaned. Allow a few seconds for the product to work. Using a clean, damp cloth, wipe the surface clean or rinse with water.

When cleaning heavy oil and grease deposits, allow product to dwell for 1-2 minutes and use a brush to agitate before wiping or rinsing with water.

Product Characteristics

Appearance	Amber
Odor	Bland
Form	Foam
Boiling Point	212°F
Vapor Density	N/D
Solubility	Soluble
Specific Gravity	1.0031
VOC (g/L)	0
pH	7
Evaporation Rate	N/D
Flash Point	Equal to water
Storage	Store in a cool, dry place (room temperature). Keep from freezing.
Transport information	
Class #	55
Proper Shipping Name	Consumer Commodity, ORM-d
NMFC	48580-3

Health	1
Flammability	0
Reactivity	0
Personal Protection	B