

SAFETY DATA SHEET

1. Product and Company Identified	cation			
PRODUCT NUMBER:	133201	COMPANY PHONE:		1-800-241-8180
PRODUCT NAME:	AIRMATIC CLEAN BREEZE	EMERGENCY TELEPHONE	:	1-800-241-8180
PRODUCT DESCRIPTION:	Metered Aerosol Odor Neutralizer	INFOTRAC:		1-800-535-5053
1	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004			
2. Hazards Identification				
GHS CLASSIFICATION: Flammable Aerosols - Category 1 Gasses under pressure - Liquefied Eye Irritation - Category 2 Specific Target Organ Toxicity (sing Category 3 HAZARD STATEMENT (S):	-			
May cause drowsiness o Causes serious eye irrita PRECAUTIONARY STATEMENT: Prevention: Avoid breathing mist/spra Use only outdoors or in a Keep away from heat, sp Do not spray on an open Pressurized container: D Wash hands thoroughly a Wear eye protection. Response: IF IN EYES: Rinse caution If eye irritation persists: C IF INHALED: Remove per Storage: Protect from sunlight. Do Store in a well-ventilated Store locked up. Disposal:	ore use. rosol. sure; may explode if heated. r dizziness. tion. ay. a well-ventilated area. parks, open flames, and hot surface if lame or other ignition source. to not pierce or burn, even after use after handling. pusly with water for several minutes Get medical attention. erson to fresh air and keep comfort to not expose to temperatures exce place. container in accordance with all low	e. s. Remove contact lenses, if present a able for breathing. Call a poison cente	-	-
3. Composition / Information on I	Ingredients			
CHEMICAL NAME			CAS	Concentration % by Weig
Acetone			67-64-1	>=60 <= 80
Butane			106-97-8	>=5 <= 10
Propane			74-98-6	=10 <= 20
Fragrance			N/A	>=1 <= 10
EYES: Rinse cautiously with wa Get medical attention. SKIN: Wash with plenty of soap reuse. INHALATION:	and water. If skin irritation or rasl	ay from heat and flame. ontact lenses, if present and easy to de n occurs, get medical attention. Take o ning. Call a poison center or a doctor i	off contaminat	ted clothing, and wash it before
May be harmful if swallow	wed. Seek medical attention imme	diately. Do NOT induce vomiting.		

SUITABLE FIRE EXTINGUISHING MEDIA:

Use water spray, fog, or foam.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:

Carbon dioxide. Carbon monoxide.

SPECIFIC FIREFIGHTING METHODS:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Put on appropriate personal protective equipment (see Section 8).

ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams, or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil, and other materials to containers for disposal.

7. Handling and Storage

Do not use or store near heat, sparks, or open flame. Exposure to temperatures above 120°F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin, or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

8. Exposure Controls / Personal Protection		
CHEMICAL NAME	ACGIH TLV	OSHA PEL
Acetone	500 ppm	750 ppm
Butane	1000 ppm	
Propane	1000 ppm	

PERSONAL PROTECTIVE EQUIPMENT:



EYE PROTECTION: Wear safety glasses or goggles.

SKIN PROTECTION: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile, or neoprene). RESPIRATORY PROTECTION: When respiratory protection is required, use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

ENGINEERING CONTROLS:

Good general ventilation required.

9. Physical & Chemical Properties			
APPEARANCE	Clear spray/mist	AUTO IGNITION TEMP	Not available.
BOILING POINT	Not available.	COLOR	Colorless.
DECOMPOSITION TEMPERATURE	Not available.	EVAPORATION RATE	Not available.
EXPLOSIVE LIMIT RANGES	Not available.	EXPLOSIVE PROPERTIES	Not available.
FLASH POINT	< 0°F (liquid portion).	MELTING/FREEZING POINT	Not available.
ODOR	Pleasant.	ODOR THRESHOLD	Not available.
VOC CONTENT (Wt.%):	30.	OXIDIZING PROPERTIES	Not available.
PARTITION COEFF	Not available.	PHYSICAL STATE	Liquid.
RELATIVE DENSITY	0.8.	SOLUBILITY (WATER)	Insoluble.
VAPOR DENSITY	Not available.	VAPOR PRESSURE	Not available.
VISCOSITY	Not available.	рН	Not applicable.

10. Stability & Reactivity Information

REACTIVITY: Under normal conditions of storage and use, hazardous reactions will not occur. CHEMICAL STABILITY: Stable under normal conditions. **INCOMPATIBLE MATERIALS:** Acids and strong oxidizers. CONDITIONS TO AVOID: High temperatures, open flames, sparks, welding. **DECOMPOSITION PRODUCTS:** CO. CO2. *Vapors may ignite at temperatures exceeding flash point.

11. Toxicological Information						
PRIMARY ROUTE OF ENTRY:						
Inhalation, eye contact. ACUTE/POTENTIAL HEALTH EFFECTS:						
EYES: Causes serious eye irritation. Symptoms include stinging, tearing, and redness.						
SKIN: May cause skin irritation. Symptoms may include redness and drying of skin. INHALATION: High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause nose, throat, and						
respiratory tract irritation, coughing, and headache.						
INGESTION: May be harmful if swallowed. CHRONIC/LONG TERM EFFECTS:						
Overexposure to this material through inhalation may cause central nervous system depression (dizziness, drowsiness, weakness, fatigue,						
nausea, headache, unconsciousness). TARGET ORGAN EFFECTS:						
Central nervous system. REPRODUCTIVE/DEVELOPMENTAL INFORMATION:						
None known. CARCINOGENIC INFORMATION:						
This material is not listed as a carcinogen by IARC, NTP, or OSHA.						
ACUTE TOXICITY VALUES: Acetone: Dermal, guinea pig: LD50 = >9400 uL/kg; Draize test, rabbit, eye: 20 mg/242 Hr Moderate; Draize test, rabbit, skin: 500 mg/24 Hr						
Model and the second s						
12. Ecological Information						
Acetone: LC50 Fish: Rainbow trout -5540 mg/l, 96 hr; LC50 fish: Bluegill/sunfish -8300 mg/l, 95 hr.						
13. Disposal Consideration						
Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.						
14 Transportation Information						
14. Transportation Information Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those						
exceptions and may not apply to all shipping modes or package sizes.						
UN number 1950						
Proper shipping name Aerosols, flammable						
Class 2.1 Packing group -						
15. Regulatory Information CERCLA RQ (40 CFR 302)						
Acetone 5000 lbs						
If identified components of this product are CERCLA hazardous substances and/or listed under Sections 302, 304, or 313 of Title III of the Superfund						
Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.						
If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section						
313. This information must be included in all SDS that are copied and distributed for this material.						
Title III Section 311/312: Hazardous Categories - 40 CFR 370.2: ACUTE (X) Chronic (X) Fire (X) Pressure (X) Reactive () Not Applicable ()						
T.S.C.A. Status:						
All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements. RCRA Status:						
Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or						
derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s): D001						
16. Other Information						
N/A = Not Applicable; N/D = Not Determined						
HMIS Health Hazards: 1 Flammability: 4 Physical hazards: 0 Personal protection: G						
DISCLAIMER:						
To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or						
completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee						
that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the						
data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and						
disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the product described in this SDS shall be created or inferred by						
disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or						