AMAZING TOO #1886

Aerosol Carpet Spot and Stain Remover

Features:

- Formulated with the perfect concentration no chemicals to mix or dilute
- Directional spray must be used from a standing position
- Will not harm most colorfast carpets
- Leaves a fresh, pleasant fragrance

Description:

This product is a uniquely formulated product with a blend of effective dry and wet cleaning compounds and degreasers that quickly remove spots and stains caused by: grease, oil, dirt, mud, salt, ketchup, coffee, alcoholic beverages, soft drinks, chocolate, urine, blood and vomit. Penetrates and cleans without leaving residue. Brightens as it restores nap and texture

Applications:

- Grease
- Ketchup
- Vomit/Urine
- Coffee/Tea Chocolate

• Oil

- Dirt & Mud · Chocolate
- Alcoholic Beverages
- Soft Drinks
 - Alcoholic Beverages
 - Salt

- Areas of use:
 - Homes
 - Schools
 - Hotels
- Automobiles Hospitals
- Motels
- Restaurants
 - Institutions

Offices

Product Characteristics:

Appearance:		White foam		
Odor:		Citrus, orange		
Boiling Point:		>212°F (100°C)		
Vapor Pressure (mm Hg):		17.5 @ 77°F (25°C)		
Vapor Density (AIR=1):		1		
VOC:		15%		
Evaporation Rate:		<0.3		
Solubility		100%		
pH:		10.2		
Specific Gravity (H ₂ O=1):		0.99		
Volatility Including Water:		99%		
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.			
Transport Information (DOT):				
Proper Shipping Name:		Aerosols, Ltd. Qty		
UN Number:		UN1950		
Class:		2.1		
Packing Group:		Not available		

DOT Placard:

Not available.

Directions:

Can sprays upside down only. Remove protective cap. Shake well. Hold can upside down. Point opening in spray tip towards spot or stain. Depress the tab on the top of the spray tip to spray. Hold can at arm's length. It is not necessary to bend down to apply this product. Apply in short bursts until spot or stain is covered. Allow a short period of time for spotter to penetrate stain. Blot spot with a clean cloth working from center of stain out. Stain or spot will be gone in seconds. Excessive deposits of grease, oil or ink may require additional applications. Wait until material is dry before reapplying.

Pictograms:



Personal Protective Equipment Required:









PRODUCT NUMBER:						
	1886		COMPA	NY PHONE:	1.	-800-241-8180
PRODUCT NAME:	AMAZING TOO		EMERGENCY TELEPHONE:		1.	-800-241-8180
PRODUCT DESCRIPTION:	Carpet, Spot and Stain Rei	mover	INFOTRAC:		1-	-800-535-5053
COMPANY INFORMATION:						
2. Hazards Identification						
GHS CLASSIFICATION: Flammable Aerosol: Category 2 Liquefied Gas Eye Irritant: Category 2B		SIGNAL WORD WARNING	:	SYMBOL:		\bigcirc
This product contains PRECAUTIONARY STATEMEN Prevention: Keep aw Pressurized container Response: IF IN EYE eye irritation persists:	ay from heat, sparks, open fla : Do not pierce or burn, even S: Rinse cautiously with wate Get medical attention. n sunlight. Do not expose to	hemicals of unkno ames, and hot sur after use. Wash h er for several minu	own toxici faces. No nands tho utes. Rem	ty: 0%. 9 smoking. Do not spray roughly after handling. 10ve contact lenses, if p	resent and easy to c	0
Not applicable.						
3. Composition / Information of	on Ingredients					
CHEMICAL NAME				CAS	Concentra	tion % by Weight
2-butoxyethanol				111-76-2		3-7
Propane/n-Butane				68476-86-8		3-7
Isopropyl Alcohol				67-63-0		1-5
EMERGENCY OVERVIEW EYES: If in eves: Rinse caution	ously with water for several m	vinutes Remove c				
persists: Get medical SKIN: Immediately wash wit INHALATION: Move to fresh air. If br consciousness, seek INGESTION: IF SWALLOWED: Rin ACUTE HEALTH HAZARDS: Eyes: Redness, tearin CHRONIC HEALTH HAZARDS None known. NOTE TO PHYSICIAN:	advice or attention. h soap and water for 15 minu reathing is difficult, administer immediate medical attention. ise mouth. Do NOT induce vo ng, blurred vision.	tes. Seek medical oxygen. If not bre omiting. Get medic	l attention eathing, a cal advice	if irritation develops. dminister artificial respi or attention.	ration or at any sign	of loss of
persists: Get medical SKIN: Immediately wash wit INHALATION: Move to fresh air. If bi consciousness, seek INGESTION: IF SWALLOWED: Rin ACUTE HEALTH HAZARDS: Eyes: Redness, tearin CHRONIC HEALTH HAZARDS None known. NOTE TO PHYSICIAN: There is no specific truthe patient. 5. Fire-Fighting Measures	advice or attention. h soap and water for 15 minu reathing is difficult, administer immediate medical attention. se mouth. Do NOT induce vo ng, blurred vision. : eatment regimen. Treatment o	tes. Seek medical oxygen. If not bre omiting. Get medic	l attention eathing, a cal advice	if irritation develops. dminister artificial respi or attention.	ration or at any sign	of loss of
persists: Get medical SKIN: Immediately wash wit INHALATION: Move to fresh air. If bis consciousness, seek INGESTION: IF SWALLOWED: Rin ACUTE HEALTH HAZARDS: Eyes: Redness, tearin CHRONIC HEALTH HAZARDS: None known. NOTE TO PHYSICIAN: There is no specific truthe patient. 5. Fire-Fighting Measures SUITABLE FIRE EXTINGUISHI Dry chemical, carbon UNSUITABLE FIRE EXTINGUISHI Not available. SPECIFIC HAZARDS ARISING Keep away from sparing HAZARDOUS COMBUSTION F None know. SPECIFIC FIRE-FIGHTING ME	advice or attention. h soap and water for 15 minure reathing is difficult, administer immediate medical attention. ise mouth. Do NOT induce vor- ng, blurred vision. : eatment regimen. Treatment of NG MEDIA: dioxide, alcohol foam, and was SHING MEDIA: FROM THE CHEMICAL: (s, open flames and hot surfare PRODUCTS: THODS: to cool exposed containers.	tes. Seek medical oxygen. If not bre omiting. Get medic of overexposure s ater spray or fog.	l attention eathing, a cal advice	if irritation develops. dminister artificial respi or attention. directed at the control o	ration or at any sign of symptoms and the	of loss of

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Refer to Section 8 for proper personal protective equipment. ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS:

Use noncombustible material like vermiculite, sand or earth on spill. Sweep to clean. Dispose in accordance with local, state and federal laws. Small releases may be wiped up with wiping material. Dispose of in accordance with federal, state and local regulations. Do not dump in sewers.

7. Handling and Storage HANDLING AND STORAGE: Presuized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. OTHER PRECAUTIONS: None. INCOMPATIBILITY: Strong oxidizers, alkalies, acids. 8. Exposure Controls / Personal Protection 2. butoxyethanol 5. propagation Prepage/n-Butane 1000 ppm 1000 ppm 1000 ppm 1000 ppm Strong oxidizers, alkalies, acids.	
HANDLING AND STORAGE: Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. OTHER PRECAUTIONS: None. OVER PRECAUTIONS: Strong oxidizers, alkalies, acids. 8. Exposure Controls / Personal Protection CHEMICAL NAME 2-butoxyethanol 50 ppm 2-butoxyethanol 50 ppm 2-butoxyethanol 500 ppm 1sopropyl alcohol 500 ppm Isopropyl alcohol 500 ppm Isopropyl alcohol 500 ppm PersonAL PROTECTIVE EQUIPMENT: Eye Protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Note required with normal use. ENGINEERING CONTROLS: Armbient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. 9. Physical & Chemical Properties Appearance: Mot applicable. 9. Physical & Chemical Properties Appearance: White foam. Flammability Limit-Lower (%) Not determined. Gdor: Citrus, orange. Flammability Limit-Lower (%). Not determined. Odor Threshold: Not determined. Evaporation Rate: < 0.3 OH: <th></th>	
Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. OTHER PRECAUTIONS: None. INCOMPATIBILITY: Strong oxidizers, alkalies, acids. 8. Exposure Controls / Personal Protection CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 1000 ppm Propane/n-Butane 1000 opm 1000 ppm 1000 ppm Propane/n-Butane Skin Protection: Safety glasses. Skin Protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. 9. Physical & Chemical Properties Appearance: Vhite foam. Flammability Limit-Lower (%) Not determined. Citrus, orange. Flammability Limit-Lower (%) Not determined. Citrus, orange. Flammability Limit-Lower (%) Not determined. Ddor: Citrus, orange. PH: 10.2 Solids (%): Not determined. Flammability Limit-Lower (%) Not determined. Ddifting Point: > 212°F (100°C) Vapor Pressure (mm Hg): 17.5 @ 77°F (25°C) Freezing Point: Not determined. VOC: 15%	
OTHER PRECAUTIONS: None: INCOMPATIBILITY: Strong oxidizers, alkalies, acids. 8. Exposure Controls / Personal Protection CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm Isopropyl alcohol 500 ppm Sorpoyl alcohol 500 ppm PERSONAL PROTECTIVE EQUIPMENT: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2" PERSONAL PROTECTIVE EQUIPMENT: Colspan="2">Colspan="2" Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. Polysical & Chemical Properties Appearance: White foam. Flammability: Limit-upper (%) Not determined. Odor: Citrus, orange. Flammability Limit-upper (%): Not determined. <th></th>	
None. Strong oxidizers, alkalies, acids. Strong oxidizers, alkalies, acids. Chemical Protection CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 1000 ppm Isopropyl alcohol 500 ppm 400 ppm PERSONAL PROTECTIVE EQUIPMENT: Colspan="2">Colspan="2" PERSONAL PROTECTIVE EQUIPMENT: Colspan="2">Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" EVENCETIVE EQUIPMENT: Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2"	
INCOMPATIBILITY: Strong oxidizers, alkalies, acids. 8. Exposure Controls / Personal Protection CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 1000 ppm isopropyl alcohol 500 ppm 400 ppm PERSONAL PROTECTIVE EQUIPMENT: Colspan="2">Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2"	
8. Exposure Controls / Personal Protection CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 1000 ppm Isopropyl alcohol 500 ppm 400 ppm Propane/n-Butane 1000 ppm 400 ppm PersonAL PROTECTIVE EQUIPMENT: Eve Protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. 9. Physical & Chemical Properties Flammability: Appearance: While foam. Flammability Limit–lower (%) Not determined. Flammability Limit–lower (%) Not determined. Odor: Citrus, orange. Flammability Limit–upper (%): Not determined. Odor Threshold: Not determined. Evaporation Rate: < 0.3 pH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water Not determined. V	
CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 400 ppm Isopropyl alcohol 500 ppm 400 ppm PERSONAL PROTECTIVE EQUIPMENT: Solita Protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. 9. Physical & Chemical Properties Flammability: Flammabile aerosol. Appearance: White foam. Flammability Limit-lower (%) Not determined. Odor: Citrus, orange. Flammability Limit-lower (%) Not determined. Odor Threshold: Not determined. Evaporation Rate: < 0.3 pH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water Not determined. VOC: 15%	
CHEMICAL NAME ACGIH TLV OSHA PEL 2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 400 ppm Isopropyl alcohol 500 ppm 400 ppm PERSONAL PROTECTIVE EQUIPMENT: Solita Protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. 9. Physical & Chemical Properties Flammability: Flammabile aerosol. Appearance: White foam. Flammability Limit-lower (%) Not determined. Odor: Citrus, orange. Flammability Limit-lower (%) Not determined. Odor Threshold: Not determined. Evaporation Rate: < 0.3 pH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water Not determined. VOC: 15%	
2-butoxyethanol 50 ppm 20 ppm Propane/n-Butane 1000 ppm 1000 ppm Isopropyl alcohol 500 ppm 400 ppm PERSONAL PROTECTIVE EQUIPMENT:	
Propane/n-Butane1000 ppm1000 ppmIsopropyl alcohol500 ppm400 ppmPERSONAL PROTECTIVE EQUIPMENT:Eye Protection: Safety glasses.Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, lorced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:White foam.Flash Point:Not determined.Flash Point:Not determined.Godor:Citrus, orange.Godor Threshold:Not determined.PH:10.2Solids (%):Not determined.PH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Density (AIR=1):1Partition Coeff: n-octanol/waterNot determined.VOC:15%	
PERSONAL PROTECTIVE EQUIPMENT: Image: Constant of the protection: Safety glasses. Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use. ENGINEERING CONTROLS: Arnbient ventilation suitable, forced ventilation should not be required. EXPOSURE GUIDELINES: Not applicable. Not applicable. 9. Physical & Chemical Properties Flammability: Limit-lower (%) Appearance: White foam. Flash Point: Not determined. Flash Point: Not determined. Godor: Citrus, orange. Flammability Limit-lower (%) Not determined. Odor: Citrus, orange. PH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water Not determined. VOC: 15%	
Eye Protection: Safety glasss- Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:Mylite foam.Flash Point:Not determined.Flash Point:Not determined.Guire Threshold:Not determined.Physical Server (%)Not determined.Flash Point:Not determined.Flash Point:Not determined.Physical (%):Not determined.Ph:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.Vapor Density (AIR=1):1Partition Coeff: n-octanol/waterNot determined.VOC:15%	
Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:Motermined.Flam ability:Flam Ability:Flam Point:Not determined.Odor:Citrus, orange.Flammability Limit-lower (%)Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3	
Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:Motermined.Flam ability:Flam Ability:Flam Point:Not determined.Odor:Citrus, orange.Flammability Limit-lower (%)Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3	
Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:Motermined.Flam ability:Flam Ability:Flam Point:Not determined.Odor:Citrus, orange.Flammability Limit-lower (%)Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3	
Skin Protection: Wash hands thoroughly after handling. Respiratory Protection: Not required with normal use.ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:White foam.Flammability:Flammable aerosol.Flash Point:Not determined.Odor:Citrus, orange.Odor Threshold:Not determined.PH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.VoC:15%	
Respiratory Protection: Not required with normal use.ENGINE CONTROLS: Ambient ventilation suitable, for eventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesFlammability:Flammability:9. Physical & Chemical PropertiesAppearance:White foam.Flash Point:Not determined.Flash Point:Not determined.Odor:Citrus, orange.Citrus, orange.Flammability Limit–lower (%)Not determined.Evaporation Rate:Odor Threshold:Not determined.PH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.VoC:15%	
ENGINEERING CONTROLS: Ambient ventilation suitable, forced ventilation should not be required.EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical PropertiesAppearance:White foam.Appearance:White foam.Flash Point:Not determined.Flash Point:Not determined.Odor:Citrus, orange.Odor Threshold:Not determined.PH:10.2Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.Vatermined.Vapor Density (AIR=1):11	
EXPOSURE GUIDELINES: Not applicable.9. Physical & Chemical Properties4ppearance:Mite foam.Flammability:Flammability:Flammable aerosol.Flash Point:Not determined.Odor:Citrus, orange.Flammability Limit–lower (%)Not determined.Odor Threshold:Not determined.PH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.VoC:15%	
Not applicable.9. Physical & Chemical PropertiesAppearance:White foam.Flammability:Flammable aerosol.Flash Point:Not determined.Flammability Limit–lower (%)Not determined.Odor:Citrus, orange.Flammability Limit–upper (%):Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3pH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.VOC:15%	
9. Physical & Chemical Properties Appearance: White foam. Flash Point: Not determined. Odor: Citrus, orange. Citrus, orange. Flammability Limit–lower (%) Not determined. Flammability Limit–upper (%): Odor Threshold: Not determined. PH: 10.2 Boiling Point: > 212°F (100°C) Vapor Pressure (mm Hg): 17.5 @ 77°F (25°C) Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water Not determined.	
Appearance:White foam.Flammability:Flammable aerosol.Flash Point:Not determined.Flammability Limit-lower (%)Not determined.Odor:Citrus, orange.Flammability Limit-upper (%):Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3	
Flash Point:Not determined.Flammability Limit-lower (%)Not determined.Odor:Citrus, orange.Flammability Limit-upper (%):Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3pH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.Vapor Density (AIR=1):1Partition Coeff: n-octanol/waterNot determined.VOC:15%	
Odor:Citrus, orange.Flammability Limit-upper (%):Not determined.Odor Threshold:Not determined.Evaporation Rate:< 0.3pH:10.2Solids (%):Not determined.Boiling Point:> 212°F (100°C)Vapor Pressure (mm Hg):17.5 @ 77°F (25°C)Freezing Point:Not determined.Vapor Density (AIR=1):1Partition Coeff: n-octanol/waterNot determined.VOC:15%	
Odor Threshold: Not determined. Evaporation Rate: < 0.3 pH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Pressure (mm Hg): 17.5 @ 77°F (25°C) Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water (Kow): Not determined. VOC: 15%	
pH: 10.2 Solids (%): Not determined. Boiling Point: > 212°F (100°C) Vapor Pressure (mm Hg): 17.5 @ 77°F (25°C) Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water (Kow): Not determined. VOC: 15%	
Boiling Point: > 212°F (100°C) Vapor Pressure (mm Hg): 17.5 @ 77°F (25°C) Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water (Kow): Not determined. VOC: 15%	
Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water (Kow): Not determined. VOC: 15%	
Freezing Point: Not determined. Vapor Density (AIR=1): 1 Partition Coeff: n-octanol/water (Kow): Not determined. VOC: 15%	
Partition Coeff: n-octanol/water Not determined. VOC: 15% (Kow): 15%	
(Kow):	
Dielectric Strength (Volts): Not applicable. Solubility (water): 100%	
Specific Gravity (H ₂ O=1): 0.99 Auto-Ignition Temp: Not determined.	
Volatility Including Water (%): 99% Decomposition Temp: Not determined.	
Viscosity: Not determined.	
10. Stability & Reactivity Information	
REACTIVITY:	
If exposed to strong oxidizers, presents explosion hazard.	
CHEMICAL STABILITY:	
Stable. INCOMPATIBLE MATERIALS:	
Strong oxidizers, alkalies, acids.	
CONDITIONS TO AVOID:	
Temperatures greater than 122°F may cause bursting.	
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None known.	
POSSIBLE HAZARDOUS REACTIONS:	
None known.	
14 Toviable visal Information	
11. Toxicological Information	
TOXICOLOGICAL INFORMATION: 2-Butoxyethanol (111-76-2) LD50 (Oral, Rat) 470 mg/kg; LC50 (Inhalation, Rat, 4 hr) 450 ppm; LD50 (Dermal, Rabbit) 220 mg/kg	
PRIMARY ROUTE OF ENTRY:	
Eyes, ingestion, inhalation, skin.	
Eyes: Causes irritation may cause conjunctivitis with possible corneal injury.	

Skin: May cause mild irritation, localized defatting.	
Inhalation: Causes dizziness if inhaled directly or exposed to excessive amounts.	
Ingestion: Not a likely route of exposure under normal product handling conditions.	
MEDICAL CONDITION AGGRAVATED:	
None known.	
ACUTE HEALTH HAZARDS:	
Eyes: Redness, tearing, blurred vision.	
CHRONIC HEALTH HAZARDS:	
None known.	
CARCINOGENICITY:	
OSHA: No.	
ACGIH: No.	
NTP: No. IARC: No.	
OTHER: N/A	
OTTER, NA	
12. Ecological Information	
ECOLOGICAL INFORMATION:	
2-Butoxyethanol (111-76-2) Toxic to aquatic life only in high concentrations, lethal concentrations not available.	
BIODEGRADABILITY:	
Component or components of this product are not biodegradable.	
BIOACCUMULATION:	
This product is not expected to bioaccumulate.	
SOIL MOBILITY:	
This product is mobile in soil.	
OTHER ECOLOGICAL HAZARDS:	
None known.	
13. Disposal Consideration	
Dispose of in accordance with federal, state and local regulations. Do not dump in sewers. Wrap container and place in trash collection. Do not punctual training and the second	e,
incinerate or reuse container.	
4. Transportation Information	
14. Transportation Information	
DOT: PROPER SHIPPING NAME: Aerosols, Ltd. Qty.	
HAZARD CLASS/DIVISION: 2.1	
UN/NA NUMBER: UN 1950.	
PACKAGING GROUP: N/A. AIR SHIPMENT	
PROPER SHIPPING NAME: Aerosols, Ltd. Qty.	
HAZARD CLASS/DIVISION: 2.1	
UNINA NUMBER: UN 1950.	
SHIPPING BY WATER:	
VESSEL (IMO/IMDG)	
PROPER SHIPPING NAME: Aerosols, Ltd. Qty.	
HAZARD CLASS/DIVISION: 2.1	
UN/NA NUMBER: UN 1950	
ENVIRONMENTAL HAZARDS WATER: N/A.	
45 Desculators Information	
15. Regulatory Information	
TSCA STATUS:	
All chemicals are listed or exempt.	
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):	
SARA 311/312 HAZARD CATEGORIES: SARA 313 REPORTABLE INGREDIENTS: 2-Butoxyethanol (111-76-2).	
CLEAN WATER ACT: None.	
STATE REGULATIONS:	
California Proposition 65: None 2-Butoxyethanol (111-76-2) Right-to-Know acts for New Jersey, Massachusetts, Pennsylvania, Rhode Isla	nd
Illinois Florida Minnesota: Massachusetts spill list Isonronvi Alcohol (67-63-0) Right-to-Know acts for Rhode Island Pennevivania Florid	м,
Illinois, Florida, Minnesota; Massachusetts spill list Isopropyl Alcohol (67-63-0). Right-to-Know acts for Rhode Island, Pennsylvania, Florid Minnesota Massachusetts New Jersey Tennessee Connecticut hazardous material survey. Jsopropyl alcohol Illinois toxic substances	
Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances	
Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances disclosure to employee act.	
Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances disclosure to employee act. INTERNATIONAL REGULATIONS:	
Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances disclosure to employee act. INTERNATIONAL REGULATIONS: 2-Butoxyethanol (111-76-2) Europe (EINECS), Japan (ENCS), Australia (AICS), WHMIS	
Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances disclosure to employee act. INTERNATIONAL REGULATIONS:	
 Minnesota, Massachusetts, New Jersey, Tennessee, Connecticut hazardous material survey. Isopropyl alcohol Illinois toxic substances disclosure to employee act. INTERNATIONAL REGULATIONS: 2-Butoxyethanol (111-76-2) Europe (EINECS), Japan (ENCS), Australia (AICS), WHMIS (Canada), DSCL (EEC), NDSL, Korea (ECL), Philippines (PICCS), New Zealand (NZIOC), China (IECS). 	

16. Other Information DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

AMAZING TOO is formulated to quickly penetrate, clean and remove spots and stains. Penetrates and cleans without leaving a residue. Freshens and brightens as it restores nap and texture.

WORKS ON THE FOLLOWING SPOTS AND STAINS:

• Grease	• Oil	• Kool-Aid®
• Mud/Dirt/Soil	• Ketchup	• Coffee
 Soft Drinks 	• Ink	 Chocolate
Pet Stains	• Vomit*	• Blood*
• Wine	 Cosmetics 	• lodine

*Use gloves

DIRECTIONS FOR USE: Shake well before using. Always spray upside-down only. This product must be sprayed with the container pointed downward. Check for colorfastness and damage (see warning). Aim can downwards at spot or stain to be removed, with can held at arm's length. Apply product in short bursts until spot or stain is thoroughly wetted. Wait one minute for spots or stains to disappear. If necessary, reapply and blot stain with absorbent cloth or paper towel for soil removal. Some rubbing may be necessary for stubborn stains. Do not scrub with any harsh brushes or scrubbing tools, as damage may result. Allow to dry thoroughly after cleaning.

Warning: Always test carpet in a small, inconspicuous area for color-fastness and damage to fiber backing as carpeting quality varies widely. Do not use on white or light colored carpet. Do not use with any other stain or odor removing chemicals.

WARNING: Contains gas under pressure; may explode if heated. Causes eye irritation. Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding



50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

ADVERTENCIA: Contiene gas a presión; Puede explotar si se calienta. Causa irritación de los ojos. Mantenga lejos de calor, chispas, llamas abiertas, y superficies calientes. – No fumar. Envase presurizado: No perfore ni queme, incluso después de usar. Proteja de la luz solar. No exponga a temperaturas que excedan 50°C/122°F. Almacene en un lugar bien-ventilada. Lávese bien las manos después de manipular. Si cae en los ojos; Enjuague cuidadosamente con agua durante varios minutos. Remueva lentes de contacto, si están presentes y fáciles de remover. Continúe enjuagando. Si persiste la irritación ocular: Consulte con un medico.

CONTAINS (CAS#): Water (7732-18-5), 2-Butoxyethanol (111-76-2), Propane/n-Butane (68476-86-8), Isopropyl Alcohol (67-63-0), Diethylene Glycol Monobutyl Ether (111-34-5).

READ THE SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT KEEP OUT OF REACH OF CHILDREN FOR COMMERCIAL/INDUSTRIAL USE ONLY





An Exclusive Product of **PRO CHEM, INC.** 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004 Procheminc.com



CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. CONTIENE GAS A PRESIÓN; PUEDE EXPLOTAR SI SE CALIENTA.

WARNING/ADVERTENCIA:

NET WT. 18 OZ (510 G)



CARPET SPOT AND STAIN REMOVER

• PENETRATES • CLEANS

WILL NOT HARM MOST COLORFAST CARPETS

LEAVES A FRESH, PLEASANT FRAGRANCE