ALIVE & WELL #1247 Aerosol Bacterial Digestant, Cleaner & Deodorizer



Features:

- Provides continuous enzymatic cleaning ٠
- Action in pipes, drains and wastewater
- Non-toxic, non-hazardous
- Contain no petroleum solvents
- Less than 7% VOC
- Up/down valve sprays in upright or inverted positions
- Single product for total bathroom cleaning
- Available in 20 ounce can

Description:

ALIVE & WELL is a multi-purpose product with a fresh scent. Using it eliminates the need for several different products that each have different fragrances. Safe on all surfaces that are unaffected by water. It is a chemical blend of biodegradable cleaners and enzyme-producing bacteria which work together to safely dissolve and digest organic deposits that can cause odors. It pleasantly deodorizes as the natural biological action destroys organic waste without the use of acids or caustics. Concentrated aerosol foam is safe and easy to use. Quickly removes mold and mildew from any water-safe surface. Functions on contact to clean and deodorize, then extends cleaning time as the active bacteria multiply to reduce organic matter, grease and food byproducts.

Carpet

• Mirrors

Porcelain

Applications:

- Toilets
- Glass
- Stainless Steel
- Upholstery Plastic
- Chrome
- Painted Surface
- Sinks

Bathtubs

Countertops • Concrete Grout

Product Characteristics:

Appearance:		Gas, off white	
Odor:		Fresh	
Initial Boiling Point:		212°F (100°C) estimated	
pH:		8.5 - 9.5 estimated	
Vapor Pressure:		55 psig @70°F estimated	
Flash Point:	-156.0°F (-	104.4°C) Propellant estimated	
Vapor Density:		>1	
Specific Gravity:		0.928 estimated	
Solubility (water):		Complete	
VOC%:		6.71%	
Storage:		Protect from sunlight	
Transport Information (DOT):			
Proper Shipping Name:		Aerosols, flammable	
UN Number:		UN1950	
Class:		2.1	
Packing Group:		Not applicable	



VOC Compliant:

Yes.

Directions:

SHAKE WELL. Up/down valve allows spraying when upright or inverted

GENERAL: Lightly soiled areas: Spray and let stand for 10 seconds then agitate. Heavily soiled areas: Reapply and keep moist & undisturbed for 4 to 6 hours, then wipe with a damp cloth.

TOILETS/URINALS: Invert can. Spray up under the rim. Allow foam to slide down the sides. Agitate with a brush or sponge. Let sit for several minutes and flush.

GLASS/MIRRORS/: Spray on and wipe clean.

HARD SURFACES: Spray on. Work foam with brush, cloth or sponge. Rinse if desired. Air dry.

CARPET/UPHOLSTERY: Test area before use. Spray over spot and work in with a soft-bristled brush. Repeat if needed. Absorb excess. Let dry, then brush lightly or vacuum. NOTE: Excessive rubbing or brushing may result in distortion of carpet nap.

DEODORIZING: Test in a small area before using on fabrics to be sure no discoloration will occur. Apply to item to be deodorized. Persistent odors: Reapply keeping area moist & undisturbed for 4 to 6 hours, then wipe with a damp cloth.

Areas that have been previously treated with other products can kill ALIVE & WELL's beneficial bacteria and render the process ineffective. For best results, rinse these areas with fresh water before applying.

Pictograms:



Signal Word: DANGER

Personal Protective Equipment Required:







PRODUCT NUMBER:	1247	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	ALIVE & WELL	EMERGENCY TELEPHONE:	1-800-241-8180
PRODUCT DESCRIPTION:	Bacterial Digestant Cleaner & Deodori		1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		
2. Hazards Identification			
GHS CLASSIFICATION:		SIGNAL SYMBOL:	
Flammable aerosols: Category Serious eye damage/eye irritati Sensitization, skin: Category 1 Reproductive toxicity: Category Hazardous to the aquatic enviro	1 on: Category 2	WORD: DANGER	
OSHA defined hazards: Not cl			
pierce or burn, even a workplace. Wear prot	nes/hot surfaces. No smoking. Do not spr after use. Avoid breathing gas. Wash thor ective gloves/protective clothing/eye prot	oughly after handling. Contaminated wo ection/face protection.	ork clothing must not be allowed out of the
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMAT	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED:	aral minutes. Remove contact lenses, if SED OR CONCERNED: Get medical a e to temperatures exceeding 50°C/122°	dvice/attention. F.
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None.	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON:	aral minutes. Remove contact lenses, if SED OR CONCERNED: Get medical a e to temperatures exceeding 50°C/122°	present and easy to do. Continue rinsing dvice/attention. F.
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON:	aral minutes. Remove contact lenses, if SED OR CONCERNED: Get medical a e to temperatures exceeding 50°C/122°	present and easy to do. Continue rinsing dvice/attention. F. ations.
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON:	eral minutes. Remove contact lenses, if SED OR CONCERNED: Get medical a e to temperatures exceeding 50°C/122° cal/regional/national/international regula	present and easy to do. Continue rinsing dvice/attention. F.
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON:	eral minutes. Remove contact lenses, if SED OR CONCERNED: Get medical a e to temperatures exceeding 50°C/122° cal/regional/national/international regula	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane Propane Fragrance #5004060	YES: Rinse cautiously with water for sevents: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON:	CAS	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight 2.5 - 10 1 - 2.5 0.1 - 1
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane Propane Fragrance #5004060 Sodium Nitrite	YES: Rinse cautiously with water for seve s: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON: on Ingredients	CAS	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight 2.5 - 10 1 - 2.5 0.1 - 1 0.1 - 1
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane Propane Fragrance #5004060 Sodium Nitrite Other components below report	YES: Rinse cautiously with water for seve s: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON: on Ingredients	CAS	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight 2.5 - 10 1 - 2.5 0.1 - 1 0.1 - 1 90 - 100
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane Propane Fragrance #5004060 Sodium Nitrite Other components below report *Designates that a specific cher	YES: Rinse cautiously with water for seve s: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON: on Ingredients	CAS	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight 2.5 - 10 1 - 2.5 0.1 - 1 0.1 - 1 90 - 100
before reuse. IF IN E If eye irritation persist Storage: Store locke Disposal: Dispose of HAZARDS NOT OTHERWISE None known. SUPPLEMENTAL INFORMATI None. 3. Composition / Information Chemical Name Butane Propane Fragrance #5004060 Sodium Nitrite Other components below report *Designates that a specific cher 4. First Aid Measures EMERGENCY OVERVIEW GENERAL: If exposed or concer medical personnel ar attendance. Wash co EYES: If eye irritation persists SKIN: Remove contaminate attention and take alc INHALATION: Move to fresh air. Ca INGESTION: Rinse mouth. Get me MOST IMPORTANT SYMPTOI	YES: Rinse cautiously with water for seve s: Get medical advice/attention. IF EXPO d up. Protect from sunlight. Do not expose contents/container in accordance with lo SPECIFIED: ON: on Ingredients	CAS	present and easy to do. Continue rinsing dvice/attention. F. ations. Concentration % by Weight 2.5 – 10 1 – 2.5 0.1 – 1 0.1 – 1 90 – 100 ret. w the label where possible). Ensure that Show this safety data sheet to the doctor

5. Fire Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Not available. UNSUITABLE FIRE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed

SPECIFIC FIRE-FIGHTING METHODS:

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure buildup. For massive fire in cargo area, use unmanned hose holder or monitor nozzles if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion, do not breathe fumes.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and, in enclosed spaces, SCBA.

GENERAL FIRE HAZARDS:

Extremely flammable aerosol.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during cleanup. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

MATERIALS AND METHODS FOR CLEANUP:

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

SAFE HANDLING:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not reuse empty containers. Avoid breathing gas. Avoid contact with eyes, skin and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

SAFE STORAGE & INCOMPATIBILITIES:

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS)

8. Exposure Controls / Personal Protection			
Occupational exposure limits			
US. OSHA Table Z-1 Limits for Air Contaminants (29 C	•		
COMPONENTS	TYPE	VALUE	
Propane (CAS 74-98-6)	PEL	1,800 mg/m³	
		1,000	
US. ACGIH Threshold Limit Values			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	STEL	1,000 ppm	
US. NIOSH: Pocket Guide to Chemical Hazards			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	TWA	1,900 mg/m³	
		800 ppm	
Propane (CAS 74-98-6)	TWA	1,800 mg/m ³	
		1,000 ppm	
BIOLOGICAL LIMIT VALUE:		.,	
No biological exposure limits noted for the ingred	lient(s).		
APPROPRIATE ENGINEERING CONTROLS:			
Provide eyewash station.			
INDIVIDUAL PROTECTION MEASURES, SUCH AS PER	SONAL PROTECTIVE FOLLIP	MENT	

Eye Protection: Wear safety glasses with side shields (or goggles).

Skin Protection: Hand protection: Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Other: Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. **Thermal Hazards:** Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations: Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical & Chemical Properties			
Physical State:	Gas.	Flammability (solid/gas):	Not available.
Form:	Aerosol.	Flammability Limit–lower (%)	Not available.
Color:	Not available.	Flammability Limit–upper (%):	Not available.
Odor:	Not available.	Explosive Limit – lower (%):	Not available.
Odor Threshold:	Not available.	Explosive Limit – upper (%):	Not available.
pH:	8.5 – 9.5 estimated.	Vapor Pressure:	55 psig @70°F estimated.
Melting/Freezing Point:	Not available.	Vapor Density:	Not available.
Initial Boiling Point/Range:	212°F (100°C) estimated.	Relative Density:	Not available.
Partition Coeff (n-octanol/water):	Not available.	Solubility (water):	Not available.
Viscosity:	Not available.	Auto-Ignition Temperature:	Not available.
Specific Gravity:	0.927 estimated.	Decomposition Temperature:	Not available.
Flash Point: -156.0°F (-10)	04.4°C) Propellant estimated.	Evaporation Rate:	Not available.
Explosive Properties:	Not explosive.	Oxidizing Properties:	Not oxidizing.
Heat of Combustion (NFPA 30B):	2.52 kJ/g estimated.		
10. Stability & Reactivity Information			
REACTIVITY:			
The product is stable and non-	-reactive under normal condition	ns of use, storage and transport.	
CHEMICAL STABILITY:	landitiona		
Material is stable under norma POSSIBILITY OF HAZARDOUS REAC			
Hazardous polymerization doe	es not occur.		
INCOMPATIBLE MATERIALS: Strong oxidizing agents.			
CONDITIONS TO AVOID:			
Avoid temperatures exceeding	the flash point. Contact with in	compatible materials.	
HAZARDOUS DECOMPOSITION PRO No hazardous decomposition			
11. Toxicological Information			
PRIMARY ROUTE OF ENTRY:	tation		
Eyes: Causes serious eye irrit Skin: May cause an allergic s			
Inhalation: No adverse effect	ts due to inhalation are expecte	d.	
Ingestion: Expected to be a l			
SYMPTOMS RELATED TO THE PHYSI Severe eve irritation Symptom			n. May cause an allergic skin reaction.
Dermatitis. Rash.			
ACUTE TOXICITY:	ation		
May cause an allergic skin rea COMPONENTS	SPECIES	TE	ST RESULTS
Butane (CAS 106-97-8)	-		
Acute			
Inhalation LC50	Mouse	1 2	37 mg/l, 120 minutes
		529	%, 120 minutes
Propaga (CAS 74.09.6)	Rat	1,3	55 mg/l
Propane (CAS 74-98-6) Acute			
Inhalation			
LC50	Mouse		237 mg/l, 120 minutes % 120 minutes
	Rat		%, 120 minutes 55 mg/l
			3 mg/l/4 hours
Sodium Nitrite (CAS 7632-00-0)			
Acute Oral			

Oral LD50

* Estimates for product may be based on additional component data not shown.

Rat

180 mg/kg

·					
SKIN CO	RROSION/IRRITATION: Prolonged skin contact may of	auss tomporar	virritation		
SERIOUS	5 EYE DAMAGE/IRRITATION		y initation.		
DECDIDA	Causes serious eye irritation.				
RESPIRA	ATORY SENSITIZATION: Not a respiratory sensitizer.				
SKIN SE	NSITIZATION:				
GERM CI	May cause an allergic skin re ELL MUTAGENICITY:	action.			
GLINNO		product or any	components present at greate	r than 0.1% are mutagenic o	r genotoxic.
CARCING	DGENICITY:			00114	с С
	I his product is not considere IARC Monographs. Overall		ogen by IARC, ACGIH, NTP c Carcinogenicity: Not listed	IT USHA.	
	OSHA Specifically Regulate	ed Substances	s (29 CFR 1910.1001-1050): ℕ		
	US. National Toxicology Pr UCTIVE TOXICITY:	ogram (NTP) F	Report on Carcinogens: Not I	isted.	
KEP KOD	Suspected of damaging fertili	ty or the unbor	n child.		
SPECIFIC	C TARGET ORGAN TOXICIT	Y (single expo	sure):		
SPECIFIC	Not classified. C TARGET ORGAN TOXICIT	Y (repeated ex	posures):		
	Not classified.				
ASPIRAT	Not likely, due to the form of	the product			
	ogical Information				
ЕСОТОХ	Harmful to aquatic life with lo	ng lasting effec	ts.		
	COMPONENTS	0 0	SPECIES		TEST RESULTS
	Sodium Nitrate (CAS 7632- Aquatic	00-0)			
	Crustacea	EC50	Greasyback shrimp (Metape	naeus ensis)	16.14 – 26.61 mg/l, 48 hours
	Fish	LC50	Rainbow trout, donaldson tro		0.15 – 0.25 mg/l, 96 hours
PERSIST	Estimates for product may a		ditional component data notsh	own.	
	No data is available on the de	egradability of t	his product.		
BIOACCI	UMULATIVE POTENTIAL: Partition coefficient n-octa	nol / water (loo	Kow).		
	Butane: 2.89	ion / Water (log	, now).		
	Propane: 2.36				
MOBILIT	Y IN SOIL: No data available.				
OTHER A	ADVERSE EFFECTS:				
	No other adverse environmen potential) are expected from			cal ozone creation potential,	endocrine disruption, global warming
	, , ,		•		
-	osal Consideration				
DI3F03F		e in sealed con	tainers at licensed waste dispo	osal site. Contents under pre	ssure. Do not puncture, incinerate or
	crush. Do not allow this mate	rial to drain into	sewers/water supplies. Do no	ot contaminate ponds, waterw	vays or ditches with chemical or used
	container. Dispose of content DISPOSAL REGULATIONS:	s/container in a	accordance with local/regional/	national/international regulat	ions.
	Dispose in accordance with a	all applicable re	gulations.		
HAZARD	OUS WASTE CODE:	aignod in diagu	ission between the user, the p	raducar and the wests disper	
WASTE F	FROM RESIDUES/UNUSED F		ission between the user, the p	ouucei anu the waste dispos	sar company.
	Dispose of in accordance wit	h local regulatio		may retain some product re	sidues. This material and its container
CONTAM	must be disposed of in a safe IINATED PACKAGING:	e manner (see:	uisposal Instructions).		
	Since emptied containers ma				tied. Empty containers should be taken to
	an approved waste-handling	site for recyclin	g or disposal. Do not reuse en	npty containers.	
14. Trans	sportation Information				
DOT:	UN Number: UN1950				
			mable, (each not exceeding 1	L capacity).	
	Transport Hazard Class(es) Class: 2.1)		FLAM	MABLE
	Subsidiary Risk:	-		G	
	Label(s): 2.1 Packing Group: Not applica	ible			7
	Special Precautions for Us		y instructions, SDS and emerg	ency procedures before han	dling.
	Special Provisions: N82.	2			
	Packaging Exceptions: 300 Packaging Nonbulk: None.				
	Packaging Bulk: None.				
This prod	uct meets the exception require	ements of sect	ion 173.306 as a limited quanti	ty and may be shipped as a l	imited quantity. Until 12/31/2020, the

quanti	
	mer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited
	es require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D"
1 markin	g and both may be displayed concurrently.
IATA:	UN Number: UN1950
IATA:	
	UN Proper Shipping Name: Aerosols, flammable.
	Transport Hazard Class(es)
	Class: 2.1
	Subsidiary Risk: -
	Label(s): 2.1
	Packing Group: Not applicable.
	Environmental Hazards: No.
	ERG Code: 10L.
	Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.
	Other Information:
	Passenger and Cargo Aircraft: Allowed with restrictions.
	Cargo Aircraft Only: Allowed with restrictions.
	Packaging Exceptions: LTD QTY
IMDG:	
INDG.	
	UN Proper Shipping Name: AEROSOLS.
	Transport Hazard Class(es)
	Class: 2.1
1	Subsidiary Risk: -
1	Label(s): None.
	Packing Group: Not applicable.
	Environmental Hazards:
	Marine pollutant: No.
	EmS: F-D, S-U.
1	Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.
	Packaging Exceptions: LTD QTY
TRAN	SPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 and the IBC CODE:
	Not applicable.
15. Re	gulatory Information
US FE	DERAL REGULATIONS:
	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.
	CERCLA Hazardous Substance List (40 CFR 302.4):
	Sodium Nitrite (CAS 7632-00-0) Listed.
	SARA 304 Emergency release notification: Not regulated.
	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.
1	
SUPE	FUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA):
SUPE	
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes.
SUPE	RFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA):
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting):
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No.
SUPE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting):
	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight
	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1
	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.
	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8)
	RFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazardous Substance: Not listed. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6)
OTHE	RFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated.
OTHE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # Sodium Nitrite 7632-00-0 O.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS
OTHE	RFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated.
OTHE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # Sodium Nitrite 7632-00-0 O.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS
OTHE	RFUND AMÉNDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazardous Substance: Not listed. SARA 302 Extremely Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 Sodium Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGUL
OTHE	REFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Condidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8)
OTHE	RFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazardous Substance: Not listed. SARA 302 Extremely Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 - 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List:
OTHE	REFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard ous Substance: Not listed. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 O.1 – 1 ReEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substance List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): <t< td=""></t<>
OTHE	REFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112/(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substances List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) US. Massachusetts RTK
OTHE	RFUND AMÉNDMENŤS AŇD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. VIE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sutane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8)
OTHE	REFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Controlled Substance List: Butane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Distance (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Prop
OTHE	RFUND AMÉNDMENŤS AŇD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. VIE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sutane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8)
OTHE	REFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 R FEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Controlled Substance List: Butane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Distance (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Propane (CAS 106-97-8) Prop
OTHE	Image: NDMENT'S AND REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Fire Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. Safta Air Categoring: Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 - 1 2 FEDERAL REGULATIONS Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substance List: </td
OTHE	Item Provide State State Item State S
OTHE	IFUND AMÉNDMENTS AÑD REAUTHORIZATIÓN ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Pressure Hazardous Chemical: No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311312 Hazardous Chemical: No. SARA 311712 Hazardous Chemical: No. SARA 311718 reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 - 1 RFEDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. VIS. California Cantrolled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodiu
OTHE	<pre>KFUND AMÉNDMENTS AÑD REAUTHORIZATIÓN ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 CfeDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. Pennsylvania Worker and Community Right-to-Know Law: Butane (CAS 106-97-8)</pre>
OTHE	IFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Chemical: No. SARA 31/312 Hazardous Chemical: No. SARA 317/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 REDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substance List: Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List: Butane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0
OTHE	<pre>KFUND AMÉNDMENTS AÑD REAUTHORIZATIÓN ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Substance: Not listed. SARA 311/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 CfeDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)): Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. Pennsylvania Worker and Community Right-to-Know Law: Butane (CAS 106-97-8)</pre>
OTHE	IFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Chemical: No. SARA 31/312 Hazardous Chemical: No. SARA 317/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 REDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substance List: Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List: Butane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0
OTHE	IFUND AMÉNDMENTS AÑD REAUTHORIZATION ACT of 1986 (SARA): Hazard Categories: Immediate Hazard – Yes. Delayed Hazard – Yes. Pressure Hazard – Yes. Reactivity Hazard – No. SARA 302 Extremely Hazardous Chemical: No. SARA 31/312 Hazardous Chemical: No. SARA 317/312 Hazardous Chemical: No. SARA 313 (TRI reporting): Chemical Name CAS # % by Weight Sodium Nitrite 7632-00-0 0.1 – 1 REDERAL REGULATIONS Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Butane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated. ATE REGULATIONS US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed. US. California Controlled Substance List: Butane (CAS 106-97-8) US. Massachusetts RTK - Substance List: Butane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0) US. New Jersey Worker and Community Right-to-Know Act: Butane (CAS 106-97-8) Propane (CAS 74-98-6) Sodium Nitrite (CAS 7632-00-0

US. Rhode Island RTK:

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

US. California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. US - California Proposition 65 - CRT: Listed date/Developmental toxin:

2-Ethoxyethanol (CAS 110-80-5): Listed: January 1, 1989 Ethylene Glycol (CAS 107-21-1): Listed: June 19, 2015

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin.

2-Ethoxyethanol (CAS 110-80-5): Listed: January 1, 1989

INTERNATIONAL INVE3NTORIES:

Country(s) or region	Inventory name On invento	ory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Yes" indicates that all compone	ents of this product comply with the inventory requirements administered by the governing country(s)	
A "No" indicates that one or more c	components of the product are not listed or exempt from listing on the inventory administered by the govern	ning
country(s).		

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

A SINGLE PRODUCT FOR TOTAL RESTROOM CLEANING

ALIVE & WELL is a chemical-bacterial blend of biodegradable cleaners and enzyme-producing bacteria which work together to safely dissolve and digest organic deposits that cause stains and odors. Pleasantly deodorizes as the natural biological action destoys organic wastes without actids or caustics. Liquefies and removes urine soits. The concentrated foam is easy to use and won't harm plumbing or other fixtures. Provides continuous enzymatic cleaning action in pipes, drains and waste systems

USE ON: Concrete, cinder blocks, porous surfaces, grout joints, painted surfaces, garbage cans and trucks and waste containers. Safe for use on glass, porcelain, marble, vinyl, plastic, chrome, stainless steel, concrete and painted surfaces.

DIRECTIONS: SHAKE WELL. Up/down valve allows spraying when upright or inverted. GENERAL CLEANING: Lightly soiled areas: Spray and let stand for 10 seconds, then agitate. Heavily soiled areas: Reapply and keep area moist and solied areas. Spray and let stand for to seconds, men aginate, neaving solied areas, neaping and keep area most and undisturbed for 41o 6 hours, wipe with a damp cloth. **TOILETS/ URINALS:** Invert can. Spray up under the rim. Allow foam to silde down the sides, agitate with a brush or sponge. Let sit for several minutes and flush. **GLASSIMIRRORS:** Spray on. Wipe clean. **OTHER HARD SURFACES:** Spray on. Work foam with brush, cloth, or sponge. Rinse if desired. Air dry. CARPET UPHOLSTERY: Test area before use. Spray over spotted area and work in with a soft-bristle brush. Repeat if needed. Absorb excess. Let dry, brush lightly or vacuum. NOTE: Excessive rubbing or brushing may result in distortion of carpet nap. DEODORIZING: Test in a small inconspicuous area before using on fabrics for any discoloration. Apply on Colpenied. Decomparise ream of annumediapeutos area period and annumediapeutos area period and decompared and an annumediapeutos area period and and annumediapeutos area period and and annumediapeutos area and annumedia a annumedia a annumedia a best results, rinse these areas with fresh water before applying ALIVE & WELL.

INSTRUCCIONES: AGITAR BIEN. La válvula que se puede usar boca arriba o boca abajo permite rociar en posición vertical o invertida. LIMPIEZA GENERAL: Áreas con poca suciedad: Rocíe y deje reposar durante 10 segundos, luego agite. Áreas muy sucios: Vuelva a aplicar y mantenga el área húmeda y sin interrupciones durante 4 a 6 horas, limpiar con un paño húmedo. BAÑOS/URINARIOS: Invertir el envase boca abajo, Rocie debajo del borde. Permita que la espuma se deslice por los lados, agite con un cepillo o esponjo. Dejar esposar durante varios minutos y enjugar. VIDRIOS/ESPEJOS: Rociar. Impian OTRAS Supercriticita de successo esponja begla reposa donante valos timitos y enfocuçar. Montos los posos, nocar, ampaño en spon SUPERFICIES DURAS: Rocior, Trobaje la espuma con brocha, paño o esponja, Enjuague si lo desea. Secar al aire, ALFOMBRATAPICERIA: Hoga una prueba en el área antes de su uso. Rocie sobre el área manchada y trobaje con un cepillo de cerdas suaves. Repetir si necesario. Absorber el exceso. Dejar secar, cepiltar ligeramente o aspirar. NOTA: El roce o el cepillo de cerdas suaves. Repetir si necesario. Absorber el exceso. Dejar secar, cepiltar ligeramente o aspirar. NOTA: El roce o el cepillo de excesivo puede resultar en distarsión de los petos de la alfombra. DESODORIZACIÓN: Fruebe en un área pequeña v poco visible antes de uso en telas para observar si ocurre cualquier descolaramino. Aplicar sobre afficulo a desodorizar. Para los olores persistentes: volver a aplicar, mantener el área húmeda y sin tocar durante 4 a 6 horas, limpie con un paño húmedo. SOLUCIÓN DE PROBLEMAS: Áreas que han sido previamente tratadas con otros productos como desintectantes, desodorantes u otros limpiadores químicos, pueden matar las bacterias beneficiosas de ALIVE & WELL y hacer que el proceso sea ineficaz. Para mejores resultados, enjuague estas áreas con agua antes de aplicar ALIVE & WELL

ALIVE & WELL

DANGER: Extremely flammable aerosol. Causes serious eye initiation. May cause an allergic skin reaction. May damage fertility or the unborn child. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eve protection/face protection. Avoid breathing dust/fume/gas/mst/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Slore locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye initiation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water if skin initiation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. IF INHALED: Move to fresh air. IF SWALLOWED: Rinse mouth.

CONTAINS (CAS No.): Aqua (7732-18-5), Butane (106-97-8), Propane (74-98-6), Ethoxydiglycol (111-90-0) and Sodium Nitrite (7632-00-0).

PELIGRO: Aerosol extremadamente inflamable. Provoca intlación ocular grave. Puede provocar una reacción alérgica en la piel. Puede perjudicar la fertilidad o dañar al feto. Mantener alejado del calor, superficies calientes, chispas, llamas abiertas y otras fuentes de ignición. No fumar. No fumar. No rocíe sobre una llama abierta u otra fuente de ignición. No perforar ni quemar Incluso después de su uso. Lavarse conciencial parte fina dana dualma dualm dualma dua

PRIMEROS AUXILIOS: EN CASO DE CONTACTO CON LOS OJOS: Lavar cuidadosamente con agua durante varios minutos. Quitese los lentes de contacto, si lleva puestos y le resulta fácil de hacer. Proseguir con el lavado. Si persiste la imilación de los ojos: Consultar a un médico. EN CASO DE CONTACTO CON LA PIEL: Lavar con abundante agua. Si ocurre inflación o erupción de las piel: Consultar a un médico. Lavar las prendas contaminadas antes de volver a usarlas. EN CASO DE EXPOSICIÓN O PREOCUPACIÓN: Consultar a un médico. EN CASO DE INHALACIÓN: Trasladar al aire libre. EN CASO DE INGESTIÓN: Enjuagar la boca.

CONTIENE (N° CAS): Aqua (7732-18-5), Butano (106-97-8), Propano (74-98-6), Ethoxydiglycol (111-90-0) y Nitrito de sodio (7632-00-0)

CAUTION: Use with adequate ventilation. Intentional misuse by concentrating and inhaling the product can be harmful or fatal **KEEP OUT OF REACH OF CHILDREN**

PRECAUCIÓN: Utilizar con una ventilación adecuada. El uso indebido por concentración e inhalación del producto puede ser dañino o fatal. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

See Safety Data Sheet for complete safety information. /Mire la Hoja de Datos de Seguridad para la información completa de seguridad.

EMERGENCY TELEPHONE: INFOTRAC: 1-800-535-5053

An Exclusive Product of: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004 1-800-241-8180



TO REORDER CALL 1-800-241-8180 www.procheminc.com with globally sourced materials



CLEANER & DEODORIZER LIMPIADOR Y DESODORANTE **DIGERIDOR DE BACTERIAS** BIO-ENZYMATIC/ BIO-ENZIMÁTICO

BACTERIAL DIGESTANT

CHEM

ALIVE & WELL

R)

 CLEANS AND DEODORIZES/ LIMPIA Y DESODORIZA

NON-ABRASIVE/

NO ES ABRASIVO

• LIVE BACTERIA DIGESTS GREASE & ORGANIC SOILS/ LA BACTERIA VIVA DIGIERE GRASA Y SUCIOS ORGÁNICOS

 A SINGLE PRODUCT FOR TOTAL **BATHROOM CLEANING**/ UN SOLO PRODUCTO PARA LA LIMPIEZA TOTAL DE LOS BAÑOS

 ELIMINATES THE CONFLICTING ODORS **OF SEVERAL PRODUCTS/** ELIMINA CONFLICTO DE OLORES **DE VARIOS PRODUCTOS**

Designed and manufactured in an environmentally conscious manner from materials that are biodegradable, petroleum distillate free, VOC compliant and contain no ozone depletors.

CAUTION/PRECAUTIÓN: EYE IRRITANT/IRRITANTE DE OJOS

CONTENTS UNDER PRESSURE/ CONTENIDO BAJO PRESIÓN SEE OTHER CAUTIONS ON BACK PANEL/ VER OTRAS PRECAUCIONES EN EL PANEL LATERAL

> NET WT./PESO NETO 18 OZ (1 LB 2 OZ) 510 a



7/21