

1. Product and Company Ide	entification								
PRODUCT NUMBER:	1280		COMPAN	PHONE:	1-	1-800-241-8180			
PRODUCT NAME:	CT NAME: BEAD-O-MATIC			ICY TELEPHONE:	1-	800-241-8180			
PRODUCT DESCRIPTION:		TV Silicone Gasket	INFOTRA):	1-	800-535-5053			
Maker COMPANY INFORMATION: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway									
Alpharetta, GA 30004									
2. Hazards Identification									
GHS CLASSIFICATION:				SIGNAL WORD: SYMBOL:					
This material is considered ha Communication Standard (29	WARNING								
Gases Under Pressure-Liquef	ied gas								
Skin Corrosion/Irritation-Categ Serious Eye Damage/Eye Irrit	jory 2 ation-Category 2					\mathbf{v}			
HAZARD STATEMENTS:									
Contains gas under Causes serious eye	pressure; may expl	ode if heated.							
Causes skin irritatio	n.								
PRECAUTIONARY STATEM General: Read lab		out of reach of child	ren. If medical adv	ce is needed, have p	roduct container or la	bel at hand.			
Prevention: Wear	protective gloves. N	Near eye or face prot	ection. Wash hand	Is thoroughly after har	ndling.				
				ninated clothing. Was water for several mir					
and easy to do. Co	ntinue rinsing. If ey	e irritation persists: G	et medical attentio						
Storage: Protect fr Disposal: Not appl		in a well-ventilated pl	ace.						
HAZARDS NOT OTHERWIS									
None known.									
3. Composition / Information									
	CAS	CONCENTRATION							
Triacetoxyethylsilane	17689-77-9	1-5		ACUTE TOXICITY (C	oral) - Category 4 IRRITATION - Catego	ory 1B			
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Cate								
Methylsilanetriyl triacetate 4253-34-3 1-5 ACUTE TOXICITY (ora SKIN CORROSION/IRI					ory 1C				
	75.07.0		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1						
1,1-Difluoroetnane	-Difluoroethane 75-37-6 1-5 FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Liquefied gas								
Any concentration shown as a				۱.					
There are no additional ingred hazardous to health or the env				plier and in the conce	entrations applicable,	are classified as			
Occupational exposure limits,	if available, are liste	ed in Section 8.							
4. First Aid Measures									
EMERGENCY OVERVIEW EYES: Immediately flush e	vec with plenty of w	ator occasionally lifti	ng the upper and le	wer eyelids. Check for	ar and romovo any or	antact lancas			
		s. Get medical attent		wer eyends. Check it	of and remove any co	ontactienses.			
		water. Continue to rir	nse for at least 20 n	ninutes. Get medical	attention. Wash clot	hing before reuse.			
Clean shoes thorou INHALATION:									
				ng. If not breathing, if					
mouth resuscitation	arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to- mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get								
	medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.								
INGESTION:	· •	, ,		,	1				
material has been s	Wash out mouth with water. Remove dentures, if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick,								
as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.									
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: Potential Acute Health Effects:									
Eye contact: Caus		tion.							
	Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.								

Skin contact: Causes skin irritation. Ingestion: Irritating to mouth, throat, and stomach. Over-Exposure Signs/Symptoms: Eye contact: Adverse symptoms may include the following: pain or irritation, watering, redness. Inhalation: No known significant effects or critical hazards. Skin contact: Adverse symptoms may include the following: irritation, redness. Inpestion: No known significant effects or critical hazards. Skin contact: Adverse symptoms may include the following: irritation, redness. Ingestion: No known significant effects or critical hazards. INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Notes to Physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to kept under medical surveillance for 48 hours. Specific Treatments: No specific treatment. Protection of First-Aiders: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
5. Fire-Fighting Measures
SUITABLE FIRE EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire. UNSUITABLE FIRE EXTINGUISHING MEDIA: None known.
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:
No specific fire or explosion hazard. HAZARDOUS THERMAL DECOMPOSITION PRODUCTS: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, halogenated compounds, carbonyl halides, metal oxide/oxides. OPECIFIC FIRE FIGURE MONTHERED.
SPECIFIC FIRE-FIGHTING METHODS: No special precaution is required.
SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
6. Accidental Release Measures
PERSONAL PRECAUTIONS:
 Non-emergency Personnel: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirate when ventilation is inadequate. Put on appropriate personal protective equipment. Emergency Responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel." ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has causedenvironmental pollution (sewers, waterways, soil, or air). Small Spill: Move containers from spill area. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Large Spill: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, watercourses, basements, or
confined areas. Do not dry sweep. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
 7. Handling and Storage SAFE HANDLING: Protective Measures: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin, and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Emp containers retain product residue and can be hazardous. Do not reuse container. General Occupational Hygiene: Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. See also Section 8 for additional information on hygiene measures. SAFE STORAGE & INCOMPATIBILITIES: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area awa from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers Use appropriate containment to avoid environmental contamination.
8. Exposure Controls / Personal Protection
OCCUPATIONAL EXPOSURE LIMITS: United States: None. Mexico:
Chemical Name Exposure Limits Silicon dioxide NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 3 mg/m³ 8 hours. Form: breathable particulates LMPE-PPT: 10 mg/m³ 8 hours. Form: inhalable particulates
ENGINEERING CONTROLS: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Product Name: BEAD-O-MATIC Pro Chem Inc



EYE/FACE PROTECTION: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or gases. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

SKIN PROTECTION: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products, if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures consisting of several substances, the protection time of the gloves cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task being performed and the risks involved, and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY PROTECTION: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and the safe working limits of the selected respirator.

GENERAL HYGIENE CONSIDERATIONS: Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, using the lavatory, and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Color: ODOR: ODOR THRESHOLD: pH: MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE:		dor. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3.	12°F)	Upper VAPO VAPO RELA SOLU AUTO DECO PARTI octano BURN BURN	MABILITY(solid/ga /Lower Explosive R DENSITY: R PRESSURE: TIVE DENSITY: BILITY (water): -IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME: ING RATE:	Limit:	Not available. Not available. Not available. Not available. 1.007 Not available. Not available. Not available. There is no data available.	
Color: ODOR THRESHOLD: pH: MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Information REACTIVITY: No specific test data relation	Various. Acetic acid o Not available Not available Not available Closed cup: Not available Not available Not available	dor. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3.	12°F)	VAPO VAPO RELA SOLU AUTO DECO PARTI octano BURN BURN	R DENSITY: R PRESSURE: TIVE DENSITY: BILITY (water): -IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME:	:	Not available. Not available. 1.007 Not available. Not available. Not available. There is no data available.	
ODOR: ODOR THRESHOLD: pH: MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Information REACTIVITY: No specific test data relation	Acetic acid o Not available Not available Not available Closed cup: Not available Not available Not available	≥. ≥. ≥. ≥. >100°C (>2° ≥. ≥.	12°F)	VAPO RELA SOLU AUTO DECO PARTI octano BURN BURN	R PRESSURE: TIVE DENSITY: BILITY (water): -IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME:		Not available. 1.007 Not available. Not available. Not available. There is no data available.	
ODOR THRESHOLD: pH: MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Information RATE: No specific test data relation	Not available Not available Not available Closed cup: Not available Not available Not available	≥. ≥. ≥. ≥. >100°C (>2° ≥. ≥.	12°F)	RELA SOLU AUTO DECO PARTI octano BURN BURN	TIVE DENSITY: BILITY (water): IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME:		1.007 Not available. Not available. Not available. There is no data available.	
pH: MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Not available Not available Not available Closed cup: : Not available Not available Not available	e. e. >100°C (>2° e. e.	12°F)	SOLU AUTO DECO PARTI octano BURN BURN	BILITY (water): -IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN ol/water): ING TIME:		Not available. Not available. Not available. There is no data available.	
MELTING POINT: BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Not available Not available Closed cup: Not available Not available Not available ation	». ». >100°C (>2° ».	12°F)	AUTO DECO PARTI octano BURN BURN	-IGNITION TEMP: MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME:		Not available. Not available. There is no data available.	
BOILING POINT: FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Information REACTIVITY: No specific test data relation	Not available Closed cup: Not available Not available Not available ation	». >100°C (>2 ». ».	12°F)	DECO PARTI octano BURN BURN	MPOSITION TEMP TION COEFFICIEN DI/water): ING TIME:		Not available. There is no data available.	
FLASH POINT: SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Closed cup: Not available Not available Not available ation	>100°C (>2 ⁻ e. e.	12°F)	PARTI octano BURN BURN	TION COEFFICIEN ol/water): ING TIME:		There is no data available.	
SADT: EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Not available Not available Not available ation).).	12°F)	octano BURN BURN	ol/water): ING TIME:	IT (n-		
EVAPORATION RATE: VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Not available Not available ation).		BURN				
VISCOSITY: 10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	Not available						Not available.	
10. Stability & Reactivity Informa REACTIVITY: No specific test data rela	ation).		001	ING HATE.		Not available.	
REACTIVITY: No specific test data rela				SOLU	BILITY:		Not available.	
POSSIBILITY OF HAZARDOUS REACTIONS: Under normal conditions of storage and use, hazardous reactions will not occur. INCOMPATIBLE MATERIALS: Reactive or incompatible with the following materials: oxidizing materials. CONDITIONS TO AVOID: No specific data. HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products should not be produced. 11. Toxicological Information ACUTE TOXICITY								
Product/ingredient name	Result	Species	Dose	E	kposure			
Methylsilanetriyl triacetate L	_D50 Oral	Rat	2060 m	g/kg -	kg -			
	ble.		pecies abbit	 _	Exposure 24 hours 25 mg	Observation -	_	

SPECIF	IC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):
SPECIF	There is no data available. IC TARGET ORGAN TOXICITY (REPEATED EXPOSURE):
ASPIRA	There is no data available. TION HAZARD:
INFORM	There is no data available. IATION ON THE LIKELY ROUTES OF EXPOSURE:
	Dermal contact. Eye contact. Inhalation. Ingestion.
POTEN	TIAL ACUTE HEALTH EFFECTS:
	Eye Contact: Causes serious eye irritation. Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
	Skin Contact: Causes skin irritation.
SYMPT	Ingestion: Irritating to mouth, throat, and stomach. OMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:
	Eye: Adverse symptoms may include the following: pain or irritation, watering, redness.
	Inhalation: No known significant effects or critical hazards. Skin: Adverse symptoms may include the following: irritation, redness.
	Ingestion: No known significant effects or critical hazards.
DELAY	ED & IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE: Short-Term Exposure:
	Immediate: No known significant effects or critical hazards.
	Delayed: No known significant effects or critical hazards. Long-Term Exposure:
	Immediate: No known significant effects or critical hazards.
	Delayed: No known significant effects or critical hazards.
	Potential Chronic Health Effects: General: No known significant effects or critical hazards.
	Carcinogenicity: No known significant effects or critical hazards.
	Mutagenicity: No known significant effects or critical hazards. Teratogenicity: No known significant effects or critical hazards.
	Developmental: No known significant effects or critical hazards.
	Fertility: No known significant effects or critical hazards. ICAL MEASURES OF TOXICITY:
NOMEN	Acute Toxicity Estimates: There is no data available.
12 Eco	ogical Information
TOXICIT	
DEDEIE	There is no data available. TENCE AND DEGRADABILITY:
FENDID	There is no data available.
BIOACO	CUMULATIVE POTENTIAL:
MOBILI	There is no data available. TY IN SOIL:
	Soil/water partition coefficient (Koc): There is no data available.
OTHER	ADVERSE EFFECTS: No known significant effects or critical hazards.
10 Diam	
	osal Consideration eration of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should comply with
the requ recyclab requirem	irements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- le products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the nents of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is ble. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been
cleaned	or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,
waterwa	ys, drains, and sewers.
14. Tran	sportation Information
DOT:	UN NUMBER: UN1950
	UN PROPER SHIPPING NAME: Aerosols, flammable (each not exceeding 1 L capacity) (1, 1-Difluoroethane). TRANSPORT HAZARD CLASS(ES):
	Class: 2.1
	ENVIRONMENTAL HAZARDS: No. REMARKS: Limited Quantity Exemption.
IATA:	UN NUMBER: UN1950
	UN PROPER SHIPPING NAME: Aerosols, flammable (each not exceeding 1 L capacity) (1, 1-Difluoroethane). TRANSPORT HAZARD CLASS(ES):
	Class: 2.1
	ENVIRONMENTAL HAZARDS: No. REMARKS: Limited Quantity Exemption.
IMDG:	
	UN PROPER SHIPPING NAME: Aerosols, flammable (each not exceeding 1 L capacity) (1, 1-Difluoroethane). TRANSPORT HAZARD CLASS(ES):
	Class: 2.1

	PACKING GROUP:							
	ENVIRONMENTAL HAZARDS							
SPECIAL	REMARKS: Limited Quantity E PRECAUTIONS FOR USER:	Exemption.						
	Transport within user's prem	ises: Always transport in o	closed containers th	at are upright ar	nd secure. Ensure that pe	rsons transporting the		
	product know what to do in the							
TRANSPO	ORT IN BULK ACCORDING TO Not available.	D ANNEX II OF MARPOL	73/78 AND THE IBO	CODE:				
15. Regu	Ilatory Information							
US FEDE	ERAL REGULATIONS:							
	United States inventory (TSC CLEAN AIR ACT (CAA) 112 F							
	CLEAN AIR ACT (CAA) 112 P							
	CLEAN AIR ACT SECTION 6							
	CLEAN AIR ACT SECTION 6 DEA LIST I CHEMICALS (PR							
	DEA LIST II CHEMICALS (ES	SENTIAL CHEMICALS):	Not listed.					
	SARA 302/304: COMPOSITIO		GREDIENTS: No p	roducts were for	und.			
	SARA 304 RQ: Not applicable SARA 311/312: CLASSIFICA		oressure: Immediat	e (acute) health	hazard			
		·	Sudden Release	()	Immediate (acute)	Delayed (chronic)		
	cal Name % oxvethvlsilane 1-5	Fire Hazard	of Pressure No	Reactive No	Health Hazard Yes	Health Hazard		
	oxyethylsilane 1-5 silanetriyl triacetate 1-5	No	No	No	Yes	No		
	REGULATIONS:	-	-	-		-		
	Massachusetts: The following New York: None of the compo		icon dioxide; 1,1-Dif	luoroethane				
	New Jersey: The following con		ifluoroethane					
	Pennsylvania: The following c		on dioxide					
INTERNA	California Prop 65: No produc ATIONAL INVENTORIES:	ts were found.						
	Australia inventory (AICS): All	components are listed or e	exempted.					
	China inventory (IECSC): All c		empted.					
	Japan inventory: Not determine Korea inventory: All componer							
	Malaysia Inventory (EHS Regi	ster): Not determined.						
	New Zealand Inventory of Che Philippines inventory (PICCS):			xempted.				
	Taiwan inventory (CSNN): Not		or exempted.					
CHEMIC	AL WEAPONS CONVENTION Not listed.	LIST SCHEDULE I CHEM	ICALS:					
CHEMIC	AL WEAPONS CONVENTION	LIST SCHEDULE II CHEN	IICALS:					
	Not listed.							
CHEMIC	AL WEAPONS CONVENTION Not listed.	LIST SCHEDULE III CHEN	MICALS:					
16 Other	Information							
NFPA	Health Hazards: 2	Flammability: 1	Instability: 0	Phys	ical & Chemical Propertie	es:		
HMIS	Health Hazards: 1	Flammability: 1	Physical hazard		onal protection: B			
-	ABBREVIATIONS:							
	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor							
	GHS = Globally Harmonized Sy	stem of Classification and	Labeling of Chemic	als				
	IATA = International Air Transport Association IBC = Intermediate Bulk Container							
	IMDG = International Maritime	Dangerous Goods						
	LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships 1973 as modified by the Protocol of 1978.							
	("Marpol" = marine pollution)	Convention for the Preven	mon or Pollution Fro	m 5mps 1973 a	s modilied by the Protoco	101 1976.		
	UN = United Nations							
DISCLAII	MER: To the best of our knowledge, i	nformation contained herei	in is accurate. Howe	ver there is no	assumption of liability for	the accuracy or		
	completeness of the information	n contained herein. Final d	etermination of suita	ability of any mat	erial is the sole responsit	pility of the user. All		
	materials may present unknown	n hazards and should be us	sed with caution. Al	though certain h	azards are described here	ein, we cannot guarantee		
	that these are the only hazard, data is provided without any wa							
	disposal of this product are bey	ond the control of the man	ufacturer, the manu	facturer will not l	be responsible for loss, in	njury, or expense arising		
	out of the products improper us any statement in this SDS. Vari							
	disposal of this product, which					anding, storage, use, or		
	•				·			