




# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	1238	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	COIL BRITE	<b>EMERGENCY TELEPHONE:</b>	1-800-241-8180
<b>PRODUCT DESCRIPTION:</b>	Aerosol Bio-Enzymatic Foaming Coil Cleaner	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> Gases under pressure: Liquefied gas. <b>Health hazards:</b> Not classified. <b>OSHA defined hazards:</b> Not classified.	<b>SIGNAL WORD:</b> <b>WARNING</b>	<b>SYMBOL:</b>	
<b>HAZARD STATEMENTS:</b> Contains gas under pressure; may explode if heated.			
<b>PRECAUTIONARY STATEMENTS:</b> <b>Prevention:</b> Observe good industrial hygiene practices. <b>Response:</b> IF EXPOSED OR CONCERNED: Get medical advice/attention. <b>Storage:</b> Protect from sunlight. Store in a well-ventilated place. <b>Disposal:</b> Dispose of waste and residues in accordance with local authority requirements.			
<b>HAZARDS NOT OTHERWISE SPECIFIED:</b> None known.			
<b>SUPPLEMENTAL INFORMATION:</b> None.			

## 3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Butane	106-97-8	1-2.5
Propane	74-98-6	1-2.5
Sodium Nitrite	7632-00-0	0.1-1
Other components below reportable levels		90-100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First Aid Measures

### EMERGENCY OVERVIEW

**GENERAL:** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**EYES:** Rinse with water. Get medical attention if irritation develops and persists.

**SKIN:** Wash off with soap and water. Get medical attention if irritation develops and persists.

### INHALATION:

Move to fresh air. Call a physician if symptoms develop or persist.

### INGESTION:

Not likely, due to the form of the product.

### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Direct contact with eyes may cause temporary irritation.

### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Provide general supportive measures and treat symptomatically.

## 5. Fire Fighting Measures

### SUITABLE FIRE EXTINGUISHING MEDIA:

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

### UNSUITABLE FIRE EXTINGUISHING MEDIA:

None known.

### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

During fire, gases hazardous to health may be formed.

### SPECIFIC FIRE-FIGHTING METHODS:

Use standard firefighting procedures and consider the hazards of other involved materials. In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### GENERAL FIRE HAZARDS:

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

## 6. Accidental Release Measures

### PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during cleanup. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

### MATERIALS AND METHODS FOR CONTAINMENT & CLEANUP:

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see Section 13 of the SDS.

### ENVIRONMENTAL PRECAUTIONS:

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and Storage

### SAFE HANDLING:

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Purge air from system before introducing gas. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### SAFE STORAGE:

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

COMPONENTS	TYPE	VALUE
Propane (CAS 74-98-6)	PEL	1,800 mg/m <sup>3</sup> 1,000 ppm

#### US. ACGIH Threshold Limit Values

COMPONENTS	TYPE	VALUE
Butane (CAS 106-97-8)	PEL	1,000 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

COMPONENTS	TYPE	VALUE
Butane (CAS 106-97-8)	TWA	1900 mg/m <sup>3</sup> 800 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m <sup>3</sup> 1000 ppm

### BIOLOGICAL LIMIT VALUE:

No biological exposure limits noted for the ingredient(s).

### APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:



**Eye Protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection: Hand protection:** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

**Other:** Wear suitable protective clothing.

**Respiratory Protection:** If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

**Thermal Hazards:** Wear appropriate thermal protective clothing, when necessary.

**General Hygiene Considerations:** When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical & Chemical Properties

Physical State:	Gas.	Flammability (solid/gas):	Not available.
Form:	Aerosol. Liquefied gas.	Flammability Limit–lower (%):	Not available.
Color:	Not available.	Flammability Limit–upper (%):	Not available.
Odor:	Not available.	Explosive Limit – lower (%):	Not available.
Odor Threshold:	Not available.	Explosive Limit – upper (%):	Not available.
pH:	Not available.	Vapor Pressure:	80 psig @70°F estimated.

<b>Melting/Freezing Point:</b>	Not available.	<b>Vapor Density:</b>	Not available.
<b>Initial Boiling Point/Range:</b>	212 °F (100 °C) estimated.	<b>Relative Density:</b>	Not available.
<b>Partition Coeff (n-octanol/water):</b>	Not available.	<b>Solubility (water):</b>	Not available.
<b>Viscosity:</b>	Not available.	<b>Auto-Ignition Temperature:</b>	Not available.
<b>Specific Gravity:</b>	0.926 estimated	<b>Decomposition Temperature:</b>	Not available.
<b>Flash Point:</b>	-156.0 °F (-104.4 °C) Propellant estimated.	<b>Evaporation Rate:</b>	Not available.
<b>Explosive Properties:</b>	Not explosive.	<b>Oxidizing Properties:</b>	Not oxidizing.
<b>Aerosol Spray Ignition Distance:</b>	0 No Ignition.	<b>Explosive Properties:</b>	Not explosive.
<b>Aerosol Spray Enclosed Space:</b>		<b>Flame Extension:</b>	0 in.
<b>Deflagration Density:</b>	300 g/m <sup>3</sup> No Ignition.	<b>Oxidizing Properties:</b>	Not oxidizing.
<b>Time Equivalent:</b>	300 s/m <sup>3</sup> No Ignition.		

## 10. Stability & Reactivity Information

### REACTIVITY:

The product is stable and non-reactive under normal conditions of use, storage and transport.

### CHEMICAL STABILITY:

Material is stable under normal conditions.

### POSSIBILITY OF HAZARDOUS REACTIONS:

Hazardous polymerization does not occur.

### INCOMPATIBLE MATERIALS:

Strong oxidizing agents.

### CONDITIONS TO AVOID:

Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

### HAZARDOUS DECOMPOSITION PRODUCTS:

No hazardous decomposition products are known.

## 11. Toxicological Information

### PRIMARY ROUTE OF ENTRY:

**Eyes:** Direct contact with eyes may cause temporary irritation.

**Skin:** No adverse effects due to skin contact are expected.

**Inhalation:** No adverse effects due to inhalation are expected.

**Ingestion:** Expected to be a low ingestion hazard.

### SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

Direct contact with eyes may cause temporary irritation.

### ACUTE TOXICITY:

COMPONENTS	SPECIES	TEST RESULTS
<u>Butane (CAS 106-97-8)</u>		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes
	Rat	52%, 120 Minutes
		1355 mg/l
<u>Propane (CAS 74-98-6)</u>		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes
	Rat	52%, 120 Minutes
<i>Oral</i>		
LD50		1355 mg/l
		658 mg/l/4 h
<u>Sodium Nitrite (CAS 7632-00-0)</u>		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	180 mg/kg

\* Estimates for product may be based on additional component data not shown.

### SKIN CORROSION/IRRITATION:

Prolonged skin contact may cause temporary irritation.

### SERIOUS EYE DAMAGE/IRRITATION:

Direct contact with eyes may cause temporary irritation.

### RESPIRATORY SENSITIZATION:

Not a respiratory sensitizer.

### SKIN SENSITIZATION:

This product is not expected to cause skin sensitization.

### GERM CELL MUTAGENICITY:

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

### CARCINOGENICITY:

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity:** Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens:** Not listed.

### REPRODUCTIVE TOXICITY:

This product is not expected to cause reproductive or developmental effects.

**SPECIFIC TARGET ORGAN TOXICITY (single exposure):**

Not classified.

**SPECIFIC TARGET ORGAN TOXICITY (repeated exposures):**

Not classified.

**ASPIRATION HAZARD:**

Not likely, due to the form of the product.

**12. Ecological Information****ECOTOXICITY:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

COMPONENTS	SPECIES	TEST RESULTS
Sodium Nitrite (CAS 7632-00-0)		
<b>Aquatic</b>		
Crustacea	EC50	Greasyback shrimp ( <i>Metapenaeus ensis</i> )
Fish	LC50	Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> )
		16.14 - 26.61 mg/l, 48 hours
		0.15 - 0.25 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**PERSISTENCE AND DEGRADABILITY:**

No data is available on the degradability of this product.

**BIOACCUMULATIVE POTENTIAL:****Partition coefficient n-octanol / water (log Kow)**

Butane:	2.89
Propane:	2.36

**MOBILITY IN SOIL:**

No data available.

**OTHER ADVERSE EFFECTS:**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal Consideration****DISPOSAL INSTRUCTIONS:**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

**LOCAL DISPOSAL REGULATIONS:**

Dispose in accordance with all applicable regulations.

**HAZARDOUS WASTE CODE:**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**WASTE FROM RESIDUES/UNUSED PRODUCTS:**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**CONTAMINATED PACKAGING:**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste-handling site for recycling or disposal. Do not re-use empty containers.

**14. Transportation Information**

**DOT:** UN Number: UN1950  
 UN Proper Shipping Name: Aerosols, flammable.  
 Transport Hazard Class(es)  
 Class: 2.1  
 Subsidiary Risk: -  
 Label(s): 2.1



Packing Group: Not applicable.

Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.

Special Provisions: N82

Packaging Exceptions: 306

Packaging Nonbulk: None.

Packaging Bulk: None.

**IATA:** UN Number: UN1950  
 UN Proper Shipping Name: Aerosols, flammable.  
 Transport Hazard Class(es)  
 Class: 2.1  
 Subsidiary Risk: -  
 Label(s): 2.1



Packing Group: Not applicable.

Environmental Hazards: No.

ERG Code: 10L

Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.

**Other Information:**

Passenger and Cargo Aircraft: Allowed with restrictions.

Cargo Aircraft Only: Allowed with restrictions.

Packaging Exceptions: LTD QTY

**IMDG:** UN NUMBER: UN1950  
 UN Proper Shipping Name: AEROSOLS.

**Transport Hazard Class(es)**

Class: 2.1

Subsidiary Risk: -

Label(s): None.

Packing Group: Not applicable.

**Environmental Hazards:**

Marine pollutant: No.

EmS: F-D, S-U

**Special Precautions for User:** Read safety instructions, SDS and emergency procedures before handling.**Packaging Exceptions:** LTD QTY**TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 and the IBC CODE:**

Not applicable.

**GENERAL INFORMATION:**

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

**15. Regulatory Information****US FEDERAL REGULATIONS:**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):** Not regulated.**CERCLA Hazardous Substance List (40 CFR 302.4):**

Sodium Nitrite (CAS 7632-00-0) Listed.

**SARA 304 Emergency release notification:** Not regulated.**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not regulated.**SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA):****Hazard categories:** Immediate Hazard – No.

Delayed Hazard – No.

Fire Hazard – No.

Pressure Hazard – Yes.

Reactivity Hazard – No.

**SARA 302 Extremely hazardous substance:** Not listed.**SARA 311/312 Hazardous Chemical:** No.**SARA 313 (TRI reporting):**

Chemical Name	CAS Number	% by Wt
Sodium Nitrite	7632-00-0	0.1-1

**OTHER FEDERAL REGULATIONS****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:** Not regulated.**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

**Safe Drinking Water Act (SDWA):** Not regulated.**US STATE REGULATIONS****US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100):** Not listed.**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)):**

Butane (CAS 106-97-8)

**US. Massachusetts RTK - Substance List:**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. New Jersey Worker and Community Right-to-Know Act:**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. Pennsylvania Worker and Community Right-to-Know Law:**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. Rhode Island RTK:**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. California Proposition 65:** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.**INTERNATIONAL INVENTORIES:**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other Information**

**DISCLAIMER:**  
To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.