

1. Product and Company Ident	ification							
PRODUCT NUMBER:	2240		COMPANY PHO	NE:	1-800-241-8180			
PRODUCT NAME:	COIL CARE		EMERGENCY TELEPHONE:		1-800-241-8180			
PRODUCT DESCRIPTION:	Heavy-Duty Degrease	er For Air						
	Conditioning Coils, Fi		INFOTRAC:		1-800-535-5053			
COMPANY INFORMATION:	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Alpharetta, GA 30004							
2. Hazards Identification								
GHS CLASSIFICATION:		SIGNAL WORD:	SYMBOL:					
Skin Corrosion/Irritation: Catego	ory 1C	DANGER						
HAZARD STATEMENTS: Causes severe skin burns and eye damage. PRECAUTIONARY STATEMENTS: Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Wash contaminated clothing before reuse. Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Storage: Store locked up. Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations. INGREDIENTS OF UNKNOWN TOXICITY: 0% HAZARDS NOT OTHERWISE CLASSIFIED: No data available.								
3. Composition / Information o	n Ingredients							
CHEMICAL NAME	in ingreatents		CA	AS	Concentration % by Weight			
2-Butoxyethanol			111-		4%			
Poly(oxy-1,2-ethanediyl), .alpha.		-hydroxy-	9016		2%			
Silicic acid (H2SiO3), disodium s EDTA (Dissolvine 100-S)	alt		<u> </u>		<u> </u>			
			04-0	52-0	170			
examined and tested to SKIN: In case of contact, imm medical attention imme INHALATION: If exposed to excessiv INGESTION: If swallowed, do NOT	by medical personnel. nediately flush skin with ediately. Thoroughly wa e levels of dusts or fume	plenty of water for a sh (or discard) cloth es, remove to fresh	at least 15 minutes w ing and shoes befor air and get medical a	vhile removing conta e reuse. attention if cough or	ng for at least 15 minutes. Have eyes iminated clothing and shoes. Get other symptoms develop. trol center immediately. Never give			
5 Fire-Fighting Measures								
UNSUITABLE FIRE EXTINGUIS N/A SPECIAL PROTECTIVE EQUIP	oon dioxide, or water sp SHING MEDIA: MENT FOR FIRE FIGH	TERS:	-		ivalent) and full protective gear.			
SUITABLE FIRE EXTINGUISHI Use alcohol foam, carl UNSUITABLE FIRE EXTINGUIS N/A SPECIAL PROTECTIVE EQUIP As in any fire, wear se	oon dioxide, or water sp SHING MEDIA: MENT FOR FIRE FIGH If-contained breathing a	TERS:	-		ivalent) and full protective gear.			
SUITABLE FIRE EXTINGUISHI Use alcohol foam, carl UNSUITABLE FIRE EXTINGUIS N/A SPECIAL PROTECTIVE EQUIP As in any fire, wear se 6. Accidental Release Measure LARGE SPILLS:	oon dioxide, or water sp SHING MEDIA: MENT FOR FIRE FIGH If-contained breathing a	TERS: pparatus pressure-c	demand MSHA/NIOS		ivalent) and full protective gear.			

# 7. Handling and Storage

### SAFE HANDLING:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Follow all SDS/label precautions even after container is emptied because they may retain product residues.

#### SAFE STORAGE & INCOMPATIBILITIES:

Store in a cool dry place. Keep container closed when not in use.

8. Exposure Controls / Personal Protection			
	ACGIH TLV	OSHA PEL	STEL
2-Butoxyethanol	20ppm (skin)	50ppm	N/A
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	N/A	N/A	N/A
Silicic acid (H2SiO3), disodium salt	N/A	N/A	N/A
EDTA (Dissolvine 100-S)	N/A	N/A	N/A
DEDOONAL BROTEOTINE FOUNDMENT			

#### PERSONAL PROTECTIVE EQUIPMENT:



Eye protection: Safety glasses or goggles.

Skin Protection: Nitrile or polyethylene gloves and aprons. Do not use cotton.

Respiratory Protection: Not available.

Ventilation: Positive downdraft exhaust ventilation should be provided to maintain vapor concentration below TLV.

9. Physical & Chemical Properties			
Appearance:		Flammability:	Not available.
Physical State:	Liquid.	Density Lbs/Gal:	Not available.
Color:	Purple/clear.	Pounds Per Cubic Foot:	Not available.
Odor:	Solvent.	Boiling Range:	Not available.
Odor Threshold:	Not available.	UEL:	Not available.
Ph:	12.5-13.5	Vapor Pressure:	Unknown.
Melting Point:	Not available.	Vapor Density:	Unknown.
Boiling Point:	212°F	Solubility:	Complete.
Partition Coefficient (N-Octanol/Water):	Not available.	Auto-Ignition Temp:	Not available.
Viscosity:	Not available.	Decomposition Temp:	Not available.
Specific Gravity:	1.05	VOC%:	Not available.
Flash Point:	Not available.	Fp Method:	Not available.
LEL:	Not available.	Evaporation Rate:	Not available.

# 10. Stability & Reactivity Information

REACTIVITY: Stable.

INCOMPATIBLE MATERIALS: Chlorine bleach, oxidizers, acids. CONDITIONS TO AVOID: Temperature extremes. DECOMPOSITION PRODUCTS: Will not occur.

# HAZARDOUS POLYMERIZATION:

Will not occur.

#### 11. Toxicological Information

#### PRIMARY ROUTE OF ENTRY:

Skin contact/absorption and inhalation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

Gastrointestinal irritation (nausea, vomiting, diarrhea), irritation to nose, throat, and respiratory tract.

# TARGET ORGAN EFFECTS:

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals and may aggravate pre-existing disorders or these organs in humans: chronic ingestion may cause kidney and liver lesions at high doses.

# IMMEDIATE HEALTH EFFECTS:

**EYES:** Corrosive. Exposure will cause noticeable pain, and severe irritation and transient corneal injury.

SKIN: Corrosive. Causes chemical burns. Harmful contact may not cause immediate pain. Ethylene glycol monobutyl ether and 2aminoethanol may be absorbed through the skin.

**INHALATION:** Exposure to vapor or mist is possible. Short-term inhalation is not likely to cause harmful effects: breathing large amounts may be harmful. Symptoms are more typically seen at air concentrations exceeding the recommended exposure limits.

**INGESTION:** Harmful or fatal if swallowed. Causes chemical burns to the mouth, throat and stomach.

#### **REPRODUCTIVE/DEVELOPMENTAL INFORMATION:**

#### No data.

#### CARCINOGENIC INFORMATION:

This material is not listed as a carcinogen by IARC, NTP or OSHA.

LONG TERM EFFECTS: No data.

# 13. Disposal Consideration

For proper disposal of waste, refer to federal and state regulations.

#### 14. Transportation Information

#### UN Number: 3266

UN Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. contains (Sodium Metasilicate Pentahydrate)

DOT Classification: 8 - Corrosive

# Packing Group: II

# 15. Regulatory Information

#### **US FEDERAL REGULATIONS**

TSCA (Toxic Substances Control Act) Status TSCA (United States) The intentional ingredients of this product are listed. CERCLA RQ - 40 CFR 355 Appendix A: None SARA 302 Components 40 CFR Appendix A: None Section 311/312 Hazard Class 40 CFR 370.2 Immediate (X) Delayed (X) Fire () Reactivity () Sudden Release of Pressure () SARA 313 Components - 40 CFR 372.65 STATE AND LOCAL REGULATIONS

#### STATE AND LOCAL REGULATIONS

California Proposition 65: None California SCAQMD Rule 443.1 VOC's: > 100g/L North Carolina Administrative Code 2D.1104 and 2B.0610: None South Carolina Regulation 62.5 Standard Number 8: None

#### 16. Other Information

#### N/A = Not Applicable; N/D = Not Determined

#### DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.