

# CONSUM IT #3402

## Granular Enzymes



### Features:

- Attacks, liquefies and removes grease, fat and oil faster
- Contains both anaerobic (can live in airless environment) and facultative (can live with or without oxygen) bacteria
- Bacteria are in spore form for extended shelf life
- Contains vitamins to enhance bacterial growth
- 12 billion active microbes per ounce
- Kosher certified
- Food Processing Acceptability: L2



### Description:

CONSUM IT contains a synergistic blend of engineered bacterial strains for effective removal of various organic soils. It is fortified with free enzymes and detergents. Thus product may be used in septic tanks, cesspools, drain fields, grease traps and for other sewage treatment applications where the enzymes will remain in an activated condition for at least a week. It provides a very quick thorough action for drains and areas where only a minimum of time is available.

**Enzyme Activity:** Alpha Amylase (starch degrading), Lipase (fat degrading), Protease (basic and neutral protein degrading), Cellulase (paper degrading)

**Bacteria Type:** Bacillus Subtilis, Bacillus Licheniformis, Bacillus Polymyxa, Bacillus Magaterium, Lactovacillus Acidophilus, Aspergillus Oryzae, Rumenococcus Albus

### Applications:

- Sewage Systems
- Septic Tanks
- Grease Traps
- Drains
- Settling Tanks
- Imhoff Tanks
- Drain Pipes
- Lagoons

### Product Characteristics:

Appearance:	Granular mixture
Physical State:	Solid granules
Color:	Brown
Odor:	Odorless
Solubility (water):	Partial
Flash Point:	None
VOC Content (Wt %):	0
pH:	7-9
Storage:	Avoid breathing dusts. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Keep out of reach of children.
<b>Transport Information:</b>	
UN Number:	Not regulated
Proper Shipping Name:	Not regulated
Class:	Not regulated
Packing Group:	Not regulated

### DOT Placard:

Not regulated

### Directions:

#### For Septic Tanks, Cesspools, and Drain Fields:

**Initial Treatment:** Use 12 oz. (3/4 lb) per 1000 gallons of capacity, repeating every other week until the system is operating properly. Mix with several gallons of water and introduce into the toilet farthest from the septic tank.

**Preventative Maintenance Treatment:** Use 3 oz. per month, per 1000 gallon capacity. Mix with water and flush through toilet.

See label for complete directions for other applications.

### Pictograms:

NOT A CONTROLLED



PRODUCT UNDER GHS

### Signal Word:

N/A

### Personal Protective Equipment Required:

