

1. Product and Company Identification

PRODUCT NUMBER: 2123 COMPANY PHONE: 1-800-241-8180

PRODUCT NAME: CRACK FILLER PART A EMERGENCY TELEPHONE: 1-800-241-8180

PRODUCT DESCRIPTION: Two-Component Epoxy Resurfacer INFOTRAC: 1-800-535-5053

DANGER

SIGNAL WORD: SYMBOL:

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification GHS CLASSIFICATION:

Acute Tox. 4 H302 Harmful if swallowed. Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Skin Corr. 1B H314 Causes severe skin burns and eye damag Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction. Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged

or repeated exposure.

GHS label elements: The product is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD-DETERMINING COMPONENTS OF LABELING:

trimethylhexane-1,6-diamine

phenol

HAZARD STATEMENTS:

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS:

Do not breathe dusts or mists.

Wear protective gloves.

Wear eye protection/face protection.

Wash thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a doctor.

Specific treatment (see on this label).

If swallowed: Call a doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDS NOT OTHERWISE SPECIFIED:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

 3. Composition / Information on Ingredients

 CHEMICAL NAME
 CAS
 CONCENTRATION % by WEIGHT

 Trimethylhexane-1,6-diamine
 25620-58-0
 80-100

 Phenol
 108-95-2
 10-20

Product Name: CRACK FILLER PART A Pro Chem Inc
Product Number: 2123 Revision Date: 2/13/2019 Page 1 of 5

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Remove breathing apparatus only after contaminated clothing have been completely

removed. In case of irregular breathing or respiratory arrest, provide artificial respiration.

EYES: Rinse opened eve for several minutes under running water. Then consult a doctor.

SKIN: Immediately wash with water and soap and rinse thoroughly.

INHALATION:

Supply fresh air or oxygen; call for doctor. In case of unconsciousness, place patient stably in side position for transportation.

INGESTION:

Do not induce vomiting; immediately call for medical help. Drink copious amounts of water and provide fresh air. Immediately call a doctor. A person vomiting while lying on their back should be turned onto their side.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

No further relevant information available.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No further relevant information available.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No further relevant information available.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS:

Mouth respiratory protective device. Wear self-contained respiratory protective device.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Wear protective equipment. Keep unprotected persons away.

ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS:

Do not allow product to reach sewage system or any watercourse. Inform respective authorities in case of seepage into watercourse or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, universal binder or other inert absorbent). Use neutralizing agent. Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and Storage

SAFE HANDLING:

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

SAFE STORAGE & INCOMPATIBILITIES:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles.

Specific end use(s): No further relevant information available.

8. Exposure Controls / Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace:

108-95-2 phenol

PEL

Long-term value: 19 mg/m³, 5 ppm; Skin Long-term value: 19 mg/m³, 5 ppm; Ceiling limit value: 60* mg/m³, 15.6* ppm; *15-min; Skin **REL**

Long-term value: 19 mg/m³, 5 ppm; Skin; BEI TLV

Ingredients with biological limit values:

108-95-2 phenol

250 mg/g creatinine Medium: urine Time: end of shift

Parameter: Phenol with hydrolysis (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

PERSONAL PROTECTIVE EQUIPMENT:





EYE/FACE PROTECTION: Tightly sealed goggles.

SKIN PROTECTION: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. RESPIRATORY PROTECTION: In case of brief exposure or low concentrations, use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Product Name: CRACK FILLER PART A Pro Chem Inc Product Number: 2123 Revision Date: 2/13/2019 Page 2 of 5

GENERAL HYGIENE CONSIDERATIONS: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before eating, smoking, using the restroom and at the end of the workday. Store protective clothing separately. Avoid contact with the eyes and skin.

9. Physical & Chemical Propertie	es		
APPEARANCE:		FLAMMABILITY(solid/gas):	Not applicable.
Form:	Liquid.	Explosive Limit-Lower (%):	1.3 Vol %
Color:	Clear.	Explosive Limit-Upper (%):	9.5 Vol %
ODOR:	Almost none.	VAPOR DENSITY:	Heavier than air.
ODOR THRESHOLD:	Not determined.	VAPOR PRESSURE@20°C (68°F):	0.3 hPa
pH:	Not applicable.	RELATIVE DENSITY:	Not determined.
MELTING POINT/RANGE:	Undetermined.	SOLUBILITY (water):	Not miscible or difficult to mix.
BOILING POINT/RANGE:	Undetermined.	AUTO-IGNITION TEMP:	Product is not self-igniting.
FLASH POINT:	Not applicable.	DECOMPOSITION TEMP:	Not determined.
SPECIFIC GRAVITY:		VISCOSITY (kinematic):	Not determined.
EVAPORATION RATE:	Slower than ether.	VISCOSITY (dynamic):	Not determined.
IGNITION TEMPERATURE:	595°C (1103°F)	PARTITION COEFFICIENT (n- octanol/water):	Not determined.
DENSITY@20°C(68°F):	1.03 g/cm³ (8.595 lbs/gal)	DANGER OF EXPLOSION:	Product does not present an explosion hazard.
VOC CONTENT:	0% Approx. 0 g/l	ORGANIC SOLVENTS:	0%
SOLIDS CONTENT:	100.0%		

10. Stability & Reactivity Information

POSSIBILITY OF HAZARDOUS REACTIONS:

No dangerous reactions known.

INCOMPATIBLE MATERIALS:

Strong acids and alkalis, bleach, strong oxidizers.

CONDITIONS TO AVOID:

Do not store or use near sparks, flame, or other ignition sources.

THERMAL CONDITIONS TO AVOID:

No decomposition if used according to specifications.

HAZARDOUS DECOMPOSITION PRODUCTS:

Burning may yield carbon monoxide, carbon dioxide, oxides of nitrogen, and various hydrocarbons.

11. Toxicological Information

ACUTE TOXICITY:

LD/LC50 values that are relevant for classification:

25620-58-0 trimethylhexane-1,6-diamine

Oral LD50 900 mg/kg (rat)

108-95-2 pheno

Oral LD50 317 mg/kg (rat)
Dermal LD50 850 mg/kg (rabbit)

PRIMARY IRRITANT EFFECT:

SKIN: Caustic effect on skin and mucous membranes.

EYE: Strong caustic effect.

SENSITIZATION: Sensitization possible through skin contact.

ADDITIONAL TOXICOLOGICAL INFORMATION:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CARCINOGENIC CATEGORIES:

IARC (International Agency for Research on Cancer): 108-95-2 phenol 3 NTP (National Toxicology Program): None of the ingredients is listed.

SHA-Ca (Occupational Safety & Health Administration):

None of the ingredients is listed.

12. Ecological Information

ECOTOXICITY:

AQUATIC TOXICITY:

No further relevant information available.

PERSISTENCE AND DEGRADABILITY:

No further relevant information available.

BIOACCUMULATIVE POTENTIAL:

No further relevant information available.

MOBILITY IN SOIL:

No further relevant information available.

ADDITIONAL ECOLOGICAL INFORMATION:

General notes: Water hazard class 2 (Self-assessment): hazardous for water.

Product Name: CRACK FILLER PART A Pro Chem Inc
Product Number: 2123 Revision Date: 2/13/2019 Page 3 of 5

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects:

No further relevant information available.

13. Disposal Consideration

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

14. Transportation Information

UN NUMBER: UN1760: DOT, IMDG, IATA

UN PROPER SHIPPING NAME:

DOT: Corrosive liquids, n.o.s. (Trimethylhexamethylenediamines)

IMGA, IATA: CORROSIVE LIQUID, N.O.S. (TRIMETHYLHEXAMETHYLENEDIAMINES)

TRANSPORT HAZARD CLASS(ES)

DOT:



Class: 8 Corrosive substances

Label(s): 8

IMDG. IATA



Class: 8 Corrosive substances

Label(s): 8 **PACKING GROUP:** DOT, IMDG, IATA: III

ENVIRONMENTAL HAZARDS:

Marine pollutant: No

SPECIAL PRECAUTIONS FOR USER: Warning: Corrosive substances

Danger Code (Kemler): 80 EMS Number: F-A. S-B

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 and the IBC CODE:

Not applicable

TRANSPORT/ADDITIONAL INFORMATION:

DOT

On passenger aircraft/rail: 5 L **QUANTITY LIMITATIONS:**

On cargo aircraft only: 60 L

IMDG

Limited quantities (LQ): 5L

Excepted quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "MODEL REGULATION:" UN1760, Corrosive liquids, n.o.s. (Trimethylhexamethylenediamines), 8, III

15. Regulatory Information

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE: SARA:

SECTION 355 (extremely hazardous substances):

108-95-2 phenol

SECTION 313 (Specific toxic chemical listings):

108-95-2 phenol

TSCA (Toxic Substances Control Act):

All ingredients are listed.

PROPOSITION 65:

Chemicals known to cause cancer: None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

Chemicals known to cause developmental toxicity: None of the ingredients is listed.

CARCINOGENIC CATEGORIES:

EPA (Environmental Protection Agency): 108-95-2 phenol D, I

TLV (Threshold Limit Value established by ACGIH): 108-95-2 phenol A4

NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed.

GHS LABEL ELEMENTS:

The product is classified and labeled according to the Globally Harmonized System (GHS).

CHEMICAL SAFETY ASSESSMENT:

A Chemical Safety Assessment has not been carried out.

Product Name: CRACK FILLER PART A Product Number: 2123 Revision Date: 2/13/2019 Pro Chem Inc Page 4 of 5

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: CRACK FILLER PART A
Product Number: 2123 Revision Date: 2/13/2019 Pro Chem Inc
Page 5 of 5



1. Product and Company Identification

PRODUCT NUMBER: 2123 COMPANY PHONE: 1-800-241-8180

PRODUCT NAME: CRACK FILLER PART B EMERGENCY TELEPHONE: 1-800-241-8180

PRODUCT DESCRIPTION: Two-Component Epoxy Resurfacer INFOTRAC: 1-800-535-5053

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification GHS CLASSIFICATION: Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD-DETERMINING COMPONENTS OF LABELING:

Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤700)

HAZARD STATEMENTS:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDS NOT OTHERWISE SPECIFIED:

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

3. Composition / Information on Ingredients					
CHEMICAL NAME	CAS				
bisphenol-A-(epichlorhydrin) epoxy resin	25068-38-6	(number average molecular weight 700)			
NLP Number: 500-033-5 Index number: 603-074-00-8					

4. First Aid Measures

EMERGENCY OVERVIEW

EYES: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

SKIN: Immediately wash with water and soap and rinse thoroughly.

INHALATION:

Supply fresh air and be sure to call for a doctor. In case of unconsciousness, place patient stably in side position for transportation.

INGESTION:

Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

No further relevant information available.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No further relevant information available.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No further relevant information available.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Wear self-contained respiratory protective device.

Product Name: CRACK FILLER PART B
Pro Chem Inc
Product Number: 2123
Revision Date: 2/13/2019
Pro Chem Inc
Page 1 of 4

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Not required.

ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS:

Inform respective authorities in case of seepage into watercourse or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, universal binder or other inert absorbent).

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and Storage

SAFE HANDLING:

No special precautions are necessary if used correctly.

Information about protection against explosions and fires: No special measures required.

SAFE STORAGE & INCOMPATIBILITIES:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles.

Specific end use(s): No further relevant information available.

8. Exposure Controls / Personal Protection

CONTROL PARAMETERS:

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

PERSONAL PROTECTIVE EQUIPMENT:





EYE/FACE PROTECTION: Tightly sealed goggles.

SKIN PROTECTION: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

RESPIRATORY PROTECTION: In case of brief exposure or low concentrations, use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

THERMAL HAZARDS:

GENERAL HYGIENE CONSIDERATIONS: Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated clothing. Wash hands before eating, smoking, using the restroom and at the end of the workday. Avoid contact with the eyes and skin.

9. Physical & Chemical Propertie	es		
APPEARANCE:		FLAMMABILITY(solid/gas):	Not applicable.
Form:	Liquid.	DANGER OF EXPLOSION:	Product does not present an explosion hazard.
Color:	Clear.	DENSITY AT 20°C(68°F):	1.164 g/cm³ (9.714 lbs/gal)
ODOR:	Almost none.	Explosive Limit-Lower (%):	Not determined.
ODOR THRESHOLD:	Not determined.	Explosive Limit-Upper (%):	Not determined.
pH:	Not applicable.	VAPOR DENSITY:	Heavier than air.
MELTING POINT/RANGE:	Undetermined.	VAPOR PRESSURE:	Not determined.
BOILING POINT/RANGE:	Undetermined.	RELATIVE DENSITY:	Not determined.
ORGANIC SOLVENTS::	0.0%	SOLUBILITY (water):	Not miscible or difficult to mix.
SOLIDS CONTENT:	100.0%	AUTO-IGNITION TEMP:	Not determined.
FLASH POINT:	Not applicable.	DECOMPOSITION TEMP:	Not determined.
VISCOSITY (dynamic):	Not determined.	VISCOSITY (kinematic):	Not determined.
EVAPORATION RATE:	Slower than ether.	PARTITION COEFF: n- octanol/water:	Not determined.

10. Stability & Reactivity Information

POSSIBILITY OF HAZARDOUS REACTIONS:

No dangerous reactions known.

INCOMPATIBLE MATERIALS:

Strong acids and alkalis, bleach, strong oxidizers.

CONDITIONS TO AVOID:

Do not store or use near sparks, flame, or other ignition sources.

THERMAL DECOMPOSITION/CONDITIONS TO BE AVOIDED:

No decomposition if used according to specifications.

HAZARDS DECOMPOSITION PRODUCTS:

Burning may yield carbon monoxide, carbon dioxide, oxides of nitrogen, and various hydrocarbons.

Product Name: CRACK FILLER PART B
Product Number: 2123
Revision Date: 2/13/2019
Pro Chem Inc
Page 2 of 4

11. Toxicological Information

PRIMARY IRRITANT EFFECT:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: Sensitization possible through skin contact.

ADDITIONAL TOXICOLOGICAL INFORMATION:

CARCINOGENIC CATEGORIES:

IARC (International Agency for Research on Cancer): Substance is not listed.

NTP (National Toxicology Program): Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration): Substance is not listed.

12. Ecological Information

ECOTOXICITY:

AQUATIC TOXICITY:

No further relevant information available.

PERSISTENCE AND DEGRADABILITY:

No further relevant information available.

BIOACCUMULATIVE POTENTIAL:

No further relevant information available.

MOBILITY IN SOIL:

No further relevant information available.

ECOTOXICAL EFFECTS:

Toxic for fish.

GENERAL NOTES:

Water hazard class 2 (Assessment by list): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water, if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

13. Disposal Consideration

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

14. Transportation Information

UN NUMBER: UN1263 **UN PROPER SHIPPING NAME:**

DOT: Paint.

IMDG: PAINT, MARINE POLLUTANT

IATA: PAINT

TRANSPORT HAZARD CLASS(ES)

DOT, IMDG, IATA Class: Not regulated.

PACKING GROUP:

DOT, IMDG, IATA: Not regulated.

ENVIRONMENTAL HAZARDS: Marine pollutant: Yes

SPECIAL PRECAUTIONS FOR USER: Danger Code (Kemler)" 90 EMS Number: F-E, S-E

TRANSPORT IN BULK ACCORDING TO ANNEX IIOF MARPOL 73/78 and the IBC CODE:

Not applicable.

UN "MODEL REGULATION:"

UN1263, Pain, ENVIRONMENTALLY HAZARDOUS, 9 III

15. Regulatory Information

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

SARA.

SECTION 355 (extremely hazardous substances):

Substance not listed.

SECTION 313 (Specific toxic chemical listings):

Substance not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

PROPOSITION 65:

Chemicals known to cause cancer: Substance not listed.

Chemicals known to cause reproductive toxicity for females: Substance not listed. Chemicals known to cause reproductive toxicity for males: Substance not listed.

Chemicals known to cause developmental toxicity Substance not listed.

CARCINOGENIC CATEGORIES:

EPA (Environmental Protection Agency): Substance not listed.

TLV (Threshold Limit Value established by ACGIH): Substance not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): Substance not listed.

Pro Chem Inc Product Name: CRACK FILLER PART B Product Number: 2123 Revision Date: 2/13/2019 Page 3 of 4

GHS LABEL ELEMENTS:

The substance is classified and labeled according to the Globally Harmonized System (GHS).

CHEMICAL SAFETY ASSESSMENT:

A Chemical Safety Assessment has not been carried out.

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: CRACK FILLER PART B
Product Number: 2123
Revision Date: 2/13/2019
Pro Chem Inc
Page 4 of 4