

1. Product and Company Iden	tification				
PRODUCT NUMBER:	2411	CON	IPANY PHONE:		1-800-241-8180
PRODUCT NAME:	DRAIN EZE	EME	RGENCY TELEPHO	NE:	1-800-241-8180
PRODUCT DESCRIPTION:	Enzyme Drain Treatment		DTRAC:		1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Pa Alpharetta, GA 30004				
2. Hazards Identification					
GHS CLASSIFICATION: Skin Irritation - Category 2 Eye Irritation - Category 2A Specific Target Organ Toxicity ((Respiratory tract irritation) - Ca		SIGNAL WORD: WARNING	SYMBOL:		
Wash hands thorough Response: IF INHAL unwell. IF ON SKIN: attention. IF IN EYES eye irritation persists: Storage: Store locked up. Disposal: Dispose of contents a HAZARDS NOT OTHERWISE S None known. SUPPLEMENTAL LABEL ELE Avoid contact with ski	ritation. Tritation TS: reach of children. otective gloves/eye protection ly after handling. Avoid cor ED: Remove victim to fresh Wash with plenty of water. Constrained the content of the content of the container in accordance SPECIFIED: MENTS: n and clothing. Wash thoro	on/face protection. Use tact with skin and clothi h air and keep comfortal Take off contaminated er for several minutes. with all local regulations	only outdoors or in a ng. Wash thoroughly le for breathing. Call lothing and wash it b Remove contact lense	well-ventilate after handlin a POISON (efore reuse.	ed area. Avoid breathing dust. g. CENTER or physician if you feel If skin irritation occurs: Get medical and easy to do. Continue rinsing. If
3. Composition / Information of OTHER MEANS OF IDENTIFIC CAS NUMBER/OTHER IDENTI CAS number: Not ap Product code: Not a	ATION: ST-731 FIERS oplicable.				
Ingredient n	ame	Other names		/•	CAS number
Lipase Enzy Sodium chlo Sodium sulfa Any concentration shown as a ra There are no additional ingredie hazardous to health and hence	ride ite ange is to protect confidentia nts present which, within the	e current knowledge of t	ہ مriation.	<20 <40 <60 concentratio	N/A 7647-14-5 7757-82-6 ons applicable, are classified as
to rinse for at least 10 SKIN: Flush contaminated si attention. Wash clothi INHALATION: Remove victim to fress should wear an appro provide artificial respin resuscitation. Get me attention immediately. INGESTION: Wash out mouth with material has been swa as vomiting may be da kept low so that vomit mouth to an unconsci	minutes. Get medical atten kin with plenty of water. Rer ng before reuse. Clean show h air and keep at rest in a p priate mask or self-containe ation or oxygen by trained p dical attention. If necessary Maintain an open airway. L water. Remove dentures if a allowed and the exposed pe angerous. Do not induce voi does not enter the lungs. G	tion. nove contaminated cloth es thoroughly before reu- osition comfortable for b ed breathing apparatus. bersonnel. It may be dar r, call a poison center or coosen tight clothing suc- any. Remove victim to fr erson is conscious, give miting unless directed to bet medical attention if a , place in recovery posit	ing and shoes. Contin se. reathing. If it is suspe f not breathing, if brea gerous to the person physician. If unconsci h as a collar, tie, belt esh air and keep at re small quantities of wal do so by medical per dverse health effects	nue to rinse f cted that fum athing is irreg providing aid ous, place in or waistband st in a positio ter to drink. S sonnel. If voi persist or are	recovery position and get medical

MOST IMPORTANT SYMPTOMS/EFFECTS	S, ACUTE AND DELAYED:	
POTENTIAL ACUTE HEALTH EF		
EYE CONTACT: Causes serious	eye irritation.	
INHALATION: May cause respira	atory irritation.	
SKIN CONTACT: Causes skin irr		
INGESTION: Irritating to mouth, t	hroat and stomach.	
OVER-EXPOSURE SIGNS/SYMPTOMS:		
EYE CONTACT: Adverse sympto	oms may include the following:	
Pain or irritation		
Watering		
Redness		
INHALATION: Adverse symp	ptoms may include the following:	
Respiratory tract irritation		
Coughing		
SKIN CONTACT: Adverse symp	otoms may include the following:	
Irritation		
Redness		
INGESTION: No specific data.		
INDICATION OF IMMEDIATE MEDICAL AT	ITENTION AND SPECIAL TREATMENT NEEDED, IF NI	ECESSARY:
	ymptomatically. Contact poison treatment specialist imme	
inhaled.	,	
SPECIFIC TREATMENTS: No sp	pecific treatment.	
	S: No action shall be taken involving any personal risk or	without suitable training. If it is suspected that fume
	d wear an appropriate mask or self-contained breathing a	
providing aid to give mouth-to-mou		pp====================================
See toxicological information (Section 11)	
	/	
5. Fire Fighting Measures		
SUITABLE FIRE EXTINGUISHING MEDIA:		
Use an extinguishing agent suitab	le for the surrounding fire.	
UNSUITABLE FIRE EXTINGUISHING MED		
Do not use water jet.		
SPECIFIC HAZARDS ARISING FROM THE	CHEMICAL:	
No specific fire or explosion hazar	d.	
HAZARDOUS THERMAL DECOMPOSITIO		
	ude the following materials: carbon dioxide, carbon monox	kide, metal oxide/oxides.
SPECIFIC FIRE-FIGHTING METHODS:		
	oving all persons from the vicinity of the incident if there is	s a fire. No action shall be taken involving anv
personal risk or without suitable tra	o ,	
SPECIAL PROTECTIVE EQUIPMENT FOR	0	
	ate protective equipment and self-contained breathing app	paratus (SCBA) with a full face-piece operated in
positive pressure mode.	te protective equipment and sen contained breathing app	
REMARK: Dust explosion class St1.		
6. Accidental Release Measures		
PERSONAL PRECAUTIONS:		
FOR NON-EMERGENCY PERSO	DNNEL: No action shall be taken involving any personal r	isk or without suitable training. Evacuate
	sary and unprotected personnel from entering. Do not tou	
	priate respirator when ventilation is inadequate. Put on an	
	RS: If specialized clothing is required to deal with the spil	
	See also the information in "For non-emergency personne	
	NS: Avoid dispersal of spilled material and runoff and cor	
	uct has caused environmental pollution (sewers, waterway	
METHODS AND MATERIALS FOR CONTA		
	from spill area. Avoid dust generation. Using a vacuum w	ith HEDA filtor will reduce dust disported. Place
	beled waste container. Dispose of via a licensed waste di	
	from spill area. Approach release from upwind. Prevent e	
	ation. Do not dry sweep. Vacuum dust with equipment fitte	
•	licensed waste disposal contractor. Note: see Section 1 fo	or emergency contact information and Section 13 to
waste disposal.		
7. Handling and Storage		
PROTECTIVE MEASURES:		
Put on appropriate personal proto	stive equipment (see Section 8). Do not indest. Avoid con	tact with over skin and clothing. Use only with
	ctive equipment (see Section 8). Do not ingest. Avoid con	
adequate ventilation. Wear approp	priate respirator when ventilation is inadequate. Keep in the	ne original container or an approved alternative mad
adequate ventilation. Wear appropriation a compatible material, kept ti		ne original container or an approved alternative mad
adequate ventilation. Wear approp from a compatible material, kept ti container.	priate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro	ne original container or an approved alternative mad
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I	priate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou	priate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking and	priate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro HYGIENE: uld be prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro HYGIENE: uld be prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective n on hygiene measures.	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain proceed when not in use. Empty containers retain proceed by the prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective non hygiene measures.	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro HYGIENE: uld be prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective non hygiene measures. LUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct so	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, away
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking ar Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg from incompatible materials (see S	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain proceed when the second structure of the prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective in on hygiene measures. JUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct so Section 10) and food and drink. Store locked up. Keep cort	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, away ntainer tightly closed and sealed until ready for use.
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg from incompatible materials (see S	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain pro HYGIENE: uld be prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective non hygiene measures. LUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct so	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, away ntainer tightly closed and sealed until ready for use.
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg from incompatible materials (see S Containers that have been opened	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain proceed when the second structure of the prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective in on hygiene measures. JUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct so Section 10) and food and drink. Store locked up. Keep cort	ne original container or an approved alternative mad aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, away ntainer tightly closed and sealed until ready for use.
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg from incompatible materials (see S Containers that have been opened	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain proceed when not in use. Empty containers retain proceed when not in use. Empty containers retain proceed when the prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective n on hygiene measures. LUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct section 10) and food and drink. Store locked up. Keep cord must be carefully resealed and kept upright to prevent least the section of the provent least section and the provent least section and the provent least section and the provent least section to prevent least section the provent least section the provent least section the provent least section to prove the provent least section the	ne original container or an approved alternative mac aduct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, away ntainer tightly closed and sealed until ready for use.
adequate ventilation. Wear approp from a compatible material, kept ti container. ADVICE ON GENERAL OCCUPATIONAL I Eating, drinking and smoking shou and face before eating, drinking an Section 8 for additional information CONDITIONS FOR SAFE STORAGE, INCL Store in accordance with local reg from incompatible materials (see S Containers that have been opened	briate respirator when ventilation is inadequate. Keep in the ghtly closed when not in use. Empty containers retain proceed when not in use. Empty containers retain proceed when not in use. Empty containers retain proceed when the prohibited in areas where this material is handled, so and smoking. Remove contaminated clothing and protective n on hygiene measures. LUDING ANY INCOMPATIBILITIES: ulations. Store in original container protected from direct section 10) and food and drink. Store locked up. Keep cord must be carefully resealed and kept upright to prevent least the section of the provent least section and the provent least section and the provent least section and the provent least section to prevent least section the provent least section the provent least section the provent least section to prove the provent least section the	ne original container or an approved alternative mad duct residue and can be hazardous. Do not reuse stored and processed. Workers should wash hands e equipment before entering eating areas. See also sunlight in a dry, cool and well-ventilated area, awa ntainer tightly closed and sealed until ready for use.

8. Exposure Controls / Personal Protection

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIMITS: None.

APPROPRIATE ENGINEERING CONTROLS:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

ENVIRONMENTAL EXPOSURE CONTROLS:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

INDIVIDUAL PROTECTION MEASURES



HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. **EYE/FACE PROTECTION:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

SKIN PROTECTION: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Neoprene gloves. Rubber gloves. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY PROTECTION: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical & Chemical Properties			
APPEARANCE:		FLAMMABILITY(solid/gas):	Not available.
Physical State:	Solid.	Flammability Limit-lower (%)	Not available.
Form:	Granular solid/Crystals	Flammability Limit-upper (%):	Not available.
Color:	White.	FLASH POINT:	>93.333°C (>200°F)
ODOR:	Odorless.	VAPOR PRESSURE:	Not available.
ODOR THRESHOLD:	Not available.	VAPOR DENSITY:	Not available.
pH:	7-9, 1% solution	RELATIVE DENSITY:	Not available.
MELTING POINT:	153°C (307.4°F)	SOLUBILITY (water):	Not available.
BOILING POINT:	Not available.	AUTO-IGNITION TEMP:	Not available.
PARTITION COEFFICIENT (n- octanol/water):	Not available.	DECOMPOSITION TEMP:	Not available.
VISCOSITY:	Not available.	SOLUBILITY:	Easily soluble in the following materials: cold water and hot water.
SADT:	Not available.	EVAPORATION RATE:	Not available.

10. Stability & Reactivity Information

REACTIVITY:

No specific test data related to reactivity available for this product or its ingredients.

CHEMICAL STABILITY:

The product is stable. POSSIBILITY OF HAZARDOUS REACTIONS:

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS:

Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.

CONDITIONS TO AVOID:

Keep from freezing. Keep away from extreme heat.

DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information				
ACUTE TOXICITY CHEMICAL NAME	RESULT	SPECIES	DOSE	EXPOSURE
Sodium chloride	LD50 Oral	Rat	3,550 mg/kg	-
Sodium sulfate	LD50 Oral	Mouse	5,989 mg/kg	-

IRRITATION/CORROSION: Not applicable. SENSITIZATION: Not available. **MUTAGENICITY:** Not available. CARCINOGENICITY: Not available. **REPRODUCTIVE TOXICITY:** Not available. **TERATOGENICITY:** Not available. SPECIFIC TARGET ORGAN TOXICITY (single exposure) Not available. SPECIFIC TARGET ORGAN TOXICITY (repeated exposure) Not available. **ASPIRATION HAZARD:** Not available. PRIMARY ROUTE OF ENTRY: Not available. **ACUTE/POTENTIAL HEALTH EFFECTS:** EYES: Causes serious eye irritation. SKIN: Causes skin irritation. INHALATION: May cause respiratory irritation. **INGESTION:** Irritating to mouth, throat and stomach. SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS: EYE CONTACT: Adverse symptoms may include the following: pain or irritation, watering, redness. INHALATION: Adverse symptoms may include the following: respiratory tract irritation, coughing SKIN CONTACT: Adverse symptoms may include the following: irritation, redness. **INGESTION:** No specific data. DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE: SHORT TERM EXPOSURE POTENTIAL IMMEDIATE EFFECTS: Not available. POTENTIAL DELAYED EFFECTS: Not available. LONG-TERM EXPOSURE: POTENTIAL IMMEDIATE EFFECTS: Not available. POTENTIAL DELAYED EFFECTS: Not available. POTENTIAL CHRONIC HEALTH EFFECTS: Not available. GENERAL: No known significant effects or critical hazards. CARCINOGENICITY: No known significant effects or critical hazards. **MUTAGENICITY:** No known significant effects or critical hazards. TERATOGENICITY: No known significant effects or critical hazards. **DEVELOPMENTAL EFFECTS:** No known significant effects or critical hazards. FERTILITY EFFECTS: No known significant effects or critical hazards. ACUTE TOXICITY ESTIMATES: ROUTE ATE VALUE Oral 3124.9 mg/kg 12. Ecological Information TOXICITY: Not available. PERSISTENCE AND DEGRADABILITY: Not available. **BIOACCUMULATIVE POTENTIAL:** Not available. MOBILITY IN SOIL: SOIL/WATER PARTITION COEFFICIENT (Koc): Not available. **OTHER ADVERSE EFFECTS:** No known significant effects or critical hazards. 13. Disposal Consideration The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times

comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

		DOT CLASSIFICATION	IMDG	ΙΑΤΑ
UN NU	MBER	Not regulated.	Not regulated.	Not regulated.
UN PROPER SHIPPING NAME		Cleaning compounds, NOI powder	ő	-
TRANSPORT HAZARD CLASS		-	-	-
	NG GROUP	-	-	-
-	ONMENTAL HAZARDS	No.	No.	No.
		-	-	-
		: Transport within user's premise	es: always transport in closed conta	iners that are upright and secure. Ensure
hat perso	ons transporting the product k	now what to do in the event of an ac TO ANNEX II OF MARPOL 73/78	cident or spillage.	
5. Regu	ulatory Information			
STATE F	DEA LIST I CHEMICALS (P DEA LIST II CHEMICALS (E SARA 302/304 COMPOSITION/INFORMAT SARA 304 RQ: Not applicat SARA 311/312 CLASSIFICATION: Immedia	ate (acute) health hazard. ION ON INGREDIENTS: Not applic e components are listed. ponents are listed. omponents are listed.	ts were found.	
	California Prop. 65: None of	of the components are listed.		
	r Information			
	ot Applicable; N/D = Not Dete			
NFPA	Health Hazards:	, ,	Instability: 0	Physical & Chemical Properties:
<u>HMIS</u> DISCLAI	HMIS® ratings are not required of implemented HMIS® program. H from J. J. Keller (800) 327-6868. The customer is responsible for of MER: To the best of our knowledge completeness of the informal materials may present unknow	ed on a 0-4 rating scale, with 0 representi on SDSs under 29 CFR 1910. 1200, the p MIS® is a registered mark of the Nationa determining the PPE code for this materia e, information contained herein is act tion contained herein. Final determir own hazards and should be used wit	Noreparer may choose to provide them. HN I Paint & Coatings Association (NPCA). H al. curate. However, there is no assump nation of suitability of any material is h caution. Although certain hazards	IMIS® materials may be purchased exclusively
	data is provided without any disposal of this product are b out of the products improper	warranty, expressed or implied, rega eyond the control of the manufactur use. No warranty, expressed or infe	arding its correctness or accuracy. S er, the manufacturer will not be resp rred, regarding the product describe	ince the conditions or handling, storage a ponsible for loss, injury, or expense arising d in this SDS shall be created or inferred e transportation, handling, storage, use, o