DISAPPEAR #2443

Premoistened Graffiti & Paint Remover Towels



Features:

- · Environmentally safe and biodegradable formula
- Towels stay moist for greater usage and longer shelf life
- · Abrasive yet non-scratching
- Does not contain amyl acetate or methylene chloride making towels safer to handle

Description:

DISAPPEAR wipes are a quick and easy way to get rid of graffiti from non-porous surfaces. These wipes are premoistened with an incredible cleaning formula that removes paints (including enamel), ink and even permanent marker. A few swipes with a single DISAPPEAR towel is all it takes to quickly dissolves away unwanted paint and graffiti. Contains no amyl acetate or methylene chloride, making them less hazardous for users as well as surfaces.



Applications:

- Bus Stops & Seats
- Stainless Steel
- Billboards
- Phone Booths
- Trains
- Road Signs
- Bathroom Partitions
- Lockers

- Lamp Posts
- Desks
- Wall Tile
- Aluminum Siding

Solutions:

As vandalism is found almost everywhere, DISAPPEAR is a product every workplace should have on hand. All businesses have restrooms that are subject to vandalism. Anywhere people congregate, there is the possibility of vandalism; therefore, there is a need for DISAPPEAR everywhere from public restrooms to train stations to bus depots to bridges to daycares and many more.

Product Characteristics:

Appearance: Prem		Premoi	stened wipe		
Odor: Mild		Mildly a	aromatic		
Vapor Pre	Vapor Pressure: No o		a available		
Density:			ml Tested using the liquid		
		compo	nent of the towelette		
Solubility:	Solubility: Liquid		component is soluble in water		
Flash Poi	Flash Point:		163°F Closed cup - Tested using the		
		liquid component of the towelette			
VOC:		< 20%	Tested using the liquid		
		component of the towelette			
Viscosity:	Viscosity: No dat		a available		
Storage:	Keep away from heat, hot surfaces, sparks,				
	open flames and other ignition sources. No				
	smoking. Store in a cool area. Store in a				
	well-ventilated place.				
Transport Information:		ation:			
UN Number:			Not regulated for transport		
Proper Shipping Name:		lame:	Not regulated for transport		
Class:			Not regulated for transport		
Packing Group:			Not regulated for transport		

^{*} Tested using the liquid component of the towelette

DOT Placard: VOC Compliancy:

Not regulated. Yes.

Directions:

Unfold towel and lightly scrub in a circular motion to begin dissolving paint and graffiti. Wipe up any remaining residue with a clean cloth. Repeat if necessary.

NOTE: When using on a pre-painted surface, initially test in an inconspicuous area to make sure paint is not removed along with the graffiti. These wipes may degrade certain plastics.

*Do NOT Flush.

Pictograms:



Signal Word: DANGER.

Personal Protective Equipment Required:









1. Product and Company Identification

PRODUCT NUMBER: 2443 **COMPANY PHONE**: 1-800-241-8180

PRODUCT NAME: DISAPPEAR EMERGENCY TELEPHONE: 1-800-241-8180

PRODUCT DESCRIPTION: Premoistened Graffiti and Paint Remover Towels INFOTRAC: 1-800-535-5053

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification			
GHS CLASSIFICATION: Eye Damage 1: H318	SIGNAL WORD: DANGER.	SYMBOL:	

HAZARD STATEMENTS:

Causes serious eye damage.

PRECAUTIONARY STATEMENTS:

Wear eye protection, protective clothing, protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

HAZARDS NOT OTHERWISE SPECIFIED:

No additional information available.

UNKNOWN ACUTE TOXICITY (GHS US):

Not applicable.

3. Composition / Information on Ingredients			
CHEMICAL NAME	(CAS #)	% BY WEIGHT	CLASSIFICATION (GHS-US)
Ethyl Lactate (Surfactant)	97-64-3	10-30	Flam. Liq. 3, H226 Eye Dam. 1, H318 STOT SE 3, H335
Dimethyl Succinate (Emollient)	106-65-0	5-10	Eye Irrit. 2A, H319
Undeceth-5 (Surfactant)	34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: If you feel unwell, seek medical advice (show the label where possible).

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

SKIN: Gently wash with plenty of soap and water.

INHALATION:

If you feel unwell, seek medical advice.

INGESTION:

Rinse mouth with water. Do no induce vomiting.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Symptoms/effects: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation: None under normal use.

Symptoms/effects after skin contact: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking

Symptoms/effects after eye contact: Causes serious eye irritation.

Symptoms/effects after ingestion: Gastrointestinal complaints.

CHRONIC SYMPTOMS:

No data available

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Treat symptomatically.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Foam. Carbon dioxide. Dry chemical powder.

UNSUITABLE FIRE EXTINGUISHING MEDIA:

Do not use a heavy water stream.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Fire Hazard: Combustible liquid.

Reactivity: Upon combustion: CO and CO2 are formed.

SPECIFIC FIRE-FIGHTING METHODS:

Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.

Product Name: DISAPPEAR
Product Number: 2443
Revision Date: 3/30/2022
Pro Chem Inc
Page 1 of 4

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

General Measures: Isolate from fire, if possible without unnecessary risk.

For Non-emergency Personnel: Protective goggles. Gloves. Protective clothing. Evacuate unnecessary personnel. No open flames, No apperlic and no employer. Avoid contact with pkin even and elething. Ventilate prillage area.

sparks and no smoking. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

For Emergency Responders: Equip cleanup crew with proper protection. Stop leak if safe to do so. Stop release. Ventilate area.

ENVIRONMENTAL PRECAUTIONS:

Avoid release to the environment. Prevent entry to sewers and public waters.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

For Containment: Contain released substance, pump into suitable containers.

Methods for Cleaning Up: This material and its container must be disposed of in a safe way, and as per local legislation.

REFERENCE TO OTHER SECTIONS:

No additional information available.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Precautions for Safe Handling: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink, or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition: No smoking.

Hygiene Measures: Wash thoroughly after handling. Wash contaminated clothing before reuse.

CONDITIONS FOR SAFE STORAGE & INCOMPATIBILITIES:

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

Incompatible Products: Oxidizing agent. Strong acids. Strong bases.

Incompatible Materials: Sources of ignition. Heat sources.

Heat and Ignition Sources: KEEP SUBSTANCE AWAY FROM: Heat sources, ignition sources.

Information on Mixed Storage: KEEP SUBSTANCE AWAY FROM: (strong) Acids. (strong) bases. Oxidizing agents.

Storage Area: Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

Special Rules on Packaging: Meet the legal requirements.

8. Exposure Controls / Personal Protection

CONTROL PARAMETERS:

Ethyl Lactate (97-64-3): Not applicable. Dimethyl Succinate (106-65-0): Not applicable Undeceth-5 (34398-01-1): Not applicable

Methanol (67-56-1)		
ACGIH	ACGIH OEL TWA [ppm]	200 ppm
ACGIH	ACGIH OEL STEL [ppm]	250 ppm
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
OSHA	OSHA PEL TWA [1]	260 mg/m³
OSHA	OSHA PEL TWA [2]	200 ppm

PERSONAL PROTECTIVE EQUIPMENT:







Use appropriate protective equipment when risk assessment indications this is necessary. Safety glasses. Gloves. Protective clothing.

9. Physical & Chemical Prop	perties		
Physical State:	Solid.	Flammability (solid, gas):	No data available.
Appearance:	Premoistened wipe.	Explosive Limits:	No data available.
Odor:	Mildly aromatic	Explosive Properties:	No data available.
Odor Threshold:	No data available.	Oxidizing Properties	No data available.
pH:	No data available.	Vapor Pressure:	No data available.
Melting Point:	No data available.	Relative Density:	No data available.
Flash Point:	163°F Closed cup - Tested using the	Density:	1.03 g/ml Tested using the liquid
	liquid component of the towelette.		component of the towelette.
Boiling Point:	No data available.	Relative Vapor Density @20°C:	No data available.
Freezing Point:	No data available.	Solubility:	Liquid component is soluble in water.
Relative Evaporation Rate	No data available.	Partition coefficient n-octanol/water	No data available.
(butylacetate=1):		(Log Pow):	
VOC Content:	< 20% Tested using the liquid	Partition coefficient n-octanol/water	No data available.
	component of the towelette.	(Log Kow):	
Viscosity:	No data available.	Auto-Ignition Temperature:	No data available.
Viscosity, kinematic:	No data available.	Decomposition Temperature:	No data available.
Viscosity, dynamic:	No data available.		

10. Stability & Reactivity Information

REACTIVITY:

Upon combustion: CO and CO2 are formed.

CHEMICAL STABILITY:

No additional information available.

Product Name: DISAPPEAR
Product Number: 2443
Revision Date: 3/30/2022
Product Number: 2443
Revision Date: 3/30/2022

POSSIBILITY OF HAZARDOUS REACTIONS:

Refer to Section 10 on reactivity.

INCOMPATIBLE MATERIALS:

Strong acids. Strong bases. Oxidizing agents.

CONDITIONS TO AVOID:

No additional information available.

DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information

ACUTE TOXICITY:

Not classified.

Ethyl Lactate (97-64-3)	
LD50 oral rat	8200 mg/kg (Rat, Oral)
LD50 dermal rabbit	>5000 mg/kg (Rabbit, Dermal)
ATE CLP (oral)	8200 mg/kg bodyweight

Dimethyl Succinate (106-65-0)	
LD50 oral rat	6892 mg/kg (Rat; Experimental value)
LD50 dermal rat	>2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	>5000 mg/kg (Rabbit)
ATE CLP (oral)	6892 mg/kg bodyweight

Undeceth-5 (34398-01-1)	
LD50 oral rat	>1400 mg/kg

Methanol (67-56-1)	
LD50 dermal rabbit	12800 mg/kg
ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (vapours)	128.2 mg/l/4h
ATE CLP (dust, mist)	0.5 mg/l/4h

SKIN CORROSION/IRRITATION:

Not classified

SERIOUS EYE DAMAGE/IRRITATION:

Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITIZATION:

Not classified.

GERM CELL MUTAGENICITY:

Not classified.

CARCINOGENICITY:

Not classified.

REPRODUCTIVE TOXICITY:

Not classified. SPECIFIC TARGET ORGAN TOXICITY (STOT) - (single exposure):

Not classified.

SPECIFIC TARGET ORGAN TOXICITY (STOT) - (repeated exposure):

Not classified.

ASPIRATION HAZARD:

Not classified.

SYMPTOMS/EFFECTS AFTER INHALATION:

None under normal use.

SYMPTOMS/EFFECTS AFTER SKIN CONTACT:

Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.

SYMPTOMS/EFFECTS AFTER EYE CONTACT:

Causes serious eye irritation.

SYMPTOMS/EFFECTS AFTER INGESTION:

Gastrointestinal complaints.

CHRONIC SYMPTOMS:

No data available.

LIKELY ROUTES OF EXPOSURE:

Dermal.

12. Ecological Information

ECOLOGY-GENERAL:

Not classified due to lack of data.

Ethyl Lactate (97-64-3)

LC50 - Fish [1] 100 - 1000 mg/l (96 h, Pisces)

Product Name: DISAPPEAR
Product Number: 2443
Revision Date: 3/30/2022
Pro Chem Inc
Product Number: 2443
Pro Chem Inc

Dimethyl Succinate (106-65-0)

LC50 - Fish [2] 50 - 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 48 h; Brachydanio rerio; Semi-static system; Fresh

water; Experimental value)

EC50 - Crustacea [2] >100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh

water, Experimental value)

Threshold limit - Algae [1] >100 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system;

Fresh water; Experimental value)

Undeceth-5 (34398-01-1)

LC50 fish 1: < 10 mg/l EC50 Daphnia 1: < 10 mg/l ErC50 (algae): < 10 mg/l

PERSISTENCE AND DEGRADABILITY

Graffiti Wipes

Persistence and Degradability: Not established.

Ethyl Lactate (97-64-3)

Persistence and Degradability: Readily biodegradable in water.

ThOD: 1.35 g O /g substance

Dimethyl Succinate (106-65-0)

Persistence and Degradability: Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil.

BIOACCUMULATIVE POTENTIAL:

Ethyl Lactate (97-64-3)

Partition coefficient n-octanol/water (Log Pow): -0.18 (Calculated)
Bioaccumulative Potential: Not bioaccumulative.

Dimethyl Succinate (106-65-0)

BCF - Fish [1]: 3.16 (BCF; BCFBAF v3.00; Pisces)

Partition coefficient n-octanol/water (Log Pow): 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method;

40°C)

Bioaccumulative Potential: Low potential for bioaccumulation (Log Kow < 4).

13. Disposal Consideration

Waste Treatment Methods: Do not flush wipes.

Product/Packaging Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.

14. Transportation Information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport.

ADDITIONAL INFORMATION:

Other information: No supplementary information available.

ADR: No additional information available.

TRANSPORT BY SEA:

No additional information available.

AIR TRANSPORT:

No additional information available.

15. Regulatory Information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Undeceth-5 (34398-01-1)

SARA Section 311/312 Hazard Classes: Immediate (acute) health hazard.

California Proposition 65:

This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

16. Other Information

TRAINING ADVICE:

Normal use of this product shall imply use in accordance with the instructions on the packaging.

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: DISAPPEAR
Product Number: 2443
Revision Date: 3/30/2022
Product Number: 2443
Revision Date: 3/30/2022

DISAPPEAR is the latest innovation in combating graffiti.

- Powerful cleaning formula removes tough graffiti, including enamel.
- Does not contain amyl acetate or methylene chloride making towels safer to handle.
- Biodegradable formula.
- Abrasive yet non-scratching fabric aids in cleaning.
- Towels stay moist to provide greater usage and longer shelf life.

USE ON A VARIETY OF HARD SURFACES INCLUDING:

Bathroom Partitions • Phone Booths • Lamp Posts • Bus Stops & Seats • Desks Wall Tile • Trains • Aluminum Siding • Road Signs • Stainless Steel • Billboards • Lockers Removes graffiti from almost any hard surface!

IDEAL FOR VARIOUS BUSINESSES & MUNICIPAL DEPARTMENTS:

Street & Sign Crews • Rec & Park Departments • School Districts • Sports Facilities Transportation Authorities • Utility & Power Crews

DIRECTIONS

Protective gloves are recommended while using this product. Unfold a towel and lightly scrub in a circular motion to begin dissolving paint and graffiti. Wipe up any remaining residue with a clean cloth. Repeat steps 2 and 3 if necessary. Discard towel in trash after use.

SPECIAL NOTE: When using on a pre-painted surface, initially test in an inconspicuous area to make sure paint is not removed along with the graffiti. These wipes may degrade certain plastics.

DIRECTIONS FOR DISPENSING

- 1. Remove lid by lifting upward. Remove foil seal.
- 2. Pull towel from center of the roll and thread through "X" on the underside of the lid.
- Close lid. Pull towel at 90° angle.
- 4. Snap hinged cap back into place to ensure towels stay moist.

DISPOSAL

Offer empty container for recycling. If recycling is not available, discard container in trash. Do not flush wipes.

Canister made from 25% post-consumer recycled plastic.







1447.022422

KEEP OUT OF REACH OF CHILDREN

See side panel for additional safety information

PRO

CHEM

DISAPPEAR

Graffiti & Mark Remover

• REMOVES GRAFFITI AND PAINT IN ONE EASY STEP

ABRASIVE TOWEL AND HIGHLY-EFFECTIVE FORMULA

9.5" x 12" (24.13 cm x 30.48 cm) **Premoistened Wipes**

DANGER

Causes serious eye damage.

PRECAUTION

Wear eye protection, protective clothing, protective gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.

Warning: This product can expose you to methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

For industrial and commercial use only. For additional information, see Safety Data Sheet.

> An Exclusive Product of PRO CHEM, INC. 1475 BLUEGRASS LAKES PKWY · ALPHARETTA, GA 30004 TO REORDER CALL: 800-241-8180 · www.procheminc.com

CONTAINS/CAS NUMBER:

Dimethyl Glutarate/1119-40-0; Soy Methyl Esters/67784-80-9; Ethyl Lactate/97-64-3; Dimethyl Succinate/106-65-0; Dimethyl Adipate/627-93-0; Undeceth-5/34398-01-1; Methanol/67-56-1; 1-Undecanol/112-42-5



This product is designed exclusively for industrial and institutional use by trained personnel. This product is sold as is and the manufacturer makes no warranty, express or implied, of merchantability, fitness for a particular purpose or otherwise.











NET CONTENTS: 40

Please recycle. 🗞