

1. Product and Company Ider	ntification				
PRODUCT NUMBER:	2337	COMF	ANY PHONE:		1-800-241-8180
PRODUCT NAME:	EVERGREEN	EMER	GENCY TELEPHONE		1-800-241-8180
PRODUCT DESCRIPTION:	Industrial Strength Deodorar				
COMPANY INFORMATION:	PRO CHEM, INC.		NAC.		1-800-535-5053
COMPANY INFORMATION.	1475 Bluegrass Lakes Parkv	vay			
	Alpharetta, GA 30004	-			
2. Hazards Identification					
GHS CLASSIFICATION:		SIGNAL WORD:	SYMBOL:		\wedge
Acute Toxicity Dermal: Catego Acute Toxicity Oral: Category		WARNING		, she	
Eye Damage/Irritation: Category				<u> 7</u>	
Flammable Liquids: Category 3	3				
Skin Corrosion/Irritation: Categ	Jory 3			*	×.
HAZARD STATEMENTS: Causes mild skin irrit	ation				
Causes serious eye i					
Flammable liquid and	l vapor.				
Harmful if swallowed. Harmful in contact wi					
PRECAUTIONARY STATEME					
Prevention:					
	smoke when using this product.				
Keep away from heat	er and receiving equipment.				
Keep container tight					
Take precautionary n	neasures against static discharg				
	electrical/ventilating/lighting/equ	ipment.			
Use only non-sparkin	in a well-ventilated area.				
Wash hands thoroug					
	es/eye protection/face protection	٦.			
Response:	doctor/if you feel unwell.				
	ts: Get medical advice/attention				
IF IN EYES: Rinse ca	autiously with water for several r	ninutes. Remove cont			tinue rinsing.
	Take off immediately all contar	ninated clothing. Rinse	e skin with water/show	er.	
If on skin: Wash with	plenty of water. s: Get medical advice/attention.				
	Ise alcohol foam/water/carbon c	lioxide to extinguish.			
Rinse mouth.		-			
Take off immediately	all contaminated clothing and w	ash it before reuse.			
	well-ventilated place. Keep coo of contents/container in accorda		international regulation	ne	
HAZARDS NOT OTHERWISE		nce with local/regional/	international regulation	15.	
No data available.					
	N TOXICITY:				
	on ingredients		CAS	CONCENTRATIO	ON % by WEIGHT
3. Composition / Information				CONCENTIAN	
3. Composition / Information CHEMICAL NAME	a(nonvlphenvl)omegahvdrox				-
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha	a(nonylphenyl)omegahydrox	ky- 90	16-45-9 7-63-0		2 4
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha Isopropyl alcohol	a(nonylphenyl)omegahydrox	(y- 90) 6 ⁻	16-45-9		2
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha Isopropyl alcohol Occupational exposure limits, if		(y- 90) 6 ⁻	16-45-9		2
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha Isopropyl alcohol Occupational exposure limits, if 4. First Aid Measures		(y- 90) 6 ⁻	16-45-9		2
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha sopropyl alcohol Occupational exposure limits, if 4. First Aid Measures EMERGENCY OVERVIEW	available, are listed in Section	ky- 90 6 8.	16-45-9 7-63-0		2 4
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha isopropyl alcohol Occupational exposure limits, if 4. First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested	available, are listed in Section h plenty of water. After initial flu by medical personnel.	ky- 90 6 8. ushing, remove any cor	16-45-9 7-63-0 ntact lenses and contir	nue flushing for at lea	2 4 ast 15 minutes. Have eye
Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha sopropyl alcohol Occupational exposure limits, if First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested SKIN: Immediately wash sk	available, are listed in Section h plenty of water. After initial flu	ky- 90 6 8. ushing, remove any cor	16-45-9 7-63-0 ntact lenses and contir	nue flushing for at lea	2 4 ast 15 minutes. Have eye
Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha sopropyl alcohol Occupational exposure limits, if First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested SKIN: Immediately wash sk before reuse.	available, are listed in Section h plenty of water. After initial flu by medical personnel.	ky- 90 6 8. ushing, remove any cor	16-45-9 7-63-0 ntact lenses and contir	nue flushing for at lea	2 4 ast 15 minutes. Have eye
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha isopropyl alcohol Occupational exposure limits, if 4. First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested SKIN: Immediately wash sk before reuse. INHALATION:	available, are listed in Section h plenty of water. After initial flu by medical personnel. in with soap and plenty of water	ky- 90 6 8. ushing, remove any cou	16-45-9 7-63-0 ntact lenses and contir ed clothing. Get medic	nue flushing for at lea	2 4 ast 15 minutes. Have eye oms occur. Wash clothing
3. Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha Isopropyl alcohol Occupational exposure limits, if 4. First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested SKIN: Immediately wash sk before reuse. INHALATION: Remove to fresh air. INGESTION:	available, are listed in Section h plenty of water. After initial flu by medical personnel. in with soap and plenty of water If not breathing, give artificial re	 (y- 90 6 8. ushing, remove any containation. Remove contaminations Remove contaminations 	16-45-9 7-63-0 ntact lenses and contir ed clothing. Get media is difficult, give oxygel	nue flushing for at lea cal attention if sympt n. Get medical atter	2 4 ast 15 minutes. Have eyes oms occur. Wash clothing tion.
Composition / Information CHEMICAL NAME Poly(oxy-1,2-ethanediyl), .alpha sopropyl alcohol Occupational exposure limits, if First Aid Measures EMERGENCY OVERVIEW EYES: Immediately flush wit examined and tested SKIN: Immediately wash sk before reuse. NHALATION: Remove to fresh air. NGESTION: If swallowed, do NOT	available, are listed in Section h plenty of water. After initial flu by medical personnel. in with soap and plenty of water	 (y- 90 6 8. ushing, remove any containation. Remove contaminations Remove contaminations 	16-45-9 7-63-0 ntact lenses and contir ed clothing. Get media is difficult, give oxygel	nue flushing for at lea cal attention if sympt n. Get medical atter	2 4 ast 15 minutes. Have eye oms occur. Wash clothing tion.

5. Fire-Fighting Measures					
SUITABLE FIRE EXTINGUISHING		fighting fires involving this material	Empty containers r	intoin product reaidus (liqu	:d
		fighting fires involving this material. URIZE, CUT, WELD, BRAZE, SOL			IC
	FLAME SPARKS STATIC F	LECTRICITY, OR OTHER SOURC	ES OF IGNITION' T	HEY MAY EXPLODE AND	r
CAUSE INJURY OR DEA	TH Empty drums should be o	completely drained, properly bunged	d and promptly return	rned to a drum recondition	er or
properly disposed of.			a, and promptly rota		0., 0.
UNSUITABLE FIRE EXTINGUISHI	NG MEDIA:				
N/A					
FLAMMABLE PROPERTIES:					
		n explosive mixtures at temperature	es at or above the fla	shpoint.	
SPECIAL PROTECTIVE EQUIPME					
As in any fire, wear self-c	ontained breathing apparatus p	pressure-demand, MSHA/NIOSH (a	approved or equivale	ent) and full protective gear	
6. Accidental Release Measures					
LARGE SPILLS:					
	ollect into suitable container, th	hen treat as a small spill.			
SMALL SPILLS:		·			
Absorb with an inert solid	and scoop up for disposal, the	en rinse soiled area with water.			
7 Handling and Charage					
7. Handling and Storage					
SAFE HANDLING:	iningly container and protect fro	mounlight Koop owey from cours	as of ignition Koon	away from food and drinki	
water. Keep container clo		m sunlight. Keep away from source	es or ignition. Keep	away from food and drinki	ng
SAFE STORAGE & INCOMPATIBI					
	-	Avoid contact with eyes, skin, and c	lothing. Wash thoro	ughly after handling. Use	onlv ir
		even after container is emptied bed			Only ii
	•				
8. Exposure Controls / Personal F					
OCCUPATIONAL EXPOSURE LIM	ITS:				
Components		ACGIH TLV	OSHA PEL	STEL	
	alpha(nonylphenyl)omegah		N/A	N/A	
Isopropyl alcohol		0	N/A	N/A	
DEDCONAL DROTECTIVE EQUID					
permit other type safety g SKIN PROTECTION: We	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your	compliance with OSHA regulations presentative. safety equipment supplier). To pre			
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise	presentative.	event repeated or pro	blonged skin contact, wear exposure guidelines), IA relations also permit oth	ner
EYE/FACE PROTECTIO permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ	event repeated or pro are exceeded (see mental control. OSH strial hygienist). En	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative	her
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTECT NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. ical (general and local exhaus	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu	event repeated or pro are exceeded (see mental control. OSH strial hygienist). En	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative	her
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde hented to reduce exposure. tical (general and local exhaus ts).	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu	event repeated or pro are exceeded (see mental control. OSH strial hygienist). En	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde hented to reduce exposure. ical (general and local exhaus ts).	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure b	event repeated or pro are exceeded (see mental control. OSH strial hygienist). Eng pelow level of overes	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp	her
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTECT NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts).	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure b FLAMMABILITY(solid/gas	event repeated or pro are exceeded (see mental control. OSH strial hygienist). En- pelow level of overes	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp le liquid.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTECT NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implement ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts).	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (%	event repeated or pro- are exceeded (see mental control. OSH strial hygienist). En- pelow level of overes below level of overes): Combustib): Not availab	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp le liquid.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE: Color: ODOR:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Upper (%)	event repeated or pro- event repeated (see mental control. OSH strial hygienist). En- pelow level of overes (): Combustib (): Not availat (): Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative kposure (from known, susp ble liquid. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect DOR: DOOR THRESHOLD:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Upper (%) VAPOR DENSITY:	event repeated or pro- event repeated (see mental control. OSH strial hygienist). En- pelow level of overes (): Combustib (): Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative kposure (from known, susp ble liquid. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect DOR: DOOR THRESHOLD:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Upper (%)	event repeated or pro- event repeated (see mental control. OSH strial hygienist). En- pelow level of overes (): Combustib (): Not availat (): Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative kposure (from known, susp ble liquid. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect DOOR: DOOR THRESHOLD: pH: MELTING/FREEZING POINT:	N: Chemical splash goggles ir lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure ir supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Upper (%) VAPOR DENSITY:	event repeated or pro- event repeated (see mental control. OSH strial hygienist). En- pelow level of overes (): Combustib (): Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative kposure (from known, susp ble liquid. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect DOOR: DOOR THRESHOLD: pH: MELTING/FREEZING POINT:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environi er specific conditions (see your indu- t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Upper (%) VAPOR DENSITY: VAPOR PRESSURE:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex below level of overex): Combustib): Not availat Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp le liquid. ble. ble. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environment of proper environment er specific conditions (see your indu- t) ventilation to maintain exposure to t) ventilation to to to to to to t) ventilation to to to to to to to to to t) ventilation to	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overes below level of overes combustib): Not availat Not availat Not availat Complete. Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect ODOR: DOOR: DOOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overes below level of overes combustib): Not availat Not availat Not availat Complete. Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp le liquid. ble. ble. ble. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect Provide sufficient mechar or apparent adverse effect ODOR: DOOR: DOOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environment of proper environment er specific conditions (see your indu- t) ventilation to maintain exposure to t) ventilation to to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t) ventilation to t)	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overes below level of overes combustib): Not availat Not availat Not availat Complete. Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp le liquid. ble. ble. ble. ble. ble.	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overes below level of overes combustib): Not availat Not availat Not availat Complete. Not availat Not availat	blonged skin contact, wear exposure guidelines), HA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup.	presentative. safety equipment supplier). To pre- limits of product or any component ad in the absence of proper environmer specific conditions (see your indu- t) ventilation to maintain exposure to FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water):	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overes below level of overes combustib): Not availat Not availat Not availat Not availat Not availat Not availat	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY: EVAPORATION RATE:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTIO permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT:	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT: 10. Stability & Reactivity Informat	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT: 10. Stability & Reactivity Informat	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde nented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/RETHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT: 10. Stability & Reactivity Informat CHEMICAL STABILITY: Stable.	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde hented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implem ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effect 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/METHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT: 10. Stability & Reactivity Informat CHEMICAL STABILITY: Stable. HAZARDOUS POLYMERIZATION Will not occur.	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde hented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner
EYE/FACE PROTECTION permit other type safety g SKIN PROTECTION: We impervious clothing and b RESPIRATORY PROTEC NIOSH/OSHA approved a NIOSH/OSHA approved a NIOSH/OSHA respirators controls should be implen ENGINEERING CONTROLS: Provide sufficient mechar or apparent adverse effec 9. Physical & Chemical Properties APPEARANCE: Color: ODOR: ODOR THRESHOLD: pH: MELTING/FREEZING POINT: BOILING POINT/RANGE: VISCOSITY: FLASH POINT/RETHOD: SPECIFIC GRAVITY: EVAPORATION RATE: POUNDS PER CUBIC FOOT: 10. Stability & Reactivity Informat CHEMICAL STABILITY: Stable. HAZARDOUS POLYMERIZATION	N: Chemical splash goggles in lasses. Consult your safety re ar rubber gloves (consult your oots. CTION: If workplace exposure air supplied respirator is advise (negative pressure type) unde hented to reduce exposure. iical (general and local exhaus ts). Liquid. Green/clear. Mint. Not available. 5.5-7.5 Not available. 209°F Not available. 107°F/Closed cup. 0.9 Not available. Not available. Not available.	presentative. safety equipment supplier). To pre- limits of product or any component ed in the absence of proper environ er specific conditions (see your indu- t) ventilation to maintain exposure b FLAMMABILITY(solid/gas Explosive Limit-Lower (% Explosive Limit-Lower (% VAPOR DENSITY: VAPOR DENSITY: VAPOR PRESSURE: SOLUBILITY (water): AUTO-IGNITION TEMP: DECOMPOSITION TEMP: PARTITION COEFFICIENT octanol/water): VOC %:	event repeated or pro- event repeated or pro- mental control. OSH strial hygienist). En- pelow level of overex- pelow level overex- pelow leve	blonged skin contact, wear exposure guidelines), IA relations also permit oth gineering or administrative xposure (from known, susp ble liquid. ble. ble. ble. ble. ble. ble. ble. ble	ner

Temperature extremes. HAZARDOUS DECOMPOSITION PRODUCTS:

Will not occur.

11. Toxicological Information

PRIMARY ROUTE OF ENTRY:

Skin contact/absorption and inhalation.

SIGNS & SYMPTOMS OF OVEREXPOSURE:

Gastrointestinal irritation (nausea, vomiting, diarrhea), irritation to nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS:

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals and may aggravate pre-existing disorders or these organs in humans: chronic ingestion may cause kidney and liver lesions at high doses.

IMMEDIATE HEALTH EFFECTS:

EYES: Exposure may cause noticeable pain, and severe irritation.

SKIN: Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking and skin burns. Additional symptoms of skin contact may include: allergic reaction. Skin absorption is possible, but harmful effects are not expected from this route of exposure under normal handling and use.

INHALATION: Exposure to vapor or mist is possible. Short-term inhalation is not likely to cause harmful effects: breathing large amounts may be harmful. Symptoms are more typically seen at air concentrations exceeding the recommended exposure limits.

INGESTION: Single dose oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION:

No data.

CARCINOGENIC INFORMATION:

This material is not listed as a carcinogen by IARC, NTP, or OSHA.

CHRONIC EFFECTS:

No data.

12. Ecological Information

No data available.

13. Disposal Consideration

For proper disposal of waste, refer to federal and state regulations.

14. Transportation Information

UN NUMBER: UN 1219 UN PROPER SHIPPING NAME: Isopropanol. DOT CLASSIFICATION: 3-Flammable liquid. PACKING GROUP:

15. Regulatory Information

US FEDERAL REGULATIONS: TSCA (Toxic Substances Control Act) Status. TSCA (United States): The intentional ingredients of this product are listged. CERCLA RQ-40 CFR 355 Appendix A: None. SARA 302 COMPONENTS 40 CFR Appendix A: None. SECTION 311/312 HAZARD CLASS 40 CFR 370.2 Immediate (X) Delayed (X) Fire (X) Reactivity () Sudden Rlease of Pressure () **US STATE REGULATIONS:** California Proposition 65: None. California SCAQMD Rule 443.1 VOC's: < 100g/L North Carolina Administrative Code 2D.1104 and 2B.0610 None. South Carolina Regulation 62.5 Standard Number 8: None.

16. Other Information

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or

inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.