

ELECTRO SOLV #1616

Aerosol Safety Solvent



Features:

- Non-corrosive, non-conductive, non-flammable
- Powerful flushing action
- Safe for cleaning energized electrical equipment
- Dries super fast and residue free
- 30.0 kV dielectric strength (ASTM D-877)
- No petroleum distillates
- Dual spray valve



Description:

ELECTRO SOLV is a fast drying, non-flammable, solvent cleaner and degreaser spray. It contains trichloroethylene, an accepted replacement for 1,1,1 Trichloroethane under the EPA SNAP program. Powerful flushing action penetrates through and removes grease, grime, dirt, tar, wax and other contaminants. The dielectric strength and non-flammability of the product allows it to be used on electrical equipment and machines, even while energized. Dries fast and residue free. ELECTRO SOLV features a dual spray valve, which eliminates the need for extension tubes.

Applications:

- Industrial Equipment
- Gas, Water and Electrical Meters
- Electrical Motors
- Generators
- Gears and Bearings
- Refrigeration Equipment
- Windings
- Production Machinery
- Assemblies of Electrical Equipment
- Engine Parts and Motors
- Power Tools
- Heating and Air Conditioning Equipment

Product Characteristics:

Physical State:	Liquid
Form:	Spray Aerosol
Odor:	No data available
Vapor Pressure:	No data available
Solubility (water):	No data available
Flash Point:	No data available
Explosive Limit – upper (%):	Estimated 52%(V)
Relative Density:	No data available
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight.
Transport Information:	
Proper Shipping Name:	Aerosols, non-flammable
UN Number:	UN1950
Class:	2.2
Packing Group:	II

Directions:

Saturate part to be cleaned. Wipe or allow to air dry. For heavily encrusted areas, brush, then rinse off with a second application. May remove some paints, pre-testing is suggested.

Note: Energized equipment use only. Do not use on motorized vehicle maintenance and solvent sensitive plastic surfaces or materials. May remove some paints. Always test first on scrap material or on a small inconspicuous area. Tilt forward for jet stream that shoots 8 feet to reach remote objects and small devices. Push down for regular spray to cover surface areas.

DOT Placard:



Pictograms:



Signal Word:

DANGER.

Personal Protective Equipment Required:

