

1. Product and Company Ider	ntification					
PRODUCT NUMBER:	2929	COMPAN	Y PHONE:		1-800-241	-8180
PRODUCT NAME:	FUEL PLUS X-100	EMERGE	EMERGENCY TELEPHONE:		1-800-241-8180	
PRODUCT DESCRIPTION:	Gasoline and Diesel Fuel Condi Concentrate	tioner INFOTRA	INFOTRAC:		1-800-535-5053	
COMPANY INFORMATION:	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004					
2. Hazards Identification						
GHS CLASSIFICATION:		SIGNAL WORD:	SYMBOL:		$\wedge$	
Flammable liquids: Category 3	3	DANGER				PO
Skin irritation: Category 2	n. 1			< (7) >		
Serious eye damage: Categor Specific target organ toxicity -						
	repeated exposure: Category 2					
Aspiration hazard: Category 1						
HAZARD STATEMENTS:			11			1
Flammable liquid and						
May be fatal if swallo Causes skin irritation	wed and enters airways.					
Causes skin initiation						
May cause damage t						
May cause damage t	o organs through prolonged or repe	eated exposure.				
PRECAUTIONARY STATEME	NTS:					
Prevention:	t, hot surfaces, sparks, open flames	and other ignition ag	Iroop No omoking			
Keep container tightly		s, and other ignition so	urces. No smoking	J.		
	er and receiving equipment.					
	electrical ventilating/lighting/equipm	nent.				
Use only non-sparkin	ig tools.					
	neasures against static discharge.					
Wash skin thoroughly	fume/gas/mist/vapours/spray.					
	smoke when using this product.					
Wear protective glove	es/eye protection/face protection.					
Response:						
	nmediately call a POISON CENTER		Dingo okin with w	star/abawar		
	<ul> <li>Remove/take off immediately all c autiously with water for several min</li> </ul>				Continue rinsing	
	FER or doctor/physician.				Continue mienig	. minoulatory
	DU FEEL UNWELL: Call a POISON	N CENTER or doctor/pl	nysician.			
	ttention if you feel unwell.					
Do NOT induce vomi	ting. s: Get medical advice/attention.					
	ed clothing and wash before reuse.					
IN CASE OF FIRE: 1	Use dry sand, dry chemical or alcol	nol-resistant foam for e	xtinction.			
STORAGE:						
	ated place. Keep cool.					
Store locked up. DISPOSAL:						
	container in accordance with local r	equlation.				
	. Do not expose to temperatures ex					
3. Composition / Information	on Ingredients					
CHEMICAL NAME			CAS	Co	oncentration % by	-
Distillates (petroleum), hydrotre	eated light naphthenic		64742-53-6		>= 70 - < 90	
butan-2-ol			78-92-2		>= 10 - < 20	)
Cresol			1319-77-3		>= 1 - < 5	

Cyclohexanone

108-94-1

>= 1 - < 5

4. First Aid Measures				
EMERGENCY OVER	VIEW			
WARNING: Move ou	t of dangerous are		safety data sheet to the doctor in attendance. Symptoms of	poisoning may
		o not leave the victim unattended.		
			damage and blindness. In the case of contact with eyes, rins during transport to hospital. Remove contact lenses. Protect	
		sing. If eye irritation persists, cons		a unnamed eye.
			h water. If on clothes, remove clothes.	
INHALATION:	•			
	hysician after signi	ficant exposure. If unconscious, p	ace in recovery position and seek medical advice.	
INGESTION:	atory tract clear	On NOT induce vomiting . Do not a	ve milk or alcoholic beverages. Never give anything by mou	th to an
unconsciou	s person. If sympt	oms persist, call a physician. Take	victim immediately to hospital.	un to an
5. Fire-Fighting Meas				
SUITABLE FIRE EXT				
		stant foam, dry chemical, or carbon	dioxide	
UNSUITABLE FIRE				
High volum				
HAZARDOUS COMB		n monoxide. Smoke.		
	FIRE-FIGHTING M			
			tances and the surrounding environment. Collect contamina	ated fire
			drains. Fire residues and contaminated fire extinguishing w	
		h local regulations. For safety reas closed containers.	ons, in case of fire cans should be stored separately in close	ea containments.
		FOR FIREFIGHTERS:		
Wear self-c	ontained breathing	apparatus for firefighting if necess	ary.	
6. Accidental Releas	e Measures			
PERSONAL PRECAU				
		ment. Ensure adequate ventilatior	. Refer to protective measures listed in Sections 7 and 8.	
		ID CLEAN-UP METHODS:	·	
Prevent pro			spillage if safe to do so. If the product contaminates rivers a	
the formula in a second		Contain spillage, and then collect y	vith non-combustible absorbent material, (e.g. sand, earth, d	llatomaceous earth,
			/national regulations (see Section 13). Keep in suitable, close	
vermiculite) disposal.	and place in conta			
vermiculite) disposal. 7. Handling and Stor	and place in conta			
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR	and place in conta age RACTICES:	ainer for disposal according to loca	/national regulations (see Section 13). Keep in suitable, clos	sed containers for
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p	and place in conta age RACTICES: ation of aerosol. Do personal protection	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating a	/national regulations (see Section 13). Keep in suitable, clos exposure - obtain special instructions before use. Avoid cor id drinking should be prohibited in the application area. Prov	sed containers for ntact with skin and vide sufficient air
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a	and place in conta age RACTICES: ation of aerosol. Do personal protection nd/or exhaust in w	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor ad drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin	sed containers for ntact with skin and vide sufficient air
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PF Avoid forma eyes. For p exchange a bottle on a	and place in conta age RACTICES: ation of aerosol. Do personal protection nd/or exhaust in w	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating a	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor ad drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin	sed containers for ntact with skin and vide sufficient air
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a SAFE STORAGE:	and place in conta age AACTICES: ation of aerosol. Du eersonal protection nd/or exhaust in w metal tray. Dispos	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor Id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations.	sed containers for ntact with skin and vide sufficient air ng handling keep
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a for SAFE STORAGE: No smoking materials m	and place in conta age <b>RACTICES:</b> ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos J. Keep container to ust comply with the	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor ad drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin	sed containers for ntact with skin and vide sufficient air ng handling keep
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a for SAFE STORAGE: No smoking materials m MATERIALS TO AVO	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos J. Keep container to ust comply with the DID:	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-ven e technological safety standards.	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor Id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations.	sed containers for ntact with skin and vide sufficient air ng handling keep
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a r SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag	and place in conta age ACTICES: tition of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos p. Keep container to ust comply with the DID: gents. Do not free:	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze.	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor Id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations.	sed containers for ntact with skin and vide sufficient air ng handling keep
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a bottle on a SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag	and place in conta age ACTICES: ation of aerosol. Duersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container fust ust comply with the DID: gents. Do not free s / Personal Protection	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze.	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor ad drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation	atact with skin and vide sufficient air ng handling keep
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. action Value Type (form of exposure	<ul> <li>/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid correct drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations.</li> <li>ilated place. Observe label precautions. Electrical installation</li> <li>Control Parameters/Permissible Concentration</li> </ul>	ntact with skin and vide sufficient air ng handling keep ons/working Basis
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a bottle on a SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag	and place in conta age ACTICES: ation of aerosol. Duersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container fust ust comply with the DID: gents. Do not free s / Personal Protection	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-veni e technological safety standards. ze. ze. zetion Value Type (form of exposure TWA	Anational regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor ad drinking should be prohibited in the application area. Prove ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. illated place. Observe label precautions. Electrical installation illated place. Observe label precautions. Electrical installation <b>Control Parameters/Permissible Concentration</b> 100 ppm	atact with skin and vide sufficient air ng handling keep ons/working Basis ACGIH
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. action Value Type (form of exposure	Invational regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid correct drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation Control Parameters/Permissible Concentration 100 ppm 100 ppm	ntact with skin and vide sufficient air ng handling keep ons/working Basis
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-veni e technological safety standards. ze. ze. zetion Value Type (form of exposure TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid correct drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durine local and national regulations. ilated place. Observe label precautions. Electrical installation <b>Control Parameters/Permissible Concentration</b> 100 ppm 100 ppm 305 mg/m <sup>3</sup>	atact with skin and vide sufficient air ng handling keep ons/working Basis ACGIH
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. sction Value Type (form of exposure TWA TWA TWA ST	/national regulations (see Section 13). Keep in suitable, closed of the section of the sectio	and containers for natact with skin and vide sufficient air ng handling keep ons/working Basis ACGIH NIOSH REL NIOSH REL
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. zetion Value Type (form of exposure TWA TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corrected only under exhaust ventilation hood. To avoid spills during local and national regulations. illated place. Observe label precautions. Electrical installation <b>Control Parameters/Permissible Concentration</b> 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm	atact with skin and vide sufficient air ng handling keep ons/working Basis ACGIH NIOSH REL
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. cction Value Type (form of exposure TWA TWA ST TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corrid drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation <b>Control Parameters/Permissible Concentration</b> 100 ppm         305 mg/m <sup>3</sup> 150 ppm         450 mg/m <sup>3</sup>	and containers for tract with skin and vide sufficient air ng handling keep ons/working Basis ACGIH NIOSH REL NIOSH REL OSHA Z-1
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. sction Value Type (form of exposure TWA TWA TWA ST	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid corrected drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation <b>Control Parameters/Permissible Concentration</b> 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 450 mg/m <sup>3</sup> 100 ppm	and containers for natact with skin and vide sufficient air ng handling keep ons/working Basis ACGIH NIOSH REL NIOSH REL
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos b. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. cction Value Type (form of exposure TWA TWA ST TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 5 ppm	and containers for tract with skin and vide sufficient air ng handling keep ons/working Basis ACGIH NIOSH REL NIOSH REL OSHA Z-1
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid correct drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. illated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 450 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 22 mg/m <sup>3</sup>	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 OSHA Z-1
vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age RACTICES: ation of aerosol. Du- bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container f ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. illated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 20 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 20 ppm 50 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating ar orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid cor id drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 450 mg/m <sup>3</sup> 5 ppm 22 mg/m <sup>3</sup> 20 ppm 50 ppm 25 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVO Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TWA	/national regulations (see Section 13). Keep in suitable, closed exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 20 ppm 50 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. action Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TWA TWA TW	/national regulations (see Section 13). Keep in suitable, clos exposure - obtain special instructions before use. Avoid cor id drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 5 ppm 22 mg/m <sup>3</sup> 20 ppm 50 ppm 25 ppm 100 mg/m <sup>3</sup> 50 ppm 200 ppm 200 mg/m <sup>3</sup>	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Do bersonal protection nd/or exhaust in w metal tray. Dispos y. Keep container to ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. Ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TW	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 450 mg/m <sup>3</sup> 5 ppm 22 mg/m <sup>3</sup> 50 ppm 50 ppm 25 ppm 100 mg/m <sup>3</sup> 50 ppm 200 mg/m <sup>3</sup> 25 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH NIOSH REL
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol Cresol Cyclohexanone	and place in conta age ACTICES: ation of aerosol. Du- personal protection nd/or exhaust in w metal tray. Dispos b. Keep container f ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2 1319-77-3 108-94-1	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. Cotion Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TWA TWA TW	/national regulations (see Section 13). Keep in suitable, clos exposure - obtain special instructions before use. Avoid cor id drinking should be prohibited in the application area. Proved only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 100 ppm 305 mg/m <sup>3</sup> 5 ppm 22 mg/m <sup>3</sup> 20 ppm 50 ppm 25 ppm 100 mg/m <sup>3</sup> 50 ppm 200 ppm 200 mg/m <sup>3</sup>	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a to SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol	and place in conta age ACTICES: ation of aerosol. Du- personal protection nd/or exhaust in w metal tray. Dispos b. Keep container f ust comply with the DID: gents. Do not free: s / Personal Prote CAS # 78-92-2 1319-77-3 108-94-1	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. Cotion Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA TWA TWA TWA TW	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 450 mg/m <sup>3</sup> 5 ppm 22 mg/m <sup>3</sup> 50 ppm 50 ppm 25 ppm 100 mg/m <sup>3</sup> 50 ppm 200 mg/m <sup>3</sup> 25 ppm	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH ACGIH
Vermiculite) disposal. 7. Handling and Stor SAFE HANDLING PR Avoid forma eyes. For p exchange a bottle on a n SAFE STORAGE: No smoking materials m MATERIALS TO AVC Oxidizing ag 8. Exposure Controls Components butan-2-ol Cresol Cyclohexanone	and place in conta age RACTICES: ation of aerosol. Du- versonal protection nd/or exhaust in w metal tray. Dispos p. Keep container f ust comply with the DD: gents. Do not free: s / Personal Prote CAS # 78-92-2 1319-77-3 108-94-1 PATIONAL EXPOR CAS #	ainer for disposal according to loca o not breathe vapours/dust. Avoid see section 8. Smoking, eating an orkrooms. Container may be oper e of rinse water in accordance with tightly closed in a dry and well-vent e technological safety standards. ze. ection Value Type (form of exposure TWA TWA ST TWA TWA TWA TWA TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA TWA STEL TWA STEL TWA TWA STEL TWA	/national regulations (see Section 13). Keep in suitable, close exposure - obtain special instructions before use. Avoid corr id drinking should be prohibited in the application area. Proved ed only under exhaust ventilation hood. To avoid spills durin local and national regulations. ilated place. Observe label precautions. Electrical installation 100 ppm 100 ppm 305 mg/m <sup>3</sup> 150 ppm 455 mg/m <sup>3</sup> 150 ppm 22 mg/m <sup>3</sup> 20 ppm 50 ppm 22 mg/m <sup>3</sup> 50 ppm 25 ppm 100 mg/m <sup>3</sup> 50 ppm 200 mg/m <sup>3</sup> 25 ppm 100 mg/m <sup>3</sup>	Basis ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 ACGIH NIOSH REL OSHA Z-1 ACGIH NIOSH REL OSHA Z-1 OSHA Z-1 OSHA Z-1

Urine

End of shift (As soon as possible after exposure ceases)

ACGIH BEI

8 mg/l

### PERSONAL PROTECTIVE EQUIPMENT:



**EYE PROTECTION:** Eyewash bottle with pure water. Tightly fitting safety goggles. Wear face-shield and protective suit for abnormal processing problems.

**SKIN PROTECTION:** Skin should be washed after contact. For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**RESPIRATORY PROTECTION:** No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.

HYGIENE MEASURES: When using, do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. Physical & Chemical Properties			
APPEARANCE:	Liquid.	FLASH POINT:	23.3°C; Method: TCC
Color:	Clear, red.	EVAPORATION RATE:	2
ODOR:	Characteristic.	Explosive Limit – lower (%):	No data available.
ODOR THRESHOLD:	No data available.	Explosive Limit – upper (%):	No data available.
pH:	No data available.	VAPOR PRESSURE:	200 hPa
MELTING/FREEZING POINT:	No data available.	RELATIVE VAPOR DENSITY:	No data available.
BOILING POINT:	120°C	DENSITY:	0.89 g/cm <sup>3</sup>
PARTITION COEFFICIENT (n- octanol/water):	No data available.	SOLUBILITY (water):	Negligible.
VISCOSITY, KINEMATIC:	No data available.	AUTO-IGNITION TEMP:	Not determined.
SOLUBILITY (other solvents):	Not determined.	THERMAL DECOMPOSITION:	No data available.

## 10. Stability & Reactivity Information

**REACTIVITY:** 

Stable. No decomposition if stored and applied as directed.

CHEMICAL STABILITY:

Stable under normal conditions. No decomposition if stored and applied as directed.

POSSIBILITY OF HAZARDOUS REACTIONS:

No hazards to be specifically mentioned. No decomposition if stored and applied as directed. Vapours may form explosive mixture with air. **INCOMPATIBLE MATERIALS**:

Strong oxidizing agents.

CONDITIONS TO AVOID:

Heat, flames, and sparks. **DECOMPOSITION PRODUCTS:** 

#### Corbon monovido, corbon diox

Carbon monoxide, carbon dioxide, and unburned hydrocarbons (smoke).

# 11. Toxicological Information

The Toxicological Information	
ACUTE TOXICITY:	
Product:	
Acute oral toxicity estimate:	2,869 mg/kg.
	Method: Calculation method/
Acute inhalation toxicity estimate:	> 40 mg/l.
	Exposure time: 4 h.
	Test atmosphere: vapour.
	Method: Calculation method.
Acute dermal toxicity estimate:	> 5,000 mg/kg.
,	Method: Calculation method.
Components:	
butan-2-ol:	
Acute oral toxicity:	LD50 Oral rat: 2,193 mg/kg
Acute dermal toxicity:	LD50 Dermal rat: > 2,000 mg/kg
SKIN CORROSION/IRRITATION:	
Extremely corrosive and destructive to	o tissue.
SERIOUS EYE DAMAGE/EYE IRRITATION:	
May cause irreversible eye damage.	
RESPIRATORY OR SKIN SENSITIZATION:	
No data available.	
GERM CELL MUTAGENICITY:	
No data available.	
CARCINOGENICITY:	
IARC: No component of this product	presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human
carcinogen by IARC.	
	ct presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by
ACGIH.	
OSHA: No component of this produc	t presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

OSHA. NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential ca	arcinogen by
NTP. REPRODUCTIVE TOXICITY:	
No data available. Distillates (petroleum), hydrotreated light naphthenic:	
butan-2-ol:	
cresol: cyclohexanone:	
STOT - single exposure:	
No data available. STOT - repeated exposure:	
No data available.	
ASPIRATION TOXICITY: No data available.	
FURTHER INFORMATION:	
No data available. Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting. Concentrations above the TLV value may cause narcotic effects. Solvents may degrease the skin.	substantially
12. Ecological Information ECOTOXICITY:	
No data available.	
PERSISTENCE AND DEGRADABILITY: No data available.	
BIOACCUMULATIVE POTENTIAL:	
Product: Partition coefficient: n-octanol/water: No data available.	
Component: butan-2-ol:	
Partition coefficient: n-octanol/water: log Pow: 0.146.	
cyclohexanone: Partition coefficient: n-octanol/water: log Pow: 0.81.	
MOBILITY IN SOIL:	
No data available. OTHER ADVERSE EFFECTS:	
No data available.	
Product: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substan	ices
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Ai	
40 CFR 82, Subpt. A, App.A + B). ADDITIONAL ECOLOGICAL INFORMATION:	
No data available.	
13. Disposal Consideration	
WASTE FROM RESIDUES: Dispose of in accordance with local regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or	ditchos with
chemical or used container. Send to a licensed waste management company.	ulteres with
CONTAMINATED PACKAGING: Empty remaining contents. Dispose of as unused product. Do not reuse empty containers. Do not burn, or use a cutting torch	on the empty
drum.	on, the empty
14. Transportation Information	
INTERNATIONAL REGULATION:	
UN/ID No. 1993 Proper shipping name: Flammable liquid, n.o.s. (Distillates (petroleum), hydrotreated light naphthenic).	
Class: 3	
Packing group: III Labels: 3	
Packing instruction (cargo aircraft): 366 Packing instruction (passenger aircraft): 355	
IMDG-CODE:	
UN Number: 1993 Proper shipping name: FLAMMABLE LIQUID, N.O.S. (distillates (petroleum), hydrtreated light naphthenic).	
Class: 3	
Packing group: III Labels: 3	
EmS code: F-E, S-E	
Marine pollutant: No. TRANSPORT IN BUIL ACCORDING TO Append II of MARPOL 73/78 and the IBC Code:	
TRANSPORT IN BUL ACCORDING TO Annexx II of MARPOL 73/78 and the IBC Code: Not applicable for product as supplied.	
TRANSPORT IN BUL ACCORDING TO Annexx II of MARPOL 73/78 and the IBC Code: Not applicable for product as supplied. NATIONAL REGULATIONS: 49 CFR:	
TRANSPORT IN BUL ACCORDING TO Annexx II of MARPOL 73/78 and the IBC Code: Not applicable for product as supplied.	

SPECIAL PRECAUTIONS FOR USER: Not applicable.

COMPONENTS	CAS #	COMPONENT RQ (lbs):	CALCULATED PRODUCT RQ (lbs)	
Cresol	1319-77-3	100	4207	
SARA 304 Extremely Hazardous				
	ontain any compone	ents with a section 304 EHS R	Q.	
SARA 311/312 Hazards:				
Fire Hazard				
Acute Health Hazard				
SARA 302:				
	erial are subject to	the reporting requirements of	SARA Title III, Section 302.	
SARA 313:				
		porting levels established by S	ARA Title III, Section 313:	
butan-2-ol	78-92-2	19.532 %		
CALIFORNIA PROP 65:				
This product does not co The components of this product			to cause cancer, birth defects, or any other rep	roductive harm.
TSCA	-	On TSCA Invento	ry	
DSL	All components of this product are on the Canadian DSL.			
AICS	On the inventory, or in compliance with the inventory			
NZIoC	On the inventory, or in compliance with the inventory			
PICCS	On the inventory, or in compliance with the inventory			
IECSC		On the inventory,	or in compliance with the inventory	
nventory Acronym and Validity	Area Legend:			
AICS (Australia), DSL (Canada), IE	CSC (China), REA	CH (European Union), ENCS	(Japan), ISHL (Japan), KECI (Korea), NZIoC (	New Zealand), PICCS

## DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.