

1. Product and Company Ident PRODUCT NUMBER: PRODUCT NAME:							
PRODUCT NAME:	6641	COMP	NY PHONE:	1-800-241-8180			
	HEAVY-DUTY DEGREASER			1-800-241-8180			
PRODUCT DESCRIPTION:	Non-Butyl Degreaser						
COMPANY INFORMATION:	, ,	INFOTRAC: 1-800-535-505					
COMPANY INFORMATION:	: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004						
2. Hazards Identification							
GHS CLASSIFICATION:		SIGNAL WORD:	SYMBOL:	^			
Skin corrosion - Category 1 Eye Damage - Category 1		DANGER					
HAZARD STATEMENTS: Keep out of reach of children. Read label and SDS before use. Causes severe skin burns and eye damage. PRECAUTIONARY STATEMENTS: Prevention: Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves and clothing. Wear eye and face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF NSKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or a physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or a physician. STORAGE: Store locked up. DISPOSAL: DISPOSAL: DISPOSE of contents and container in accordance with all local, regional, and national regulations. HAZARDS NOT OTHERWISE SPECIFIED:							
Not applicable.							
••	n Ingredients						
3. Composition / Information o	n Ingredients	C	AS	CONCENTRATION % by WEIGHT			
3. Composition / Information o CHEMICAL NAME	n Ingredients	_	AS 1-92-0	CONCENTRATION % by WEIGHT			
3. Composition / Information o	n Ingredients	683	AS 1-92-0 0-58-3				

SPECIFIC FIRE-FIGHTING METH	ODS:						
Promptly isolate the scer	e by removing all persons fro	om the vicinity of the incident if there is a fire. No action sha					
personal risk or without suitable training. Move containers from fire area, if this can be done without risk. Use water spray to keep fire-exposed containers cool.							
SPECIAL PROTECTIVE EQUIPMI	ENT FOR FIREFIGHTERS:						
Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a							
positive pressure mode.							
6. Accidental Release Measures							
PERSONAL PRECAUTIONS:	and another there are descent for						
ENVIRONMENTAL PRECAUTION	nal protective equipment (see						
		ry and unprotected personnel from entering. Disperse vapo	ors with water spray. Prevent				
		bodies of water. Absorb spill with inert material. Absorb u	nrecoverable product. Transfer				
contaminated absorbent	soil, and other materials to c	containers for disposal.					
7. Handling and Storage							
· · · · · · · · · · · · · · · · · · ·	•	a cool, dry place. Do not get in eyes, on skin, or on clothing	. Keep out of reach of children.				
8. Exposure Controls / Personal	Protection						
Potassium Hydroxide ACGIH TLV 2 m	g/m3						
OSHA PEL 2 mg							
Sodium Metasilicate	-						
	ng/m3						
OSHA PEL 15 n PERSONAL PROTECTIVE EQUIF	ng/m3 MENT·						
	N: Wear safety glasses or g	oggles. from rubber, nitrile, or neoprene), clothing, and boots.					
		rotection is required, use an organic vapor & particulate car	tridge All respiratory programs				
	FR 1910.34 & ANSI Z88.2 re						
ENGINEERING CONTROLS:		4					
Good general ventilation	required.						
9. Physical & Chemical Propertie	s						
APPEARANCE:	Clear liquid.	EXPLOSIVE LIMIT RANGES:	Not available.				
Physical State:	Liquid.	EXPLOSIVE PROPERTIES:	Not available.				
Color:	Green.	OXIDIZING PROPERTIES:	Not available.				
ODOR:	Odorless.	VAPOR DENSITY:	Not available.				
ODOR THRESHOLD:	Not available.	VAPOR PRESSURE:	Not available.				
PH:	12-13 Not available.	RELATIVE DENSITY: SOLUBILITY (water):	1.02				
MELTING/FREEZING POINT: BOILING POINT:	Not available.	AUTO-IGNITION TEMP:	Complete. Not available.				
VISCOSITY:	Not available.	DECOMPOSITION TEMP:	Not available.				
FLASH POINT:	None.	PARTITION COEFFICIENT (n-octanol/water):	Not available.				
EVAPORATION RATE:	Not available.	VOC CONTENT (Wt %):	0				
10. Stability & Reactivity Informa	tion						
REACTIVITY:							
	of storage and use, hazardou	us reactions will not occur.					
CHEMICAL STABILITY:	0						
Stable under normal con	ditions.						
INCOMPATIBLE MATERIALS:							
Acids and strong oxidize CONDITIONS TO AVOID:	5.						
High temperatures.							
DECOMPOSITION PRODUCTS:							
CO, CO2.							
11. Toxicological Information							
PRIMARY ROUTE OF ENTRY:							
Skin contact, eye contac							
ACUTE/POTENTIAL HEALTH EF	FECTS:						
	ritation experienced as disco	mfort or pain, excess blinking, tear production with redness	and swelling of the				
conjunctiva.	aquaa aliabt imitation Desta	ngod pontoot may pause more asylars initeties with a starting	ool rodnooo awalling and				
SKIN: Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness, swelling, and possible tissue destruction.							
	or concentrations may be irrit	ating to respiratory tract.					
	-DUTY DEGREASER		Pro Chem Inc				

INGESTION: May be harmful or fatal if swallowed. Corrosive. Can cause severe burns and complete tissue perforation of mucous membranes, mouth, throat, and stomach.

CHRONIC/LONG TERM EFFECTS:

None known. TARGET ORGAN EFFECTS:

Lungs and upper respiratory tract, gastrointestinal tract, eyes, skin.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data.

CARCINOGENIC INFORMATION:

This material is not listed as a carcinogen by IARC, NTP, or OSHA.

ACUTE TOXICITY VALUES:

Potassium Hydroxide: Oral - LD50, rat 273 mg/Kg

12. Ecological Information

Potassium Hydroxide:

Fish LC50, Western mosquitofish (Gambusia affinis), 80 mg/l, 96 hr.

13. Disposal Consideration

Waste must be disposed of in accordance with federal, state, and local environmental control regulations. See label for further instructions.

14. Transportation Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN NUMBER: 3266

PROPER SHIPPING NAME: Corrosive Liquid, Basic, Inorganic, n.o.s. (contains Sodium Metasilicate) CLASS: 8

PACKING GROUP:

15. Regulatory Information

CERCLA RQ (40 CFR 302)

Potassium Hydroxide 1000 lbs

If identified components of this product are **CERCLA** hazardous substances and/or listed under **Sections 302, 304, or 313 of Title III** of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under **California Proposition 65** (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic () Fire () Pressure () Reactive () Not Applicable ()

T.S.C.A. Status: All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements. RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s) D002

16. Other Information

N/A = Not Applicable; N/D = Not Determined

HMIS	Health Hazards: 1	Flammability: 0	Physical hazards: 0	Personal protection: B

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.