



SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER: 3857 **COMPANY PHONE:** 1-800-241-8180
PRODUCT NAME: HAZMAT SPILL KIT **EMERGENCY TELEPHONE:** 1-800-241-8180
PRODUCT DESCRIPTION: Pads **INFOTRAC:** 1-800-535-5053
COMPANY INFORMATION: **PRO CHEM, INC.**
1475 Bluegrass Lakes Parkway
Alpharetta, GA 30004

2. Hazards Identification

GHS CLASSIFICATION:
Not a controlled product under GHS.

SIGNAL WORD:
N/A

SYMBOL:



HAZARD STATEMENTS:

None.

PRECAUTIONARY STATEMENTS:

None.

HAZARDS NOT OTHERWISE CLASSIFIED:

None.

3. Composition / Information on Ingredients

Chemical Name	Amount %	CAS	OSHA		ACGIH	
			TWA	STEL	TWA	STEL
Polypropylene	98.3	9003-07-0	Not available.	Not available.	Not available.	Not available.
Surfactant	1.4	N/A	Not available.	Not available.	Not available.	Not available.
Gray Pigment	0.3	N/A	Not available.	Not available.	Not available.	Not available.

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: None.

EYES: Flush with water for 15 minutes. Seek medical attention if needed.

SKIN: Not applicable.

INHALATION:

Not applicable.

INGESTION:

Not applicable.

5. Fire Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Unused form: Not applicable.

Used form: That which is compatible to liquid(s) absorbed.

UNUSUAL FIRE HAZARDS:

None.

HAZARDOUS COMBUSTION PRODUCTS:

When heated above the melting point: carbon monoxide, carbon dioxide, acrolein, ketones, aldehydes and other unidentified organic compound.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

None.

ENVIRONMENTAL PRECAUTIONS:

None.

METHODS & MATERIALS FOR CONTAINMENT & CLEAN-UP:

Unused sorbent may be disposed of as a non-hazardous material.

7. Handling and Storage

SAFE HANDLING:

None.

SAFE STORAGE & INCOMPATIBILITIES:

Store in a cool, dry place not exposed to sunlight.

8. Exposure Controls / Personal Protection**EXPOSURE LIMITS:**

None.

COMMENTS:

No exposure hazards.

PERSONAL PROTECTIVE EQUIPMENT:

Not required. See SDS of liquid to be cleaned up.

Eye/Face Protection: Not required. See SDS of liquid to be cleaned up.**Skin Protection:** Not required. See SDS of liquid to be cleaned up.**ENGINEERING CONTROLS:**

Not required.

9. Physical & Chemical Properties

Appearance/form:	Pads.	Solubility (water):	Insoluble.
Color:	Gray, yellow.	Auto-Ignition Temp:	675°F (357°C)
Odor:	No odor.	Vapor Pressure:	Not applicable.
pH:	Not applicable.	Danger of Explosion:	None known.
Melting Point:	>320°F	Explosive Limits:	Not applicable.
Flammability:	Not applicable.	Flash Point:	Not applicable.

10. Stability & Reactivity Information**STABILITY:**

Material is stable.

HAZARDOUS DECOMPOSITION:

When heated to melting point, may emit toxic fumes.

11. Toxicological Information**TOXICOLOGICAL DATA:**

Nontoxic.

HEALTH EFFECTS:

None known.

12. Ecological Information

No data available.

13. Disposal Consideration**DISPOSAL METHODS:**

If Unused - None. Disposal must be in accordance with local, state, & federal regulation. Refer to liquid cleaned up.

WASTE CATEGORY:

Not determined.

14. Transportation Information**LAND:** Not regulated by US DOT.**SEA:** Not determined.**AIR:** Not regulated by IATA.**15. Regulatory Information****CERCLA:** Comprehensive Environmental Response Compensation and Liability Act: No Reportable Quantity.**OSHA 29 CFR 1910.1200:**

No listed ingredients.

SARA Title III:

No listed ingredients.

TSCA: Ingredients are on the inventory list.**16. Other Information****N/A = Not Applicable; N/D = Not Determined****DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.



SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	3857	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	HAZMAT SPILL KIT	EMERGENCY TELEPHONE:	1-800-241-8180
PRODUCT DESCRIPTION:	Safety Sorbent	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION: This material does not contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	SIGNAL WORD: N/A	SYMBOL:	
--	----------------------------	----------------	--

HAZARD STATEMENTS:
HNOC: Do Not Use On (hf) hydrofluoric acid or compounds containing (hf).

PRECAUTIONARY STATEMENTS:
Prevention: None.
Response: Sweep up and dispose of in accordance with local, state & federal regulation.
This product **does not** contain carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.
This material **does not** contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects:
None.
This product is **nonhazardous** as defined by CFR 1910.1200.
All elements are chemically and physically bound. This product is certified free of respirable silica using NIOSH Method #7500 & X-ray Defraction Testing.

Typical chemical analysis:
SiO₂ (66-72%) | Al₂O₃ (11-17%) | Fe₂O₃ (2-4%) | CaO (1-4%) | K₂O (1.5-4.7%) | Na₂O (3-5%)

3. Composition / Information on Ingredients

Chemical Name	Amount %	CAS	OSHA		ACGIH	
			TWA	STEL	TWA	STEL
Amorphous Mineral Silicate	99.98		Not available.	Not available.	Not available.	Not available.
Proprietary anti-dusting compound	0.011		Not available.	Not available.	Not available.	Not available.

4. First Aid Measures

EMERGENCY OVERVIEW

EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

SKIN: Wash off with soap and plenty of water.

INHALATION:
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if necessary.

INGESTION:
Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician if necessary.

5. Fire Fighting Measures

Material is nonflammable.

SUITABLE FIRE EXTINGUISHING MEDIA:
Not available.

PRODUCTS OF COMBUSTION:
Hazardous decomposition products formed under fire conditions – Not Available.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:
Under normal conditions, none required. If dusty, use a NIOSH approved nuisance dust respirator (N95 or equal)

ENVIRONMENTAL PRECAUTIONS:
Unused sorbent may be used as a soil additive.

METHODS & MATERIALS FOR CONTAINMENT & CLEAN-UP:
Sweep up and dispose of according to local, state, & federal regulations. Unused sorbent may be used as a soil additive.

7. Handling and Storage

SAFE HANDLING:
Avoid creating dust.

SAFE STORAGE & INCOMPATIBILITIES:
Keep container dry & tightly closed & sealed until ready for use.

8. Exposure Controls / Personal Protection

PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face Protection: Not normally required. Safety glasses with side shields are recommended as minimum protection in industrial settings.

Skin Protection: Hand: Not normally required. Body: Not normally required.

Respiratory Protection: Not normally required. Wear appropriate respirator when ventilation is inadequate.

ENGINEERING CONTROLS:

Under normal conditions, none required. If dusty, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of dust below their respective threshold limit value for nonhazardous nuisance dust.

9. Physical & Chemical Properties

Appearance:		Flammable Limits:	Not available.
Physical State:	Granular.	Solubility (water):	Negligible.
Color:	Gray.	Auto-Ignition Temp:	Not available.
Odor:	Odorless.	Decomposition Temp:	Not available.
pH:	Not available.	Partition Coefficient (n-octanol/water):	Not available.
Melting Point:	2300°C	Evaporation Rate:	Not available.
Freezing Point:	0°C	Specific Gravity:	Not available.
Flash Point:	Not available.	Vapor Density:	Not available.
Boiling Range:	Not available.	Vapor Pressure:	Not available.

10. Stability & Reactivity Information

STABILITY:

This material is considered stable.

HAZARDOUS REACTIONS:

This product will not undergo polymerization.

INCOMPATIBLE MATERIALS:

Hydrofluoric acid (hf) Contact with (hf) will produce highly toxic silicon tetrafluoride gas.

CONDITIONS TO AVOID:

No data available.

HAZARDOUS DECOMPOSITION:

None.

11. Toxicological Information

ACUTE EFFECTS:

None.

CHRONIC EFFECTS:

None.

12. Ecological Information

ECOTOXICITY:

N/A

13. Disposal Consideration

Dispose of in accordance with local, state, and federal regulations.

14. Transportation Information

Not regulated as a dangerous good.

15. Regulatory Information

TSCA INVENTORY:

This product and/or its components are not listed on the Toxic Substances Control Act (TSCA) inventory.

SARA 302/304:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355. Not listed.

CERCLA: The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: Not listed.

SARA 311/312 HAZARD:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: Non Hazardous.

SARA 313: SARA 313: This material **does not** contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 Components

This product **does not** contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information**N/A = Not Applicable; N/D = Not Determined**

NFPA	Health Hazards: 0	Flammability: 0	Instability: 0	Physical & Chemical Properties:
HMIS	Health Hazards: 0	Flammability: 0	Physical hazards: 0	Personal protection:

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.



SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	3857	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	HAZMAT SPILL KIT	EMERGENCY TELEPHONE:	1-800-241-8180
PRODUCT DESCRIPTION:	Sock	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION: This material does not contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	SIGNAL WORD: N/A	SYMBOL:	
--	----------------------------	----------------	--

HAZARD STATEMENTS:
None.

PRECAUTIONARY STATEMENTS:
Prevention: None.
Response: Sweep up and dispose of in accordance with local, state & federal regulation.
This product **does not** contain carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.
This material **does not** contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects:
None.
This product is **nonhazardous** as defined by CFR 1910.1200.
All elements are chemically and physically bound. This product contains less than 0.1% crystalline silica and an even lower percentage 0.05% of particles of respirable size.

3. Composition / Information on Ingredients

Chemical Name	Amount %	CAS	OSHA		ACGIH	
			TWA	STEL	TWA	STEL
spunlaced fabric skin	11		Not available.	Not available.	Not available.	Not available.
Sodium Potassium Aluminum Silicate	89	93763-70-3	Not available.	Not available.	Not available.	Not available.

4. First Aid Measures

EMERGENCY OVERVIEW

EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

SKIN: Wash off with soap and plenty of water.

INHALATION:
No Inhalation risk unless Sock/Pillow skin is broken. Treat as a nuisance dust. Never give anything by mouth to an unconscious person. Rinse mouth with water.

INGESTION:
Consult a physician if necessary.

5. Fire Fighting Measures

Material is nonflammable.

SUITABLE FIRE EXTINGUISHING MEDIA:
Not available.

SPECIAL FIRE FIGHTING PROCEDURES:
Wear self-contained breathing apparatus for firefighting if necessary.

PRODUCTS OF COMBUSTION:
Hazardous decomposition products formed under fire conditions – Not Available.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:
Under normal conditions, none required. If dusty, use a NIOSH approved nuisance dust respirator (N95 or equal).

ENVIRONMENTAL PRECAUTIONS:
None. Unused sorbent may be used as a soil additive.

METHODS & MATERIALS FOR CONTAINMENT & CLEAN-UP:
Sweep up and dispose of according to local, state, & federal regulations. Unused sorbent may be used as a soil additive.

7. Handling and Storage

SAFE HANDLING:
Avoid breaking sock/pillow skin.

SAFE STORAGE & INCOMPATIBILITIES:
Keep container dry & tightly closed & sealed until ready for use.

8. Exposure Controls / Personal Protection

PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face Protection: Not normally required. Safety glasses with side shields are recommended as minimum protection in industrial settings.

Skin Protection: Hand: Not normally required. Body: Not normally required.

Respiratory Protection: Not normally required. Wear appropriate respirator when ventilation is inadequate.

ENGINEERING CONTROLS:

Under normal conditions, none required. If dusty, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of dust below their respective threshold limit value for nonhazardous nuisance dust.

9. Physical & Chemical Properties

Appearance:		Flammable Limits:	Not available.
Physical State:	Granular.	Solubility (water):	Negligible.
Color:	White.	Auto-Ignition Temp:	Not available.
Odor:	Odorless.	Decomposition Temp:	Not available.
pH:	Not available.	Octanol/water partition Coeff (Kow):	Not available.
Melting Point:	2300°C.	Evaporation Rate:	Not available.
Freezing Point:	Not available.	Specific Gravity:	2.35
Flash Point:	Not available.	Boiling Range:	Not available.
Vapor Pressure:	Not available.	Vapor Density:	Not available.

10. Stability & Reactivity Information

STABILITY:

This material is considered stable.

HAZARDOUS REACTIONS:

Hydrofluoric acid (hf) Toxic silicon tetrafluoric gas will result with contact with hydrofluoric acid.

INCOMPATIBLE MATERIALS:

Hydrofluoric acid (hf) Toxic silicon tetrafluoric gas will result with contact with hydrofluoric acid.

CONDITIONS TO AVOID:

No data available.

HAZARDOUS DECOMPOSITION:

See above.

11. Toxicological Information

ACUTE EFFECTS:

None.

CHRONIC EFFECTS:

None.

12. Ecological Information

ECOTOXICITY:

N/A

13. Disposal Consideration

Dispose of in accordance with local, state, and federal regulations.

14. Transportation Information

Not regulated as a dangerous good.

15. Regulatory Information

TSCA Inventory Sorbent filler is included as a naturally occurring mineral, not chemically modified.

SARA 302/304 The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355: Not listed.

CERCLA The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: **not listed.**

SARA 311/312 Hazard The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: **Non Hazardous.**

SARA 313: SARA 313: This material **does not** contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 Components:

This product **does not** contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information

N/A = Not Applicable; N/D = Not Determined

NFPA	Health Hazards: 0	Flammability: 0	Instability: 0	Physical & Chemical Properties:
HMIS	Health Hazards: 0	Flammability: 0	Physical hazards: 0	Personal protection:

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.