

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For Cleaning: For cleaning food handling equipment and utensils, use 1 (one) ounce per gallon. Rinse thoroughly with potable water. Prepare a fresh solution for each use.

For Disinfecting: To disinfect hard inanimate surfaces (such as walls, floors, table tops) add 2 1/2 ounces per gallon of water. Apply solution with mop, cloth, sponge or mechanical spray as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

For heavily soiled areas, a precleaning step is required and recommended. Prepare a fresh solution for each step. Do not mix with soap or anionic solutions. Product is noncorrosive in use dilutions on inanimate surfaces.

Recommended for the disinfecting and deodorizing of: walls, floors, desks, fixtures, toilet seats and sinks.

Recommended as a disinfectant and deodorant in: hospitals, clinics, nurseries, gyms, diet kitchens, isolation wards, operating rooms, restaurants, classrooms, offices, lounges, factories, food mills and farms.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.



LEMON SOLV

• CLEANER • DEODORIZER • DISINFECTANT

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	1.67%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....	1.67%
INERT INGREDIENTS.....	96.66%
TOTAL.....	100.00%

**Detergents used in this formulation are biodegradable.
Will not harm (hard) inanimate surfaces when used as directed.**

E.P.A. Reg. No. 3862-148-11861 E.P.A. Est. No. 3862-GA-1

WARNING

**KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

NOT FOR SALE OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

Net Contents: 1 Gallon (3.8 L)

FIRST AID

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for further treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN-Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: KEEP OUT OF REACH OF CHILDREN. Causes skin or eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

620141T984.1411

Sold by: PRO CHEM, INC. • P.O. BOX 1309 • ALPHARETTA, GA 30009 • TO REORDER CALL: 1-800-241-8180



LEMON SOLV

- Cleaner • Deodorizer
- Disinfectant

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides.....	1.67%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzylammonium chlorides.....	1.67%
INERT INGREDIENTS.....	96.66%
TOTAL	100.00%

Detergents used in this formulation are biodegradable. Will not harm (hard) inanimate surfaces when used as directed.

WARNING

**KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**

**NOT FOR SALE OR USE BY HOMEOWNERS
OR RESIDENTIAL USERS**

Net Contents: 5 Gallons (18.9 L)

E.P.A. Reg. No. 3862-148-11861 E.P.A. Est. No. 3862-GA-1

**Sold by: PRO CHEM, INC.
P.O. BOX 1309 • ALPHARETTA, GA 30009
TO REORDER CALL: 1-800-241-8180**

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For Cleaning: For cleaning food handling equipment and utensils, use 1 (one) ounce per gallon. Rinse thoroughly with potable water. Prepare a fresh solution for each use.

For Disinfecting: To disinfect hard inanimate surfaces (such as walls, floors, table tops) add 2 1/2 ounces per gallon of water. Apply solution with mop, cloth, sponge or mechanical spray as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

For heavily soiled areas, a precleaning step is required and recommended. Prepare a fresh solution for each step. Do not mix with soap or anionic solutions. Product is noncorrosive in use dilutions on inanimate surfaces.

Recommended for the disinfecting and deodorizing of: walls, floors, desks, fixtures, toilet seats and sinks.

Recommended as a disinfectant and deodorant in: hospitals, clinics, nurseries, gyms, diet kitchens, isolation wards, operating rooms, restaurants, classrooms, offices, lounges, factories, food mills and farms.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for further treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance then give artificial respiration preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN -Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.	

PRECAUTIONARY STATEMENTS:

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: KEEP OUT OF REACH OF CHILDREN. Causes skin or eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the EPA.