



# SAFETY DATA SHEET

1. Product and Company Identification			
<b>PRODUCT NUMBER:</b>	1215	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	MAGIC	<b>EMERGENCY TELEPHONE:</b>	1-800-535-5053
<b>PRODUCT DESCRIPTION:</b>	Heavy Duty Foaming Cleaner	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification				
<b>GHS CLASSIFICATION:</b> <b>Physical Hazards</b> Flammable aerosol: Category 1 <b>Health Hazards</b> Skin Corrosion/Irritation: Category 2 Serious Eye Damage/Eye Irritation: Category 2A	<b>SIGNAL WORD:</b> <b>DANGER</b>	<b>SYMBOL:</b>		

**HAZARD STATEMENTS:**  
Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS:**  
**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.  
**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water if skin irritation occurs: Get medical advice/attention. Specific information (see on this label). Take off contaminated clothing.  
**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**HAZARDS NOT OTHERWISE SPECIFIED:**  
None.

3. Composition / Information on Ingredients		
Chemical Name	CAS	Concentration % by Weight
Butane	106-97-8	5 - <10%
Octylphenoxy Polyethoxyethanol	9036-19-5	1 - <5%
Propane	74-98-6	1 - <5%
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2)	6834-92-0	1 - <3%
Phosphoric acid, sodium salt (1:3)	10101-89-0	1 - <5%
Ethanol, 2-butoxy-	111-76-2	1 - <5%

\*All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**COMPOSITION COMMENTS:**  
The components are not hazardous or are below required disclosure limits.  
**The exact concentration has been withheld as a trade secret.**

4. First Aid Measures	
<b>EMERGENCY OVERVIEW</b>	
<b>EYES:</b>	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
<b>SKIN:</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.
<b>INHALATION:</b>	Move to fresh air.
<b>INGESTION:</b>	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
<b>PERSONAL PROTECTION FOR FIRST-AID RESPONDERS:</b> Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA.	
<b>MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:</b> <b>Symptoms:</b> No data available. <b>Hazards:</b> No data available.	
<b>INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:</b> <b>Treatment:</b> Get medical attention if symptoms occur.	

## 5. Fire-Fighting Measures

### GENERAL FIRE HAZARDS:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

### SUITABLE FIRE EXTINGUISHING MEDIA:

Use fire-extinguishing media appropriate for surrounding materials.

### UNSUITABLE FIRE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Vapors may travel considerable distance to a source of ignition and flash back.

### SPECIFIC FIRE-FIGHTING METHODS:

No data available.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA.

## 6. Accidental Release Measures

### PERSONAL PRECAUTIONS:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

### ACCIDENTAL RELEASE MEASURES:

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

### ENVIRONMENTAL PRECAUTIONS:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

### METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

## 7. Handling and Storage

### TECHNICAL MEASURES (E.G. LOCAL AND GENERAL VENTILATION):

No data available.

### SAFE HANDLING:

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin.

### CONTACT AVOIDANCE MEASURES:

No data available.

### SAFE STORAGE & INCOMPATIBILITIES:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1.

### SAFE PACKAGING MATERIALS:

No data available.

### STORAGE TEMPERATURE:

No data available.

## 8. Exposure Controls / Personal Protection

### OCCUPATIONAL EXPOSURE LIMITS:

Chemical Identity	Type	Exposure Limit Values		Source
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended.
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended.
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended.
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended.
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.
Sodium hydroxide (Na(OH))	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended.
	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended.
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended.
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.
Benzene, 1,1'-oxybis- - Vapor.	STEL	2 ppm		US. ACGIH Threshold Limit Values, as amended.
	TWA	1 ppm		US. ACGIH Threshold Limit Values, as amended.
	REL	1 ppm	7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended.
	TWA	1 ppm	7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended.

	PEL	1 ppm	7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended.
--	-----	-------	---------	--

#### BIOLOGICAL LIMIT VALUES:

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL

#### PERSONAL PROTECTIVE EQUIPMENT:



**Eye/Face Protection:** Wear safety glasses with side shields (or goggles)

**Skin/Hand Protection:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Skin/Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

**General Hygiene Considerations:** Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product.

#### APPROPRIATE ENGINEERING CONTROLS:

No data available.

#### 9. Physical & Chemical Properties

<b>Physical State:</b>	Liquid	<b>Flammability(solid/gas):</b>	No data available.
<b>Form:</b>	Spray Aerosol	<b>Explosive Limit-Lower (%):</b>	No data available.
<b>Color:</b>	No data available.	<b>Explosive Limit-Upper (%):</b>	No data available.
<b>Odor:</b>	No data available.	<b>Vapor Density (AIR=1):</b>	No data available.
<b>Odor Threshold:</b>	No data available.	<b>Vapor Pressure:</b>	3,447 – 4,136 hPa (20°C)
<b>pH:</b>	No data available.	<b>Relative Density:</b>	No data available.
<b>Freezing Point:</b>	No data available.	<b>Kinematic Viscosity:</b>	No data available.
<b>Boiling Point/Range:</b>	No data available.	<b>Dynamic Viscosity:</b>	No data available.
<b>Viscosity:</b>	No data available.	<b>Solubility (water):</b>	No data available.
<b>Flash Point:</b>	-104.44°C	<b>Solubility (other):</b>	No data available.
<b>Density:</b>	No data available.	<b>Self-Ignition Temp:</b>	No data available.
<b>Evaporation Rate:</b>	No data available.	<b>Decomposition Temp:</b>	No data available.
<b>Explosive Properties:</b>	No data available.	<b>Partition Coeff(n-octanol/water):</b>	No data available.
<b>Oxidizing Properties:</b>	No data available.		

#### 10. Stability & Reactivity Information

##### REACTIVITY:

No data available.

##### CHEMICAL STABILITY:

Material is stable under normal conditions.

##### POSSIBILITY OF HAZARDOUS REACTIONS:

No data available.

##### CONDITIONS TO AVOID:

Avoid heat or contamination.

##### INCOMPATIBLE MATERIALS:

No data available.

##### HAZARDOUS DECOMPOSITION PRODUCTS:

No data available.

#### 11. Toxicological Information

##### INFORMATION ON LIKELY ROUTES OF EXPOSURE:

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye Contact:** No data available.

**Ingestion:** No data available.

##### SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye Contact:** No data available.

**Ingestion:** No data available.

##### INFORMATION ON TOXICOLOGICAL EFFECTS

###### ACUTE TOXICITY:

**Oral Product:** ATEmix: 53,829.44 mg/kg

**Dermal Product:** ATEmix: 66,368.16 mg/kg

**Inhalation Product:** ATEmix: 1,990.05 mg/l Vapour

ATEmix : 446.19 mg/l Dusts, mists and fumes

###### REPEATED DOSE TOXICITY:

**Product:** No data available.

<b>Components:</b>	
Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2) Ethanol, 2-butoxy-	NOAEL (Mouse(Female, Male), Oral, 90 d): 260 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Experimental result, Key study
<b>SKIN CORROSION/IRRITATION:</b>	
<b>Product:</b> No data available.	
<b>Components:</b>	
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2)	in vivo (Rabbit): Corrosive
Phosphoric acid, sodium salt (1:3)	estimated Irritating.
Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating.
<b>SERIOUS EYE DAMAGE/EYE IRRITATION:</b>	
<b>Product:</b> No data available.	
<b>Components:</b>	
Ethanol, 2-butoxy-	Rabbit, 24 - 72 hrs: Irritating
<b>RESPIRATORY SENSITIZATION:</b>	
<b>Product:</b> No data available.	
<b>SKIN SENSITIZATION:</b>	
<b>Product:</b> No data available.	
<b>Components:</b>	
Ethanol, 2-butoxy-	Skin sensitization: in vivo (Guinea pig): Non sensitizing
<b>CARCINOGENICITY</b>	
<b>Product:</b> No data available.	
<b>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:</b>	
No carcinogenic components identified.	
<b>US. National Toxicology Program (NTP) Report on Carcinogens:</b>	
No carcinogenic components identified.	
<b>U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:</b>	
No carcinogenic components identified.	
<b>GERM CELL MUTAGENICITY:</b>	
<b>In Vitro Product:</b> No data available.	
<b>In Vivo Product:</b> No data available.	
<b>REPRODUCTIVE TOXICITY:</b>	
<b>Product:</b> No data available.	
<b>SPECIFIC TARGET ORGAN TOXICITY -single exposure:</b>	
<b>Product:</b> No data available.	
<b>SPECIFIC TARGET ORGAN TOXICITY -repeated exposure:</b>	
<b>Product:</b> No data available.	
<b>ASPIRATION HAZARD:</b>	
<b>Product:</b> No data available.	
<b>OTHER EFFECTS:</b>	
No data available.	

<b>12. Ecological Information</b>	
<b>ECOTOXICITY:</b>	
<b>ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT:</b>	
<b>FISH</b>	
<b>Product:</b> No data available.	
<b>Components:</b>	
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Octylphenoxy Polyethoxyethanol	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 7.2 mg/l Mortality
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2)	LC 50 (Danio rerio, 96 h): 210 mg/l Experimental result, Key study LC 0 (Danio rerio, 96 h): 180 mg/l Experimental result, Key study
Phosphoric acid, sodium salt (1:3)	LC 50 (96 h): > 100 mg/l European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> - REACH registration dossiers submitted by companies to ECHA LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study
Ethanol, 2-butoxy-	
<b>AQUATIC INVERTEBRATES:</b>	
<b>Product:</b> No data available.	
<b>Components:</b>	
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Octylphenoxy Polyethoxyethanol	LC 50 (Water flea (Daphnia magna), 48 h): 7.5 - 9.8 mg/l Mortality
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), sodium salt (1:2)	EC 50 (Daphnia magna, 48 h): 1,700 mg/l Read-across based on grouping of substances (category approach), Key study ED 0 (Daphnia magna, 48 h): 100 mg/l Read-across based on grouping of substances (category approach), Key study
Phosphoric acid, sodium salt (1:3)	EC 50 (48 h): > 100 mg/l European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> - REACH registration dossiers submitted by companies to ECHA
Ethanol, 2-butoxy-	EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

**CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT:****FISH****Product:** No data available.**Components:**

Ethanol, 2-butoxy- NOAEL (Danio rerio): &gt; 100 mg/l Experimental result, Key study

**AQUATIC INVERTEBRATES:****Product:** No data available.**Components:**

Ethanol, 2-butoxy- EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study

**TOXICITY TO AQUATIC PLANTS****Product:** No data available.**Components:**Phosphoric acid, sodium salt (1:3) EC 50 (72 h): > 100 mg/l European Chemicals Agency, <http://echa.europa.eu/> - REACH registration dossiers submitted by companies to ECHA**PERSISTENCE AND DEGRADABILITY:****BIODEGRADATION****Product:** No data available.**Components:**Butane 100% (385.5 h) Detected in water. Experimental result, Key Study  
Propane 100% (385.5 h) Detected in water. Experimental result, Key study  
50% (3.19 d) Detected in water. QSAR, Weight of Evidence study  
Ethanol, 2-butoxy- 90.4% Detected in water. Experimental result, Key study**BOD/COD RATIO****Product:** No data available.**BIOACCUMULATIVE POTENTIAL:****Product:** No data available.**MOBILITY IN SOIL:****Components:**Butane No data available.  
Octylphenoxy Polyethoxyethanol No data available.  
Propane No data available.  
Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), sodium salt (1:2) No data available.  
Phosphoric acid, sodium salt (1:3) No data available.  
Ethanol, 2-butoxy- No data available.**OTHER ADVERSE EFFECTS:**

No data available.

**13. Disposal Consideration****DISPOSAL INSTRUCTIONS:**

Wash before disposal. Dispose to controlled facilities.

**CONTAMINATED PACKAGING:**

No data available.

**14. Transportation Information**

**DOT:** UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es):  
Class: 2.1  
Label(s): -  
EmS No.:

**Packing Group: II**  
**Special Precautions for User:** Not regulated.

**IATA:** UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es):  
Class: 2.1  
Label(s): -  
**Packing Group: -**  
**Special Precautions for User:** Not regulated.

**Other Information:**  
**Passenger and Cargo Aircraft:** Allowed. 203.  
**Cargo Aircraft Only:** Allowed. 203.

**IMDG:** UN Number: UN 1950  
UN Proper Shipping Name: Aerosols, flammable  
Transport Hazard Class(es):  
Class: 2  
Label(s): -  
EmS No.:

**Packing Group: -**  
**Special Precautions for User:** Not regulated.

## 15. Regulatory Information

### US FEDERAL REGULATIONS:

**Restrictions on use:** Not known.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

**Chemical Identity:**

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

RCRA HAZARDOUS WASTE NO. D001

SODIUM PHOSPHATE, TRIBASIC

GLYCOL ETHERS

Terpenes and Terpenoids, sweet orange-oil

SODIUM HYDROXIDE

Cyclohexene, 1-methyl-4-(1-methylethylidene)-

DIETHYL PHTHALATE

### SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):

**Hazard categories:**

Flammable aerosol, Skin Corrosion/Irritation, Serious Eye Damage/Eye Irritation

**US. EPCRA (SARA Title III) Section 304 Extremely hazardous Substances Reporting Quantities and the Comprehensive**

**Environmental Response, Compensation, and Liability Act (CERCLA) hazardous Substances**

**US.EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 FRE**

**372.65) – Supplier Notification Required**

**Chemical Identity:** % by weight

Ethanol, 2-butoxy- 1.0%

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

### US STATE REGULATIONS:

**US. California Proposition 65:**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act:**

**Chemical Identity:**

Butane

Propane

Phosphoric acid, sodium salt (1:3)

Ethanol, 2-butoxy-

**US. Massachusetts RTK - Substance List:**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances:**

**Chemical Identity:**

Butane

Propane

Phosphoric acid, sodium salt (1:3)

Ethanol, 2-butoxy-

**US. Rhode Island RTK:**

No ingredient regulated by RI Right-to-Know Law present.

### INTERNATIONAL REGULATIONS

**Montreal protocol:**

Not applicable.

**Stockholm convention:**

Not applicable.

**Rotterdam convention:**

Not applicable..

**Kyoto protocol:**

Not applicable

### INVENTORY STATUS:

Australia AICS	On or in compliance with the inventory.
EINECS, ELINCS or NLP	Not in compliance with the inventory.
Japan (ENCS) List	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Philippines PICCS	On or in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory.

## 16. Other Information

### DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.