POWER CLEAN #2603

Parts Cleaning Concentrate



Features:

- Cleans a wide range of soils including oil, grease, carbon, mortar adhesives, paints and inks
- Formulated with a rust inhibitor to prevent rusting of parts
- Safe for workers and nonflammable
- Reduces the generation of liquid, hazardous waste, solvent storage, transportation and disposal of hazardous waste
- Does not require reporting under RCRA or SARA and is not DOT regulated
- Low foaming

Description:

POWER CLEAN was developed to compete with hydrocarbon solvents. This parts cleaning concentrate dilutes 1:19 with water. It is a safe, highly effective, pH-neutral, water-based cleaning solution integrated with the natural power of microbial bioremediation. It is extremely safe and yet rivals solvents in performance, eliminates parts cleaning liquid waste stream and can save you money. It can be used on metals, plastics and many other materials. It has been certified by the South Coast Air Quality Management District (SCAQMD) in California as a "Clean Air Solvent." This certification is the most stringent ever imposed by a regulatory agency for solvent degreasing compounds and requires that the solution contains less than 50 g/L of volatile organic compounds (VOC's) and no EPA Hazardous Air Pollutants (HAP's), Ozone-Depleting Compounds (ODC's), or Global Warming Compounds (GWC's). It cleans by penetrating through the soils to the part surface, where it reverses the ions of the soils, releasing them from the part to be cleaned (surface active surfactants). Surfactant blend cleaners leave the surface clean but not damaged.



Applications:

Adhesives

- Oil
- Paints

- InksGrease
- Grease
 Carbon
- DirtMildew
- Algae

Product Characteristics:

Appearance:		Brown liquid
Odor: Boiling Point:		Neutral
Boiling Point: Vapor Pressure:		210°F
Vapor Pressure: Specific Gravity:		Not available
		1.083
Solubility (water):		Infinite
Relative Density:		Not available
Flash Point:		Not available
pH:		7.0
Flammability(solid/gas):		Not available
Storage:	Store in a dry, cool, and well-ventilated place. Keep container tightly closed and sealed when not in use. Store away from direct sunlight, extremely high or low temperatures, incompatible materials and food and drink. Store locked up.	
Transport Information:		
Proper Shipping Name:		Not regulated
UN Number:		Not regulated
Class:		Not regulated
Packing Group:		Not regulated

Directions:

Dilute to a 5% solution for parts cleaning (19 to 1). Directions for periodic (4 to 6 weeks) replenishment for evaporation and drag-outs are as follows:

Place 5 gallons of clean water in parts washer reservoir.
 Pour 1 quart of POWER CLEAN into parts washer reservoir.
 Place one, 1 oz. water-soluble pack of microbes in the reservoir.

Pictograms:



Signal Word: WARNING

Personal Protective Equipment Required:

