

1. Product and Company Identification

PRODUCT NUMBER: 2315 **COMPANY PHONE:** 1-800-241-8180

PRODUCT NAME: POWER POUCH DISINFECTANT EMERGENCY TELEPHONE: 1-800-241-8180

PRODUCT DESCRIPTION: Portion, Controlled, Disinfectant, Germicidal Detergent and Deodorant INFOTRAC: 1-800-535-5053

SIGNAL WORD:

DANGER

COMPANY INFORMATION: PRO CHEM, INC. EPA REG. NO: 10324-108-11861 1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification GHS CLASSIFICATION:

As SOLD:

Skin Corrosion 1C H314: Causes severe skin burns and eye damage.

Eye Damage 1 H318: Causes serious eye damage.

Acute Toxicity 4 H302: Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

As SOLD:

Corrosive; R34: Causes burns. Harmful R22: Harmful if swallowed.

At USE DILUTION: No pictogram.

Eye Irritant 2B, H320: Causes eye irritation.

Not classified.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

At USE DILUTION:

Xi: Irritant.

R36: Causes eye irritation.

Product as SOLD

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Product AT USE DILUTION

SYMBOL:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification System:

Hazard Pictograms:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company

Labeling according to Regulation (EC) No 1272/2008:

The product is classified and labeled according to

the CLP regulation.

i/\

Signal Word: DANGER.

Hazard-determining components of

labeling:

Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride decyldimethyloctylammonium chloride tetrasodium ethylenediaminetetraacetate

dimethyldioctylammonium chloride

HAZARD STATEMENTS: H302 Harmful if swallowed.

H314+H318 Causes severe skin burns and serious

eye damage.

PRECAUTIONARY STATEMENTS: P260 Do not breathe mist/spray.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this

product.

P303+P361+P353+P310: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately

call a poison center / doctor.

P363 Wash contaminated clothing before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if The mixture does not meet the criteria for classification.

None.

Warning.

Alkyl (C12,C14,C16) Dimethyl Benzyl

Ammonium Chloride

decyldimethyloctylammonium chloride tetrasodium ethylenediaminetetraacetate dimethyldioctylammonium chloride

H320 Causes eye irritation.

Wash hands thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical attention.

Product Name: POWER POUCH DISINFECTANT
Product Number: 2315

Revision Date: 10/8/2020

Pro Chem Inc
Page 1 of 8

present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+P330+P331 IF SWALLOWED: Rinse mouth.
Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients		
CHEMICAL NAME	CAS No	CONCENTRATION % BY Wt.
Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride	68424-85-1	2.5-10
Flammable Liquid 3, H226		
Flammable Liquid 3, H226		
Skin Corrosion 1B, H314; Eye Damage 1, H318		
(!)		
Acute Toxicity 3, H301 Decyldimethyloctylammonium chloride	32426-11-2	2.5-10
, - · · · · · · · · · · · · · · · · · ·	32420-11-2	2.5-10
Flammable Liquid 3, H226		
Fiammable Liquid 3, H226		
Skin Corrosion 1C, H314; Eye Damage 1, H318		
A Skill Collosion 10, 11314, Lye Damage 1, 11310		
Acute Toxicity 3, H301		
Ethanol	64-17-5	2.5-4
Flammable Liquid 2, H225		
Tetrasodium ethylenediaminetetraacetate	64-02-8	2.5-10
Eye Damage 1, H318		
<u>(1)</u>		
Acute Toxicity 4, H302	FF20 04 2	2.5.40
Dimethyldioctylammonium chloride	5538-94-3	2.5-10
Flammable Liquid 3, H226		
Flammable Liquid 3, H226		
Skin Corrosion 1B, H314; Eye Dam. 1, H318		
Skill Collosion 1D, 11014, Lyc Daill. 1, 11010		
Acute Toxicity 4, H302		
Didecyldimethylammonium chloride	7173-51-5	2.5-10
Skin Corrosion 1B, H314; Eye Damage 1, H318		
Acute Toxicity 4, H302		
Alcohols, C9-11, ethoxylated	68439-46-3	2.5-10
() () () () () () () () () ()		
Skin Irritant 2, H315, Eye Irritant 2A, H319	refer to postion 16	
Additional information: For the wording of the listed risk phrases r	elei to section 16.	

4. First Aid Measures		
	Product as SOLD	Product AT USE DILUTION
WARNING:	Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.	No special measures required.
INHALATION:	Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration.	Remove victim to fresh air and keep comfortable for breathing.
SKIN CONTACT:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.	If irritation occurs, rinse skin with water. If irritation persists, get medical attention.

Product Name: POWER POUCH DISINFECTANT

Pro Chem Inc Product Number: 2315 Revision Date: 10/8/2020 Page 2 of 8 Seek immediate medical help for blistering or open

wounds.

EYE CONTACT: Remove contact lenses if worn.

Rinse opened eye for several minutes under running

water. If symptoms persist, consult a doctor.

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get

medical attention.

No known effects.

INGESTION: Rinse out mouth and then drink plenty of water. Do NOT

induce vomiting; call for medical help immediately.

Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you

feel unwell.

MOST IMPORTANT

SYMPTOMS/EFFECTS, ACUTE AND

DELAYED:

Strong caustic effect on skin and mucous membranes.

Breathing difficulty.

Coughing. Headache. Dizziness.

Gastric or intestinal disorders.

Nausea.

HAZARDS: Danger of disturbed cardiac rhythm.

Danger of gastric perforation. Danger of severe eye injury.

Condition may deteriorate with alcohol consumption.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No further relevant information available.

Treat symptomatically.

5. Fire Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Use fire-extinguishing methods suitable to surrounding conditions.

UNSUITABLE FIRE EXTINGUISHING MEDIA:

None

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

During heating or in case of fire poisonous gases are produced.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Wear self-contained respiratory protective device.

Wear fully protective suit.

ADDITIONAL INFÓRMATION:

No further relevant information available.

6. Accidental Release Measures

PERSONAL PRECAUTIONS. PROTECTIVE EQUIPMENT AND **EMERGENCY PROCEDURES:**

Product as SOLD

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate

ventilation

ENVIRONMENTAL PRECAUTIONS:

METHODS AND MATERIALS FOR

CONTAINMENT AND CLEANING UP:

PRECAUTIONS FOR SAFE HANDLING:

Do not allow to enter sewers, surface or ground water. Inform respective authorities in case of seepage into

watercourse or sewage system.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose

contaminated material as waste according to item 13. Do not flush with water or aqueous cleansing agents Send for recovery or disposal in suitable receptacles.

REFERENCE TO OTHER SECTIONS: See Section 7 for information on safe handling. See

Section 8 for information on personal protection equipment. See Section 13 for disposal information. No known effects.

Product AT USE DILUTION

waterways.

entry into waterways.

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Use personal protective equipment as required.

Avoid contact of large amounts of spilled

material and run off with soil and surface

Large Spills: Flush area with water. Prevent

Small Spills: Wipe up with absorbent material.

7. Handling and Storage

Product as SOLD

Use only in well-ventilated areas. Prevent formation of

aerosols. Avoid splashes or spray in enclosed areas.

Information about fire - and explosion

protection:

No special measures required.

Product AT USE DILUTION

No special measures required.

No special measures required.

Product Name: POWER POUCH DISINFECTANT

Pro Chem Inc Product Number: 2315 Revision Date: 10/8/2020 Page 3 of 8

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Requirements to be met by storerooms

and receptacles:

Provide ventilation for receptacles. Avoid storage near

extreme heat, ignition sources or open flame.

Information about storage in one

common storage facility:

Store away from foodstuffs. Store away from oxidizing agents.

Do not store together with acids.

Further information about storage

conditions:

Store in cool, dry conditions in well-sealed receptacles.

Protect from freezing.

SPECIFIC END USE(S): No further relevant information available. Keep out of reach of children.

No storage precautions necessary.

No storage precautions necessary.

8. Exposure Controls / Personal Protection

Product as SOLD

CONTROL PARAMETERS:

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol	
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (CANADA)	Short-term value: 1000 ppm
EV(CANADA)	Long-term value: 1,900 mg/m³, 1,000 ppm
LMPE (MEXICO)	Long-term value: 1,900 mg/m³, 1,000 ppm A4

ADDITIONAL INFORMATION:

The lists valid during the making were used as basis.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:

Pregnant women should strictly avoid inhalation or skin contact. The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

RESPIRATORY PROTECTION:

Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or

mist is formed.

SKIN PROTECTION:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the

glove material on consideration of the penetration times, rates

of diffusion and the degradation.

The selection of the suitable gloves does not only depend on Material of gloves:

the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to

be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Gloves made of the following materials are suitable:

Neoprene gloves Butyl rubber, BR Nitrile rubber, NBR

EYE PROTECTION:

Safety glasses.

BODY PROTECTION:

Not required under normal conditions of use. Protection may

be required for spills.

LIMITATION ANDSUPERVISION OF **EXPOSURE INTO THE ENVIRONMENT:**

No further relevant information available.

Product AT USE DILUTION

Not applicable.

Not required under normal conditions of use.

A respirator is not required under normal and intended conditions of use.

No protective equipment is needed under normal conditions.

No protective equipment is needed under normal

conditions.

No protective equipment is needed under normal

conditions.

No protective equipment is needed under normal

conditions.

No protective equipment is needed under normal

conditions.

No protective equipment is needed under normal

Pro Chem Inc

Page 4 of 8

conditions.

No further relevant information available.

Product Name: POWER POUCH DISINFECTANT Product Number: 2315 Revision Date: 10/8/2020 9. Physical & Chemical Properties

FORM:

Product as SOLD APPEARANCE:

Liquid. Liquid. Light red.

Product AT USE DILUTION

COLOR: Red. Pleasant. Pleasant. ODOR: **ODOR THRESHOLD:** Not determined. Not determined. pH at 20°C: 8.0 ± 0.5 for concentrate. 7.0 ± 0.5

MELTING POINT/RANGE: Undetermined. Not applicable. **INITIAL BOILING POINT/RANGE:** 212°F (100°C) 100°C/212°F >212°F/>100°C **FLASH POINT:** Not determined. FLAMMABILITY (solid/gas): Not applicable. Not applicable.

Not determined. **IGNITION TEMPERATURE:** Not applicable. **DECOMPOSITION TEMPERATURE:** Not determined. Not determined.

Product is not self-igniting. Product is not self-igniting. **SELF-IGNITING:**

DANGER OF EXPLOSION: Product is not explosive. However, formation Product does not present an explosion

of explosive air/vapor mixtures are possible. hazard. **EXPLOSION LIMITS:**

Not determined. Lower: Not determined. Upper: Not determined. Not determined. VAPOR PRESSURE @ 20°C: 23 hPa Not determined. DENSITY @ 20°C: 0.9992 g/cm3 (8.338 lbs/gal) 1.00 g/cm³ RELATIVE DENSITY: Not determined. Not determined. Not applicable. Not applicable. VAPOR DENSITY: **EVAPORATION RATE:** Not applicable. Not applicable.

Easily soluble. Complete. SOLUBILITY (water): PARTITION COEFFICIENT (n-octanol/water): Not determined. Not determined.

VISCOSITY: 100 mPas Not determined. Dynamic: Not applicable. Kinematic: Not determined.

OTHER INFORMATION: No further relevant information available No further relevant information available.

10. Stability & Reactivity Information

REACTIVITY:

Not determined.

POSSIBILITY OF HAZARDOUS REACTIONS:

Toxic fumes may be released if heated above the decomposition point.

Reacts with many consumer products, releasing chlorine or chlorine oxide gas.

Exothermic reaction with acids.

Reacts with certain metals.

Contact with acids releases toxic gases.

Reacts with strong oxidizing agents.

CHEMICAL STABILITY:

Thermal decomposition/conditions to be avoided: No decomposition if used and stored according to specifications. Keep away from heat and direct sunlight.

INCOMPATIBLE MATERIALS:

Caution! Do not use in conjunction with other products. Dangerous gases (chlorine) may be given off.

Contact with acids liberates toxic gases.

Strong oxidizing agents.

CONDITIONS TO AVOID:

Store away from oxidizing agents.

DECOMPOSITION PRODUCTS:

Hydrogen chloride (HCI)

Chlorine

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

11. Toxicological Information

Product AT USE DILUTION Product as SOLD ACUTE TOXICITY: 809 mg/kg (Rat) Nontoxic at use-dilution.

PRIMARY IRRITANT EFFECT:

SKIN CONTACT: Caustic effect on skin and mucous membranes. Non-hazardous at use-dilution. **EYE CONTACT:** Strong irritant with the danger of severe eye injury. Non-hazardous at use-dilution. SENSITIZATION: No sensitizing effects known. No sensitizing effects known.

TOXICOLOGICAL INFORMATION:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

> Harmful Not classified Corrosive No known significant effects or critical hazards.

Swallowing will lead to a strong caustic effect on

mouth and throat and to the danger of perforation

of esophagus and stomach.

Product Name: POWER POUCH DISINFECTANT Pro Chem Inc Product Number: 2315 Revision Date: 10/8/2020 Page 5 of 8 Acute effects (acute toxicity, irritation and

corrosivity):

Danger through skin absorption.

Non-hazardous at use-dilution.

Carcinogenic Categories:

NTP (National Toxicology Program): None of the ingredients is listed.

Not applicable.

12. Ecological Information

ACUTE TOXICITY:

Toxic for aquatic organisms.

PERSISTENCE AND DEGRADABILITY:

The product is partially biodegradable. Significant residuals remain.

BIOACCUMULATIVE POTENTIAL:

No further relevant information available.

MOBILITY IN SOIL:

No further relevant information available.

ECOTOXICAL EFFECTS:

Remark: Inhibition of the development of the biomass. Toxic for algae.

GENERAL NOTES:

Water Hazard Class (Self-classification) in the concentrate.

This statement was deduced from the properties of the single components.

Water hazard class 2 (German Regulation) (Self-assessment): Hazardous for water.

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

RESULTS OF PBT AND vPvB ASSESSMENT:

PBT: Not applicable. vPvB: Not applicable. **OTHER ADVERSE EFFECTS:**

No further relevant information available.

13. Disposal Consideration

Product as SOLD

Product AT USE DILUTION

DISPOSAL INSTRUCTIONS: Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned

with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

CONTAMINATED PACKAGING: Disposal must be made according to official regulations. Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

Diluted product can be flushed to sanitary

sewer. Discard empty container in trash.

14. Transportation Information

PRODUCT AS SOLD

UN-NUMBER:

DOT, ADR, ADN, IMDG, IATA: UN1903

UN PROPER SHIPPING NAME:

DOT (ST-2145, ST-2146): UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium chloride), 8, PG II

DOT (ST-756, ST-757, ST-758, ST-760): UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III, LTD.

ADR: UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III

IMDG, IATA: UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III

TRANSPORT HAZARD CLASS(es):

This product can ship as Limited Quantity if packaged in ≤0.3 gallons (1.0 Liter) containers (Non Hazardous)

DOT (ST-756, ST-757, ST-758, ST-760):



Class: N/A Label: LTD QTY

ADR (ST-2145, ST-2146):



Class: 8 (C9) Corrosive substances

Label: 8

IMDG, IATA (ST-2145, ST-2146)



Class: 8 Corrosive substances

Label: 8

PACKING GROUP:

DOT, ADR, IMDG, IATA: III

Product Name: POWER POUCH DISINFECTANT Pro Chem Inc Product Number: 2315 Revision Date: 10/8/2020 Page 6 of 8 **ENVIRONMENTAL HAZARDS:**

Marine pollutant: No.

SPECIAL PRECAUTIONS FOR USER: Warning: Corrosive Substances

Danger Code: 80 EMS Number: F-A, S-B

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

Not applicable.

Transport/Additional information:

ADR:

Limited quantities (LQ): 1L Transport category: 3 Tunnel restriction code: E

UN "MODEL REGULATION":

UN "Model Regulation": (ST-756, ST-757, ST-758, ST-760):

UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III, LTD. QTY.

UN "Model Regulation": (ST-2145, ST-2146):

UN1903, disinfectants, liquid, corrosive, n.o.s. (quaternary ammonium compound), 8, PG III

PRODUCT AT USE DILUTION

Not intended for transport.

15. Regulatory Information

US FEDERAL REGULATIONS:

SARA

Product AT USE DILUTION Product as SOLD

Section 355 (extremely hazardous None of the ingredients is listed. Not applicable.

substances):

Section 313 (Specific toxic chemical listings): None of the ingredients is listed. None of the ingredients is listed.

TSCA (Toxic Substances Control Act): All ingredients are listed. All ingredients are listed.

PROPOSITION 65 (CALIFORNIA):

Chemicals known to cause cancer: None of the ingredients is listed. None of the ingredients is listed.

Chemicals known to cause reproductive

toxicity for females:

None of the ingredients is listed. None of the ingredients is listed.

Chemicals known to cause reproductive

toxicity for males:

None of the ingredients is listed. None of the ingredients is listed.

Chemicals known to cause developmental

toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable

for product. 64-17-5 ethanol

CARCINOGENIC CATEGORIES:

None of the ingredients is listed. **EPA (Environmental Protection Agency):**

IARC (International Agency for Research on

Cancer):

64-17-5 ethanol 1

None of the ingredients is listed.

TLV (Threshold Limit Value established by

ACGIH):

64-17-5 ethanol A3

None of the ingredients is listed.

None of the ingredients is listed.

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational

Safety and Health):

None of the ingredients is listed.

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health

Administration):

All ingredients are listed.

All ingredients are listed.

All ingredients are listed.

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian Ingredient Disclosure list (limit

64-17-5 ethanol

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%):

None of the ingredients is listed.

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant Phrases:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

Product Name: POWER POUCH DISINFECTANT Pro Chem Inc Product Number: 2315 Revision Date: 10/8/2020 Page 7 of 8 H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R22 Harmful if swallowed.

R34 Causes burns.

R41 Risk of serious damage to eyes.

Abbreviations and Acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.