

# PRO-CIDE #1533

Aerosol Insecticide for Both Flying & Crawling Insects



## Features:

- Water-based, micro-emulsion insecticide
- Controls ants and cockroaches for up to four weeks
- Kills lice and their eggs
- For use on bedding, furniture and other inanimate objects infested with lice
- Kills bedbugs
- Safe to be used on livestock and their premises
- Residual contact and space spray
- Controls fleas and ticks



## Description:

This residual product represents the future of modern insecticide products. PRO-CIDE is a water-based formula that is extremely versatile. It is a dual-purpose insecticide capable of effectively controlling both flying and crawling insects in commercial, industrial and agricultural settings.

## Effective Against:

- Ants
- Centipedes
- Fleas
- Sowbugs
- House Flies
- Rice Weevils
- Ticks
- Crickets
- Cockroaches
- Lice & Their Eggs
- Moths
- Mosquitoes
- Carpet Beetles
- Red Flour Beetles
- Bedbugs
- Pillbugs
- Grain Mites
- Skipper Flies
- Silverfish
- Fruit Flies
- Wasps
- Hornets
- Scorpions
- Saw-Toothed Grain Beetles
- Palmetto Bugs
- Gnats
- Millipedes
- Blow Flies
- Waterbugs
- Flour Beetles
- Spiders
- Granary Weevils

## For Use By:

- Factories
- Housing Authorities
- Warehouses
- Food Processing Plants
- Industrial Plants
- Hotels/Motels
- Hospitals
- Municipalities
- Correctional Facilities

## Product Characteristics:

Appearance:	Milky emulsion
Odor:	Vanilla
Relative Density:	0.9
VOC Content (wt %):	12
Vapor Pressure:	Not available
Solubility (water):	Emulsifies
pH:	7-9
Flash Point:	>170°F (liquid portion)
Boiling Point:	Not available
Decomposition Temp:	Not available
Storage:	Store in well-ventilated place. Protect from sunlight. Do not exposure to temperatures exceeding 50°C/122°F. Store locked up.
<b>Transport Information:</b>	
UN Number:	UN1950
Proper Shipping Name:	Aerosols, flammable
Class:	2.1
Packing Group:	-

## Directions:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- SHAKE WELL BEFORE USING!
- Remove protection cap, hold container upright, direct orifice toward the surface to be treated and press the actuator button.

## Active Ingredients:

- Permethrin: 0.25%

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking. Do not allow pets or children to contact treated surfaces until spray has dried. Do not allow spray to contact food, feedstuffs or water supplies.

## Pictograms:



## Signal Word:

WARNING

## Personal Protective Equipment Required:



## DOT Placard:



## VOC Compliant:

Yes.






# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	1533	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	PRO-CIDE	<b>EMERGENCY TELEPHONE:</b>	1-800-241-8180
<b>PRODUCT DESCRIPTION:</b>	Aerosol Insecticide For Both Flying And Crawling Insects	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> Skin Irritation: Category 2 Eye Irritation: Category 2 Skin Sensitization: Category 1 Flammable Aerosols: Category 2 Gasses under pressure : Liquefied gas	<b>SIGNAL WORD:</b> <b>WARNING</b>	<b>SYMBOL:</b>			
--	---------------------------------------	----------------	--	---	---

### HAZARD STATEMENTS:

Keep out of reach of children.  
Read label and SDS before use.  
Flammable aerosol.  
Contains gas under pressure; may explode if heated.  
May cause an allergic skin reaction.  
Causes skin and serious eye irritation.

### PRECAUTIONARY STATEMENTS:

#### Prevention:

Avoid breathing mist/spray.  
Wash hands thoroughly after handling.  
Wear protective gloves.  
Wear eye or face protection.  
Contaminated clothing must not be allowed out of the workplace.  
Keep away from heat, sparks, open flames, and hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source.  
Pressurized container: Do not pierce or burn, even after use.

#### Response:

IF SWALLOWED: Immediately call a poison center or a doctor. Do NOT induce vomiting.  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation or rash occurs, get medical attention.  
Take off contaminated clothing and wash before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical attention.

#### Storage:

Store in a well-ventilated place.  
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
Store locked up.

**Disposal:** Dispose of contents and container in accordance with all local, regional, and national regulations.

### HAZARDS NOT OTHERWISE SPECIFIED:

Not applicable.

## 3. Composition / Information on Ingredients

CHEMICAL NAME	CAS	CONCENTRATION % by WEIGHT
Isobutane	75-28-5	>=5 <= 10
Hydrotreated petroleum distillate	64742-47-8	>=3 <= 7
Propane	74-98-6	>=1 <= 5
Permethrin	52645-53-1	=0.25

## 4. First Aid Measures

### EMERGENCY OVERVIEW

**WARNING:** Flammable. Contents under pressure. May be harmful if swallowed. Keep away from heat and flame. Can cause nervous system depression.

**EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention. Take off contaminated clothing and wash it before reuse.

### INHALATION:

Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

### INGESTION:

Harmful or fatal if swallowed. Seek medical attention immediately.

## 5. Fire-Fighting Measures

### SUITABLE FIRE EXTINGUISHING MEDIA:

Use water spray, fog or foam.

### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Flammable aerosol. In a fire or if heated, a pressure increase will occur, and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

### HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:

Carbon Dioxide. Carbon Monoxide.

### SPECIFIC FIRE-FIGHTING METHODS:

Promptly isolate the scene by removing all persons from the vicinity of the incident, if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area, if this can be done without risk. Use water spray to keep fire-exposed containers cool.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

## 6. Accidental Release Measures

### PERSONAL PRECAUTIONS:

Put on appropriate personal protective equipment (see Section 8).

### ENVIRONMENTAL PRECAUTIONS AND CLEAN-UP METHODS:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

## 7. Handling and Storage

Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120°F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

## 8. Exposure Controls / Personal Protection

### HYDROTREATED PETROLEUM DISTILLATE

OSHA PEL: 100 ppm

### ISOBUTANE

ACGIH TLV: 1000 ppm

### PROPANE

ACGIH TLV: 1000 ppm

### PERSONAL PROTECTIVE EQUIPMENT:



**EYE/FACE PROTECTION:** Wear safety glasses or goggles.

**SKIN PROTECTION:** To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile, or neoprene).

**RESPIRATOR PROTECTION:** When respiratory protection is required, use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

### APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation required.

## 9. Physical & Chemical Properties

<b>Appearance:</b>	Milky emulsion.	<b>Explosive Limit Ranges:</b>	Not available.
<b>Physical State:</b>	Liquid.	<b>Explosive Properties:</b>	Not available.
<b>Color:</b>	White.	<b>VOC Content (Wt. %):</b>	12
<b>Odor:</b>	Vanilla.	<b>Oxidizing Properties:</b>	Not available.
<b>Odor Threshold:</b>	Not available.	<b>Vapor Density:</b>	Not available.
<b>pH:</b>	7-8	<b>Vapor Pressure:</b>	Not available.
<b>Melting/Freezing Point:</b>	Not available.	<b>Relative Density:</b>	0.9
<b>Boiling Point:</b>	Not available.	<b>Solubility (water):</b>	Emulsifies.
<b>Viscosity:</b>	Not available.	<b>Auto-Ignition Temperature:</b>	Not available.
<b>Flash Point:</b>	> 170°F (liquid portion)	<b>Decomposition Temperature:</b>	Not available.
<b>Evaporation Rate:</b>	Not available.	<b>Partition Coeff:</b>	Not available.

## 10. Stability & Reactivity Information

### REACTIVITY:

Under normal conditions of storage and use, hazardous reactions will not occur.

### CHEMICAL STABILITY:

Stable under normal conditions.

### INCOMPATIBLE MATERIALS:

Acids, strong oxidizers.

### CONDITIONS TO AVOID:

High temperatures, open flames, sparks, welding.

### DECOMPOSITION PRODUCTS:

CO, CO<sub>2</sub>.

\*Vapors may ignite at temperatures exceeding flash point.

## 11. Toxicological Information

### PRIMARY ROUTE OF ENTRY:

Skin contact, inhalation, ingestion.

### ACUTE/POTENTIAL HEALTH EFFECTS:

**EYES:** May cause serious eye irritation. Symptoms include stinging, tearing and redness.

**SKIN:** May cause skin irritation. Prolonged or repeated contact may dry the skin and cause sensitization. Symptoms may include redness, burning, drying of skin and skin burns.

**INHALATION:** High vapor/aerosol concentrations are irritating to the eyes and respiratory tract. May cause nose, throat and respiratory tract irritation, coughing and headache.

**INGESTION:** Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

### CHRONIC/LONG TERM EFFECTS:

None known.

### TARGET ORGAN EFFECTS:

Skin.

### CARCINOGENIC INFORMATION:

This material is not listed as a carcinogen by IARC, NTP or OSHA.

### ACUTE TOXICITY VALUES:

Not available.

## 12. Ecological Information

This product is toxic to fish and other aquatic invertebrates.

## 13. Disposal Consideration

Waste must be disposed of in accordance with federal, state, and local environmental control regulations. See label for further instructions.

## 14. Transportation Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

**UN number:** UN1950

**Proper shipping name:** Aerosols, flammable

**Class:** 2.1

**Packing group:** -

## 15. Regulatory Information

### Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65):

Premethrin

If identified components of this product are **CERCLA** hazardous substances and/or listed under **Sections 302, 304, or 313 of Title III** of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under **California Proposition 65** (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

### Title III Section 311/312:

Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure (X) Reactive ( ) Not Applicable ( )

### T.S.C.A. Status:

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

### RCRA Status:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s): None.

### FIFRA INFORMATION:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

### SIGNAL WORD:

CAUTION

### PRECAUTIONARY STATEMENTS:

Harmful if absorbed through skin.

## 16. Other Information

### DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

**DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTION:** Do not enter or allow others to enter until sprays have dried. Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Except when applying to livestock, do not enter or allow others to enter until sprays have dried. Except when applying to livestock, do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Do not apply this product in a way that will contact workers or other persons, either directly or through drift; only protected handlers may be in the area during application. Do not breathe dusts, vapors, or spray mist. Do not apply when food is present. Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label.

**NONFOOD AREAS:** This product may be applied in nonfood/feed areas. Nonfood/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).

**SHAKE WELL BEFORE USING:** Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

**COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

**ANTS:** Spray trails, nests and points of entry. Spray on ants where possible.

**EXPOSED STAGES OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, RED FLOUR BEETLES, RICE WEEVILS, GRANARY WEEVILS, GRAIN MITES:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Infested stored food products in the home should be disposed of.

**CARPET BEETLES:** Spray directly on beetles, floors, baseboards, shelves and carpets. **BEDBUGS:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse.

**TO CONTROL CLOTHES MOTHS AND CARPET BEETLES** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before reuse.

**PRO  
CHEM**

# PRO-CIDE

## Insect Killer



- **INTENDED FOR COMMERCIAL, INSTITUTIONAL, AND INDUSTRIAL USE ONLY**
- **FOR USE ON PREMISES TO CONTROL FLEAS AND TICKS**
- **AN AQUEOUS STABLE MICROEMULSION**
- **CONTROLS ANTS AND COCKROACHES FOR UP TO FOUR WEEKS**
- **KILLS LICE AND THEIR EGGS**
- **FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE**
- **FOR USE ON LIVESTOCK AND THEIR PREMISES**

**ACTIVE INGREDIENTS:**

*Permethrin.....	0.25%
<b>OTHER INGREDIENTS:</b> .....	99.75%
	100.00%

\* (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.)

### KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical information.	

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Some materials that are chemical-resistant to this product are neoprene and PVC. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All applicators and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks, and chemical resistant gloves

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched (except as required by directions for use) or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Environmental Hazards**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

**Physical Or Chemical Hazards**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

NET WT.: 17 OZ. (482G)

**TO TREAT LIVESTOCK:** To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

**FOR SWINE:** Do not ship animals for slaughter within 5 days of last treatment.

**TO CONTROL BLOOD SUCKING LICE:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

**TO CONTROL POULTRY LICE:** Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

**FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES:** Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

**FLEAS AND TICKS (ADULTS AND LARVAE):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

**TO KILL LICE AND LOUSE EGGS:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before reuse.

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions and Disclaimer of Warranties before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** Seller warrants that this product corresponds to all claims and descriptions on the label thereof and is reasonably fit for use for any purpose stated on such label only when used in accordance with directions under normal use conditions. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool, dry area. Do not transport or store below 32°F. **Disposal:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

EPA REG. NO. 3862-133-11861

EPA EST. NO. 9143-TX-1

Sold by: PRO CHEM, INC.  
P.O. BOX 1309 • ALPHARETTA, GA 30009  
TO REORDER CALL: 1-800-241-8180

459320P984.1410