

1. Product and Company Identification

PRODUCT NUMBER: 2517 **COMPANY PHONE:** 1-800-241-8180

PRODUCT NAME: PRO EARTH PAINT STRIPPER **EMERGENCY TELEPHONE:** 1-800-241-8180

PRODUCT DESCRIPTION: Soy-Based Paint and Polyurethane **INFOTRAC:** 1-800-535-5053 Remover

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

2. Hazards Identification **GHS CLASSIFICATION:** SIGNAL WORD: SYMBOL: **DANGER** Skin Irritant: H315 Eve Irritant 2A: H319 Reproductive 1B: H360 Stot SE 3: H335

HAZARD STATEMENTS:

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

H360 - May damage fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

Prevention:

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing fume, mist, or vapors.

P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection.

Response:

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P308+P313 - If exposed or concerned: Get medical attention.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

P321 - Specific treatment (see first aid instructions on label).

P332+P313 - If skin irritation occurs: Get medical attention.

P337+P313 - If eye irritation persists: Get medical attention.

P362 - Take off contaminated clothing and wash before reuse.

HAZARDS NOT OTHERWISE SPECIFIED:

None under normal conditions

UNKNOWN ACUTE TOXICITY (GHS US):

NONE

OFFICE OF ENVIRONMENTAL HEALTH HAZARD ASSESSMENT (OEHHA):

See Section 15.

3. Composition / Information on I	. Composition / Information on Ingredients					
CHEMICAL NAME		CAS	CONCENTRATION % by WEIGHT			
N-methyl-2-Pyrrolidone		872-50-4	<20%			

Substance: Not applicable.

Mixture:

All other ingredients are trade secret as authorized by 29 CFR 1910.1200(i).

Cleaning Product Right to Know Act of 2017 (California)

Ingredients **CAS Number** N-methyl-2-Pyrrolidone 872-50-4 Soy Methyl Esters 67762-38-3 Dimethyl Glutarate 1119-40-0 **Dimethyl Succinate** 106-65-0 Dimethyl Adipate 627-93-0 Ethoxylated Castor Oil 61791-12-6 Rheological Additive * 14808-60-7 * Antioxidant 128-37-0

* Contains less than .1% of Crystalline Silica - Quartz

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: If exposed or concerned, get medical attention. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Never give anything to an unconscious person.

Product Name: PRO EARTH PAINT STRIPPER Pro Chem Inc Product Number: 2517 Revision Date: 8/25/2020 Page 1 of 4 EYES: IF IN EYES Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Get medical

attention immediately. Continue rinsing.

SKIN: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention

immediately.

INHALATION:

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.

INGESTION:

IF SWALLOWED Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Symptoms/injuries after inhalation. May cause respiratory irritation.

Symptoms/injuries after skin contact: May cause skin irritation.

Symptoms/injuries after eye contact: May cause slight irritation.

Symptoms/injuries after ingestion: May cause gastrointestinal irritation.

Chronic symptoms: May damage fertility. May damage the unborn child.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No additional information available.

5. Fire-Fighting Measures

SUITABLE EXTINGUISHING MEDIA:

Foam; dry powder; carbon dioxide; water spray; sand.

UNSUITABLE EXTINGUISHING MEDIA:

Do not use a heavy water stream.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Fire Hazards: Rags soaked with product may present a fire or spontaneous combustion hazard.

Explosion Hazard: Product is not explosive.

Reactivity: No dangerous reactions known under normal use.

SPECIFIC FIRE-FIGHTING METHODS:

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of firefighting water in the environment.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

GENERAL MEASURES: Specific emergency measures are required other than good laboratory hygiene and safety practices.

NON-EMERGENCY PERSONNEL:

Protective Equipment: Wear protective equipment as described in Section 8.

Emergency Procedures: Evacuate unnecessary personnel.

EMERGENCY RESPONDERS:

Protective Equipment: Wear suitable protective clothing, gloves and eye or face protection, approved supplied-air respirator, in case of emergency

ENVIRONMENTAL PRECAUTIONS:

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP:

Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Clean Up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations.

REFERENCE TO OTHER SECTIONS:

No additional information available

7. Handling and Storage

SAFE HANDLING:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SAFE STORAGE AND INCOMPATIBILITIES:

Technical Mesaures: Stable (Shelf Life > 2 Years).

Storage Conditions: Store in dry, well-ventilated area. Keep container closed when not in use.

Incompatible Materials: Combustible materials.

SPECIFIC END USE:

No additional information available.

8. Exposure Controls / Personal Protection

ENGINEERING CONTROLS:

Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas. CONTROL PARAMETERS:

CONTROL PARAMETERS.					
Ī	1-Methyl-2-pyrrolidone (872-50-4)				
	Remark (ACGIH)	OELs not established.			
Ī	Remark (OSHA)	OFLs not established			

Product Name: PRO EARTH PAINT STRIPPER Pro Chem Inc Product Number: 2517 Page 2 of 4 Revision Date: 8/25/2020

PERSONAL PROTECTIVE EQUIPMENT:





Hands: Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene, rubber, polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier. Change contaminated gloves immediately.

Eyes and Face: Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid.

Skin and Body: Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory: Use NIOSH-approved dust/particulate respirator. Where vapor or mist exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

9. Physical & Chemical Properties						
Appearance:	Viscous liquid.	Relative Density:	0.970			
Physical State:	Liquid.	Solubility (water):	Not soluble.			
Color:	Light brown.	Viscosity-high sheer (60 rpm):	400 – 850 cps			
Odor:	Mild.	VOC (Method 310):	4.98%			
pH @1% Solution:	8.0-9.0	Flash Point:	>116°C (>240°F)			
Freezing Point:	No data available.	Viscosity-low sheer (6 rpm):	3,000 - 10,000 cps			
Boiling Point/Range:	251°C (>483°F)					

10. Stability & Reactivity Information

REACTIVITY:

No dangerous reactions known under normal conditions of use.

STABILITY:

Stable under recommended handling and storage conditions (see Section 7).

POSSIBILITY OF HAZARDOUS REACTION:

None known.

CONDITIONS TO AVOID:

Ignition sources.

INCOMPATIBLE MATERIALS:

Acids. Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon oxides (CO, CO₂).

11. Toxicological Information

ACUTE TOXICITY: Not classified. The following information is from raw materials only.

1-Methyl-2-pyrrolidone (872-50-4)

 LD50 oral rat
 3598 mg/kg

 LD50 dermal rat
 2500 mg/kg

 LD50 dermal rabbit
 > 5000 mg/kg

 LC50 inhalation rat (mg/l)
 3.1 mg/l/4h

SKIN CORROSION/IRRITATION:

Not classified.

pH: Human – A 24 hour human skin patch test indicated that undiluted material produced very mild irritation. Irritancy was less than that produced by a 4% aqueous soap solution.

SERIOUS EYE DAMAGE/IRRITATION: Not classified.

pH: Human – A 24 hour human skin patch test indicated that undiluted material produced very mild irritation. Irritancy was less than that produced by a 4% aqueous soap solution.

RESPIRATORY OR SKIN SENSITISATION:

Not classified

GERM CELL MUTAGENICITY:

Not classified

CARINOGENICITY:

Not classified

REPRODUCTIVE TOXICITY:

Not classified

SPECIFIC ORGAN TOXICITY:

Not classified (single exposure)

SPECIFIC TARGET ORGAN TOXICITY:

Not classified (repeated exposure)

ASPIRATION HAZARD:

Not classified

SYMPTOMS AFTER INHALATION:

Not classified

SYMPTOMS AFTER SKIN CONTACT:

May cause skin irritation.

SYMPTOMS AFTER EYE CONTACT:

May cause slight irritation.

SYMPTOMS AFTER INGESTION:

May cause gastrointestinal irritation.

Product Name: PRO EARTH PAINT STRIPPER
Product Number: 2517 Revision Date: 8/25/2020 Page 3 of 4

12. Ecological Information

ECOLOGY

General: Aquatic toxicity rating not determined. All possible measures should be taken to prevent release into the environment.

PERSISTANCE/DEGRADABILITY:

Readily biodegradible

13. Disposal Consideration

TREATMENT METHODS:

Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

DISPOSAL:

Dispose in a safe manner in accordance with local/national regulations.

14. Transportation Information

IN ACCORDANCE WITH DOT:

Not hazardous for transport.

DOT PROPER SHIPPING NAME:

Not listed.

TRANSPORT BY SEA:

Non-hazardous.

TRANSPORT BY AIR:

Non-hazardous.

IMDG CLASSIFICATION:

None

DANGEROUS GOODS (CANADA):

Not listed.

15. Regulatory Information

US FEDERAL REGULATIONS:

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory.

SARA 311/312 Hazard Classes: Immediate (acute) health hazard. Delayed (chronic) health hazard.

1-Methyl-2-pyrrolidone (872-50-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory; Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting: 1% de minimis concentration

INTERNATIONAL INVENTORIES:

Chemical Inventories - In compliance denotes all components are on inventory or exempt.

Canada (CEPA): U.S. (TSCA) In Compliance Listed on DSI Europe (EINECS): Listed on EINECS Japan (ENCS): Listed on MITI Australia (NOHSC): In Compliance Korea: In Compliance China: In Compliance Philippines: In Compliance

CALIFORNIA PROP 65:

WARNING: This product can expose you to chemicals 1-Methyl-2-pyrrolidone, which is known to the state of California to cause cancer and/or reproductive toxicity. For more information, go to www.P65warnings.ca.gov. In addition the product contains a trace amount (< .1%) of silica but silica is only listed as a Prop. 65 danger when the silica is respirable, This product does not contain respirable silica:

1-Methyl-2-pyrrolidone (872-50-4)

U.S. - California - U.S. - California - U.S. - California - Proposition U.S. - California - Proposition Office Proposition 65 - Proposition 65 - Proposition 65 - Proposition Office Off

Carcinogens ListDevelopmental ToxicityFemaleMaleNoYesNoNo

1-Methyl-2-pyrrolidone (872-50-4)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

16. Other Information

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: PRO EARTH PAINT STRIPPER
Product Number: 2517 Revision Date: 8/25/2020 Page 4 of 4