

# PROTECT-O-FLEX #1728

Aerosol Metal Parts Protector and Battery Terminal Coater



## Features:

- Seals metal parts against corrosion and rust
- Ozone safe
- Effective from -40°F to +175°F
- Non-tacky, flexible film
- Will not flake, crack, peel or become brittle
- Non-chlorinated
- Easily removed with safety solvent

## Description:

PROTECT-O-FLEX guards against damage caused by rain, humidity, chemical fume, oxidation and salt water. Protects surfaces and battery terminals for several months with a special water displacing corrosion inhibitor. Remains intact during flexing or expansion and contraction of base metal. Curtails battery leakage and extends battery life. PROTECT-O-FLEX works great on exposed equipment and parts in transit. Coating can easily be removed with mineral spirits or safety solvents.



## Applications:

- Marine Equipment
- Dyes
- Cables
- Castings
- Stampings
- Undercoating
- Jigs in Storage
- Chain
- Bearings
- Housings
- Tools
- Drill Pipes
- Farm Machinery
- Valves
- Large Molds

## Product Characteristics:

Physical State:	Gas
Form:	Aerosol
Color:	Dark brown
Odor:	Solvent
Melting/Freezing Point:	Not available
Initial Boiling point/Range:	Not available
Flammability Limit-lower (%):	0.9% estimated
Flammability Limit-upper (%):	Not available
Flash Point:	156.0°F (-104.4°C) propellant estimated
Explosion Properties:	Not explosive
Storage:	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
<b>Transport Information:</b>	
UN Number:	UN1950
Proper Shipping Name:	Aerosols, flammable, (each not exceeding 1 L capacity)
Class:	2.1
Packing Group:	Not applicable

## Directions:

Clean object by removing rust, dirt, grease, oil and debris. Spray a thin, even coat over the entire surface and allow 5 minutes to set up. For more severe conditions, a second coat may be applied within several minutes. Complete setting of protective coating takes at least two hours. Can be flushed off easily with mineral spirits or safety solvent.

## Pictograms:



## Signal Word:

DANGER.

## Personal Protective Equipment Required:



## DOT Placard:



## VOC Compliant:

Yes.