



**PRO
CHEM**



PRO EARTH PAINT STRIPPER

SOY-BASED PAINT & POLYURETHANE STRIPPER

- Safely removes 5+ layers of paint
- Clings to vertical surface for superior penetration
- Non-flammable
- Low VOC's
- Low odor – no harsh fumes
- Biodegradable



Recognized by
the EPA's "Design for
the Environment" Program.

22 FL. OZ. (650 ml)

For
Commercial
& Industrial
Use Only

PRO EARTH PAINT STRIPPER Paint and Polyurethane Remover

PRO EARTH PAINT STRIPPER, a soy-based paint and polyurethane remover, is an environmentally friendly alternative to methylene chloride. This product is formulated to fully remove a wide range of coatings, including oil and latex paints, polyurethanes, lacquers, concrete sealers and adhesives. This product will work on wood, metal, masonry, and most other surfaces. **PRO EARTH PAINT STRIPPER** will also remove graffiti from stone, metal, aluminum, wood, or powder-coated surfaces.

DIRECTIONS

Test all surfaces before using by applying a small amount in an inconspicuous area. If surface discolors, mars, ripples, bubbles, or softens, do not use. For best results, use in temperatures over 45°F. **Will damage some plastics.**

1. Apply a uniform layer over the coating to be removed. The product can be sprayed, poured, or applied with a natural bristle brush.
2. Allow the product to remain on the surface for a minimum of 20 minutes. Some coatings may take 4-6 hours to completely loosen. Pro Earth Paint Stripper will remain wet and active for 24 hours.
3. Remove the softened coating using an appropriate scraping or stripping tool. Take care not to damage wood surfaces when removing coatings from furniture, cabinets or hardwood floors.
4. Use steel wool to remove any stubborn areas. Reapplication may be required when removing more than 5 layers of paint or coating material.
5. Wash and rinse surface using warm water. Use a mild cleaner, if desired.
6. Rinse with clean water to remove any additional residue.

CAUTION

Avoid contact with eyes and prolonged contact with skin. Eye Contact: Remove any contact lenses and flush with water for at least 15 minutes. Call physician if irritation persists. Skin contact: Prolonged skin contact may cause reddening or irritation – wash thoroughly with soap and water. Ingestion: may be harmful if swallowed. Do not induce vomiting. Call physician immediately.

HIMIS RATING:

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
Hazardous - 1 Medium - 2 Slight - 3 Severe - 4	

Personal Protection: B

B = Safety Glasses and Gloves

KEEP OUT OF REACH OF CHILDREN
For further information consult
Material Safety Data Sheet.

AN EXCLUSIVE PRODUCT OF:

**PRO
CHEM**



MADE IN USA

® P.O. BOX 1309,
ALPHARETTA, GA 30009-1309
TO REORDER CALL
1-800-241-8180
www.procheminc.com