PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY. ALPHARETTA, GA 30004 EMERGENCY/INFO # (800) 241-8180 ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET

SLICK / 1482

DECEMBER 2009

PAGE 1

Complies With USDL Safety and Health Regulations, (29 CFR 1910.200)

 HEALTH
 1

 FIRE
 3

 REACTIVITY
 0

 P.P.E.
 B

SECTION 1 – C	Chemical and	Company	/ Identification
---------------	--------------	---------	------------------

PRODUCT TYPE: Aerosol FORMULA: Proprietary

SECTION 2 – Composition on Ingredients

CHEMICAL NAME Hexane	CAS # 110-54-3	% WT 35-45	313/ CHEM YES	SKIN NO	CARCINOGEN NO	PEL 500 ppm	TLV- TWA
Aliphatic Petroleum		00 .0	0			ооо рр	оо рр
Distillates	64742-89-8	10-20	NO	NO	NO	300 ppm	300 ppm
Liquefied Petroleum Gas	68476-86-8	35-45	NO	NO	NO	1000ppm	1000ppm

SECTION 3 – Hazards Information

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVEREXPOSURE:

EYES: May cause irritation accompanied by stinging, tearing, and redness.

SKIN: Frequent or prolonged contact may cause irritation. Passage of this material into the body

through skin is possible. May aggravate existing skin conditions.

INHALATION: Inhalation of vapor or mist can cause irritation of nasal and respiratory passages. Prolonged or repeated exposure may cause irritation to the upper respiratory tract, dizziness, nausea and other nervous system effects. Repeated overexposure may damage peripheral nerve tissue, cause mild, reversible liver and kidney effects, nasal damage, nervous system damage, testis damage, lung damage, and visual impairment.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material

into the lungs can cause lung inflammation and other lung injury.

SECTION 4 – First Aid Measures

EYES: Flush with large amounts of cool running water for at least 15 minutes while holding upper

and lower lids open. If irritation persists get medical attention immediately.

SKIN: Wash with soap and water. If irritation persists seek medical attention.

INHALATION: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial

respiration.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

SECTION 5 – Fire Fighting Measures

FLASH POINT (of Concentrate Only): -10°F (T.C.C.)

FLAMMABILITY (as per CSMA Flame Projection Test): Extremely Flammable Spray

EXTINGUISHING MEDIA: Foam, CO2, Dry Media

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective

clothing. Cool fire exposed containers to prevent rupturing.

UNUSUAL FIRE & EXPLOSION HAZARDS: Exposure to temperature above 120°F may cause bursting.

SECTION 6 – Accidental Release Measures

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State, and local laws.

SECTION 7 – Handling and Storage

KEEP OUT OF REACH OF CHILDREN. For Industrial and Institutional use only. Store in a cool, dry area away from heat or open flame. Do not store at temperatures above 120°F.

NFPA CODE 30B RATING: Level 3 Aerosol

SECTION 8 – Exposure Controls/Personal Protection

RESPIRATORY PROTECTION: None needed for proper use in accordance with label directions. **VENTILATION:** Provide local exhaust to keep air concentrations of Section 2 ingredients below acceptable limits.

PROTECTIVE GLOVES: Use chemical resistant gloves if hand contact will be made.

EYE PROTECTION: Always wear safety glasses or chemical proof goggles when working with chemicals.

SECTION 9 – Physical and Chemical Properties

DATA BELOW BASED ON AEROSOL CONCENTRATE ONLY:

 BOILING POINT:
 160°F
 VAPOR DENSITY (AIR=1):
 > 1

 pH:
 N/A
 SPECIFIC GRAVITY (H,0=1) @ 70°F:
 0.701

SOLUBILITY IN WATER: Negligible APPEARANCE/ODOR: Clear Yellow Liquid, Lemon Scent

DATA BELOW BASED ON TOTAL CONTENTS:

VAPOR PRESSURE OF CAN (psig@ 72°F): 50 TOTAL VOC %: 96.38%

SECTION 10 - Stability and Reactivity

STABILITY: Material Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxides.

SECTION 11 – Toxicological Information

No data available.

SECTION 12 – Ecological Information

No data available.

SECTION 13 – Disposal Consideration

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

SECTION 14 – Transport Information

D.O.T. HAZARD CLASS: Consumer Commodity: ORM-D

SECTION 15 – Regulatory Information

HMIS RATING (Based on Aerosol Concentration):

0 – Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Extreme
N/A = Not Applicable N/E = Not Established N/D = Not Determined <=Less than >=More Than

SECTION 16 – Other Information

NOTICE: The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.