

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET

SLIP-EZ / 1263

MAY 2012

PAGE 1

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.1200)

SECTION 1 – Chemical and Company Identification**PRODUCT TYPE:** Silicone Lubricant – Food grade**SECTION 2 – Composition on Ingredients**

CHEMICAL NAME	CAS #	PERCENT
n-Butane	106-97-8	50-60
Propane	74-98-6	20-30
Odorless Mineral Spirits	64742-48-9	10-15
Non-hazardous and other components below reportable levels		1-3

SECTION 3 – Hazards Information**Emergency overview:** FLAMMABLE.**CONTENTS UNDER PRESSURE:** Aerosol. Contact with eyes may cause irritation.

Prolonged exposure may cause chronic effects.

Routes of exposure: Skin contact. Ingestion.**POTENTIAL HEALTH EFFECTS:****EYES:** Contact with eyes may cause irritation.**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).**INHALATION:** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.**INGESTION:** Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.**TARGET ORGANS:** Central nervous system. Lungs. Respiratory system.**CHRONIC EFFECTS:** May cause central nervous system disorder (e.g. narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage. Prolonged skin contact may defat the skin and produce dermatitis.**SIGNS AND SYMPTOMS:** Discomfort in the chest. Narcosis. Defatting of the skin. Irritation.**SECTION 4 – First Aid Measures****EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.**SKIN:** Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. Get medical attention if irritation develops or persists. Wash clothing separately before reuse.**INHALATION:** If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.**INGESTION:** Call a physician immediately. Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth to a victim who is unconscious or is having convulsions.**SECTION 5 – Fire Fighting Measures****FLAMMABLE PROPERTIES:** Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.**EXTINGUISHING MEDIA:****Suitable extinguishing media:** Foam. Dry chemical. Carbon dioxide (CO₂). Do not use water jet.**PROTECTION OF FIREFIGHTERS:****Specific hazards arising from the chemical:** Fire may produce irritating, corrosive and/or toxic gases.**Protective equipment and precautions of firefighters:** In the event of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.**SECTION 6 – Accidental Release Measures****METHODS FOR CONTAINMENT:** Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.**METHODS FOR CLEANING UP:** Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.**Small Spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.**SECTION 7 – Handling and Storage****HANDLING:** Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Wear personal protective equipment. Avoid prolonged exposure.**STORAGE: Level 3 aerosol.**

Contents under pressure. Do not puncture, incinerate or crush. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep out of the reach of children. Level 3 Aerosol. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

SECTION 8 – Exposure Controls/Personal Protection**EXPOSURE LIMITS:**

ACGIH Components	CAS#	TWA	STEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

OSHA Material	CAS#	TWA	STEL	Ceiling
Silicone Spray	Mixture	15 mg/m ³	Not established	Not established
Components				
Propane	74-98-6	1000 ppm	Not established	Not established

PERSONAL PROTECTIVE EQUIPMENT:**Skin protection:** Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.**Respiratory protection:** No personal respiratory protective equipment normally required. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.**SECTION 9 – Physical and Chemical Properties**

APPEARANCE: Compressed liquefied gas	BOILING POINT: 33.8 °F (1.1 °C) estimated
COLOR: Colorless.	FLAMMABILITY (HOC): 42.0605 kJ/g estimated
DENSITY: 0.5819 g/cm ³ estimated	FREEZING POINT: Not available
FLASHBACK: Yes	FLASH POINT: -156°F (-104.4 °C)
SPECIFIC GRAVITY: 0.582	Propellant
FORM: Aerosol	ODOR: Solvent.
pH: Not applicable	PHYSICAL STATE: Gas
PRESSURE: 60-70 psig@70°F	SOLUBILITY: Negligible

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET

SLIP-EZ / 1263

MAY 2012

PAGE 2

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.1200)

SECTION 10 – Stability and Reactivity**CHEMICAL STABILITY:** Risk of ignition.**CONDITIONS TO AVOID:** Heat, flames and sparks.**INCOMPATIBLE MATERIALS:** None known.**HAZARDOUS DECOMPOSITION PRODUCTS:** No hazardous decomposition products are known.**SECTION 11 – Toxicological Information****ACUTE EFFECTS:** Acute LD50: 18877 mg/kg estimated, Rat, Dermal**COMPONENT ANALYSIS-LD50:****Toxicology Data - Selected LD50s and LC50s**

n-Butane 106-97-8 Inhalation LC50 Rat 658 mg/L 4 h
Odorless Mineral Spirits 64742-48-9 Oral LD50 Rat >5000 mg/kg;
Dermal LD50 Rabbit >3160 mg/kg
Propane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h

Sensitization: Not expected to be hazardous by OSHA criteria.**Teratogenicity:** Not expected to be hazardous by OSHA criteria.**SECTION 12 – Ecological Information**

Ecotoxicity: LC50 18333 mg/L, Fish, 96.00 Hours,
Components of this product have been identified as having potential environmental concerns.

SECTION 13 – Disposal Consideration**WASTE CODES:** D001: Waste Flammable material with a flash point <140 F**DISPOSAL INSTRUCTIONS:** Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.**SECTION 14 – Transport Information****Department of Transportation (DOT) Requirements:****Basic shipping requirements:**

Proper shipping name: Consumer commodity
Hazard class: ORM-D
Subsidiary hazard class: None
Additional information:
Packaging exceptions: 156, 306
Packaging non bulk: 156, 306
Packaging bulk: None
ERG number: 170

IMDG:

Basic shipping requirements:
Proper shipping name: AEROSOLS
Hazard class: 2.1
UN number: 1950
Additional information:
Packaging exceptions: LTD QTY
Item: 5F
Labels required: None
Transport Category: 2

**IATA:**

Basic shipping requirements:
Proper shipping name: Aerosols, flammable
Hazard class: 2.1
UN number: 1950
Additional information:
Packaging exceptions: LTD QTY
Labels required: 2.1

**SECTION 15 – Regulatory Information****US FEDERAL REGULATIONS:**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances: Not applicable**Occupational Safety and Health Administration (OSHA):**

29 CFR 1910.1200 hazardous chemical: YES

CERCLA (Superfund) reportable quantity: None**Superfund Amendments and Reauthorization Act of 1986 (SARA):**

Hazard categories (311/312) Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance: No**Section 311 hazardous chemical:** Yes**Inventory status:**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations**U.S. - Pennsylvania - RTK (Right to Know) List**

Inventory name	UN number	Present
n-Butane	106-97-8	Present
Odorless Mineral Spirits	64742-48-9	Present
Propane	74-98-6	Present

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.

NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET**SLIP-EZ / 1263****MAY 2012****PAGE 3**

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	0
P.P.E.	B

Complies With USDL Safety and Health Regulations, (29 CFR 1910.1200)

SECTION 16 – Other Information**Further information:** HMIS® is a registered trade and service mark of the NPCA.**HMIS® ratings:** Health: 1; Flammability: 4; Physical hazard: 0**Disclaimer:** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**MSDS sections updated:** This document has undergone significant changes and should be reviewed in its entirety.**Prepared by** Purchasing

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.
NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/USER ASSUMES ALL RISKS ASSOCIATED WITH USE.