

PRODUCT NUMBER:	1239	COMDANY PUONE	4 000 044 0400
		COMPANY PHONE:	1-800-241-8180
	SQUEAKY SHINE		E: 1-800-241-8180
RODUCT DESCRIPTION:	Aerosol Hard Surface, Cleaner Polish	, Duster & INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004	/	
. Hazards Identification			
SHS CLASSIFICATION: Flammable aerosols: Category Sensitization, skin: Category 1 Aspiration hazard: Category 1 DSHA defined hazards: Not cl	1 DANGE	. WORD: SYMBOL:	
AZARD STATEMENTS:			
Pressurized contained workplace. Wear prot Response: IF SWAL EXPOSED OR CONO clothing before reuse. Storage: Store locked Disposal: Dispose of NVIRONMENTAL HAZARDS Hazardous to the aqu Hazardous to the aqu AZARDS NOT OTHERWISE	r: Do not pierce or burn, even after ective gloves. LOWED: Immediately call a poiso CERNED: Get medical advice/atter d up. Protect from sunlight. Do not contents/container in accordance latic environment, acute hazard: C latic environment, long-term hazar SPECIFIED: o aquatic life. Toxic to aquatic life v	n center/doctor. Do NOT induce vomiting. ntion. If skin irritation or rash occurs: Get i expose to temperatures exceeding 50°C, with local/regional/national/international r category 2 rd: Category 2	work clothing must not be allowed out of the IF ON SKIN: Wash with plenty of water. IF medical advice/attention. Wash contaminated /122°F.
. Composition / Information	on Ingradiants		
Chemical Name	on ingreatents	CAS	Concentration % by Weight
Butane		106-97-8	2.5-10
Propane		74-98-6	2.5-10
I-Limonene	ol Ethor	5989-27-5 9016-45-9	<u>1-2.5</u> 0.1-1
Polyethylene Glycol Nonylphene			80-90
Polyethylene Glycol Nonylphen Other components below report	able levels	composition has been withheld as a trade	80-90
Polyethylene Glycol Nonylphen Dther components below report Designates that a specific cher I. First Aid Measures	able levels		
Polyethylene Glycol Nonylphene Other components below report Designates that a specific cher 4. First Aid Measures EMERGENCY OVERVIEW GENERAL: Ensure that medica before reuse. EYES: Rinse with water. Get SKIN: In case of eczema or NHALATION: Move to fresh air. Cal INGESTION: Rinse mouth. Get me MOST IMPORTANT SYMPTON Aspiration may cause INDICATION OF IMMEDIATE I	able levels nical identity and/or percentage of al personnel are aware of the mate medical attention if irritation deve other skin disorders: Seek medica I a physician if symptoms develop dical attention if symptoms occur. MS/EFFECTS, ACUTE AND DEL pulmonary edema and pneumoni MEDICAL ATTENTION AND SPE	erial(s) involved, and take precautions to p lops and persists. al attention and take along these instructio or persist. AYED: itis. May cause an allergic skin reaction. D CIAL TREATMENT NEEDED:	e secret. rotect themselves. Wash contaminated cloth ns.
Colyethylene Glycol Nonylphene Other components below report Designates that a specific cher Seneral: Ensure that medica before reuse. CYES: Rinse with water. Get SKIN: In case of eczema or NHALATION: Move to fresh air. Cal NGESTION: Rinse mouth. Get me MOST IMPORTANT SYMPTOM Aspiration may cause NDICATION OF IMMEDIATE I Provide general supp	able levels nical identity and/or percentage of al personnel are aware of the mate medical attention if irritation deve other skin disorders: Seek medica I a physician if symptoms develop dical attention if symptoms occur. MS/EFFECTS, ACUTE AND DEL pulmonary edema and pneumoni MEDICAL ATTENTION AND SPE	rial(s) involved, and take precautions to p lops and persists. al attention and take along these instructio or persist. AYED: itis. May cause an allergic skin reaction. D	e secret. rotect themselves. Wash contaminated cloth ns.
olyethylene Glycol Nonylphene Other components below report Designates that a specific cher First Aid Measures EMERGENCY OVERVIEW GENERAL: Ensure that medica before reuse. EYES: Rinse with water. Get KIN: In case of eczema or NHALATION: Move to fresh air. Cal Move to fresh air. Cal NGESTION: Rinse mouth. Get me IOST IMPORTANT SYMPTON Aspiration may cause NDICATION OF IMMEDIATE I Provide general supp Firefighting Measures SUITABLE FIRE EXTINGUISH Foam. Dry chemicals INSUITABLE FIRE EXTINGUISH Do not use water jet a	able levels nical identity and/or percentage of al personnel are aware of the mate medical attention if irritation deve other skin disorders: Seek medica I a physician if symptoms develop dical attention if symptoms occur. MS/EFFECTS, ACUTE AND DEL pulmonary edema and pneumoni MEDICAL ATTENTION AND SPE ortive measures and treat symptom ING MEDIA: . Carbon dioxide (CO2). SHING MEDIA: as an extinguisher, as this will spress FROM THE CHEMICAL:	 composition has been withheld as a trade precautions to p lops and persists. al attention and take along these instruction or persist. AYED: tits. May cause an allergic skin reaction. D CIAL TREATMENT NEEDED: matically. Keep victim under observation. 	e secret. rotect themselves. Wash contaminated cloth ns.

SPECIFIC FIREFIGHTING METHODS:

Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion, do not breathe fumes.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

GENERAL FIRE HAZARDS:

Extremely flammable aerosol. Combustible.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during cleanup. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

MATERIALS AND METHODS FOR CLEANUP:

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS:

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, watercourses or onto the ground.

7. Handling and Storage

SAFE HANDLING:

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

SAFE STORAGE & INCOMPATIBILITIES:

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls / Personal Protection Occupational exposure limits

COMPONENTS	TYPE	VALUE	
Propane (CAS 74-98-6)	PEL	1800 mg/m³	
		1000 ppm	
US. ACGIH Threshold Limit Values			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Chemical Hazards			
COMPONENTS	TYPE	VALUE	
Butane (CAS 106-97-8)	TWA	1900 mg/m3	
		800 ppm	
Propane (CAS 74-98-6)	TWA	1800 mg/m ³	
		1000 ppm	

BIOLOGICAL LIMIT VALUE:

No biological exposure limits noted for the ingredient(s).

APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:



Eye Protection: Face shield is recommended. Wear safety glasses with side shields (or goggles). **Skin Protection:** For prolonged or repeated skin contact, use suitable protective gloves. Wear appropriate chemical resistant clothing. Use of

an impervious apron is recommended.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. **Thermal Hazards:** Wear appropriate thermal protective clothing, when necessary.

General Hygiene Considerations: When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical & Chemical Properties			
Physical State: Gas.		Flammability (solid/gas):	Not available.
Form: Aeros	sol.	Flammability Limit–lower (%)	Not available.
Color: Not a	vailable.	Flammability Limit–upper (%):	Not available.
Odor: Not a	vailable.	Explosive Limit – lower (%):	Not available.
Odor Threshold: Not a	vailable.	Explosive Limit – upper (%):	Not available.
pH: 10-11	estimated.	Vapor Pressure:	20.74 psig @70°F estimated
Melting/Freezing Point: Not a	vailable.	Vapor Density:	Not available.
Initial Boiling Point/Range: 318.69	°F (159.27 °C) estimated	Relative Density:	Not available.
Partition Coeff (n-octanol/water): Not a	vailable.	Solubility (water):	Not available.
Viscosity: Not a	vailable.	Auto-Ignition Temperature:	Not available.
Specific Gravity: 0.95-	0.97 estimated.	Decomposition Temperature:	Not available.
Flash Point: -156.0 °F (-104.4	¹ °C) Propellant estimated	Evaporation Rate:	Not available.
Explosive Properties: Not e	xplosive.	Oxidizing Properties:	Not oxidizing.
HAZARDOUS DECOMPOSITION PRODUCTS No hazardous decomposition product 11. Toxicological Information PRIMARY ROUTE OF ENTRY: Eyes: Direct contact with eyes may of	tions. cccur. orine. Chlorine. en flame. Avoid temperatur ts are known. cause temporary irritation.	of use, storage and transport. es exceeding the flash point. Contact w	ith incompatible materials.
	to inhalation are expected. spirated into the lungs throu	igh ingestion or vomiting may cause a s	serious chemical pneumonia.
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ama and pneumonitis. May airways. May cause an alle	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction.	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ama and pneumonitis. May o	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ama and pneumonitis. May airways. May cause an alle	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction.	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ma and pneumonitis. May o airways. May cause an alle SPECIES	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ama and pneumonitis. May airways. May cause an alle	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction.	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, d Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ma and pneumonitis. May o airways. May cause an alle SPECIES	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters <u>PRODUCT</u> Squeaky Shine <u>Acute</u> Dermal LD50 Inhalation LC50 COMPONENTS	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May of airways. May cause an alle SPECIES	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters <u>PRODUCT</u> Squeaky Shine <u>Acute</u> Dermal LD50 Inhalation LC50 <u>COMPONENTS</u> Butane (CAS 106-97-8)	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL and and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL and and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters <u>PRODUCT</u> Squeaky Shine <u>Acute</u> Dermal LD50 Inhalation LC50 <u>COMPONENTS</u> Butane (CAS 106-97-8)	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May d airways. May cause an alle SPECIES Rat Rat SPECIES	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5)	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters <u>PRODUCT</u> Squeaky Shine <u>Acute</u> Dermal LD50 Inhalation LC50 <u>COMPONENTS</u> Butane (CAS 106-97-8) <u>Acute</u> Inhalation LC50 <u>d-Limonene (CAS 5989-27-5)</u> <u>Acute</u> Oral LD50	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, 4 Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E Acute	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, 4 Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E: Acute Oral LD50	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat Rat ther (CAS 9016-45-9)	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l > 2000 mg/kg	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, of Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E: Acute Oral LD50 Propane (CAS 74-98-6)	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat Rat ther (CAS 9016-45-9)	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l > 2000 mg/kg	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E Acute Oral LD50 Propane (CAS 74-98-6) Acute	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat Rat ther (CAS 9016-45-9)	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l > 2000 mg/kg	
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E: Acute Oral LD50 Propane (CAS 74-98-6)	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ema and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat SPECIES Mouse Rat Rat Rat ther (CAS 9016-45-9)	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l > 2000 mg/kg	·
Inhalation: No adverse effects due Ingestion: Droplets of the product a SYMPTOMS RELATED TO THE PHYSICAL, (Aspiration may cause pulmonary ede ACUTE TOXICITY: May be fatal if swallowed and enters PRODUCT Squeaky Shine Acute Dermal LD50 Inhalation LC50 COMPONENTS Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Polyethylene Glycol Nonylphenol E Acute Oral LD50 Polyethylene Glycol Nonylphenol E Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation	to inhalation are expected. spirated into the lungs throu CHEMICAL AND TOXICOL ima and pneumonitis. May of airways. May cause an alle SPECIES Rat Rat Rat SPECIES Mouse Rat ther (CAS 9016-45-9) Mouse	OGICAL CHARACTERISTICS: cause an allergic skin reaction. Dermati rgic skin reaction. TEST RESULTS 78652 mg/kg 4104 mg/l/4h TEST RESULTS 1237 mg/l, 120 Minutes 52 %, 120 Minutes 1355 mg/l > 2000 mg/kg 4290 mg/kg	

SKIN CORROSION/IRRITATION:			
Not applicable.			
SERIOUS EYE DAMAGE/IRRITAT Direct contact with eyes r	may cause tempor	rary irritation.	
RESPIRATORY SENSITIZATION: Not a respiratory sensitize SKIN SENSITIZATION:			
May cause an allergic ski GERM CELL MUTAGENICITY:	in reaction.		
	ate product or any	y components present at greater than 0.1% are m	nutagenic or genotoxic.
		inogen by IARC, ACGIH, NTP, or OSHA.	
d-Limonene (C OSHA Specifically Regu	AS 5989-27-5) 3 I ulated Substance	Not classifiable as to carcinogenicity to humans. es (29 CFR 1910.1001-1050): Not regulated.	
REPRODUCTIVE TOXICITY:		Report on Carcinogens: Not listed.	
SPECIFIC TARGET ORGAN TOXI		oductive or developmental effects. osure):	
Not classified. SPECIFIC TARGET ORGAN TOXI Not classified.	CITY (repeated e	exposures):	
ASPIRATION HAZARD: May be fatal if swallowed	and enters airway		
12. Ecological Information	and chiers all way	yo.	
ECOTOXICITY:			
Toxic to aquatic life with I	ong lasting effects		TEOT DE0111 TO
COMPONENTS Squeaky Shine		SPECIES	TEST RESULTS
Aquatic			
Algae	IC50	Algae	20858 mg/L, 72 Hours
Crustacea	EC50	Daphnia	2069 mg/L, 48 Hours
Fish COMPONENTS	LC50	Fish SPECIES	12119 mg/L, 96 Hours TEST RESULTS
d-Limonene (CAS 5989	-		
27-5)			
Aquatic		Water flee (Depheie puley)	60.6 mg/ 49 hours
Crustacea Fish	EC50 LC50	Water flea (Daphnia pulex) Fathead minnow (Pimephales promelas)	69.6 mg/l, 48 hours 0.619 - 0.796 mg/l, 96 hours
Polyethylene Glycol Nor Aquatic			
Crustacea Fish	EC50 LC50	Water flea (Daphnia pulex) Bluegill (Lepomis macrochirus)	12.2 mg/l, 48 hours 1 - 1.8 mg/l, 96 hours
PERSISTENCE AND DEGRADAB	ILITY:	dditional component data notshown.	
No data is available on th BIOACCUMULATIVE POTENTIAL	.:		
Partition coefficient n-o Butane d-Limonene	2.89 4.232	og Kow):	
Propane	2.36		
MOBILITY IN SOIL: No data available. OTHER ADVERSE EFFECTS:			
		g. ozone depletion, photochemical ozone creatior nt.	n potential, endocrine disruption, global warming
3. Disposal Consideration			
DISPOSAL INSTRUCTIONS: Collect and reclaim or dis	spose in sealed cc	ontainers at licensed waste disposal site. Contents	s under pressure. Do not puncture, incinerate or
crush. Do not allow this n container. Dispose of cor	naterial to drain int ntents/container in	to sewers/water supplies. Do not contaminate pol accordance with local/regional/national/internatio	nds, waterways or ditches with chemical or used
LOCAL DISPOSAL REGULATION		egulations.	
Dispose in accordance w			vente dianagal company
HAZARDOUS WASTE CODE: The waste code should b		cussion between the user, the producer and the w	asie disposal company.
HAZARDOUS WASTE CODE: The waste code should b WASTE FROM RESIDUES/UNUS	ED PRODUCTS: with local regulat	tions. Empty containers or liners may retain some	product residues. This material and its container

14. Tran	sportation Information
DOT:	UN Number: UN1950
	UN Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)
	Transport Hazard Class(es)
	Class: 2.1
	Subsidiary Risk: -
	Label(s): 2.1 Packing Group: Not applicable.
	Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.
	Special Provisions: N82
	Packaging Exceptions: 306
	Packaging Nonbulk: None.
	Packaging Bulk: None.
	luct meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the
	er Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited
	s require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" and both may be displayed concurrently.
IATA:	UN Number: UN1950
	UN Proper Shipping Name: Aerosols, flammable.
	Transport Hazard Class(es)
	Class: 2.1
	Subsidiary Risk: -
	Label(s): 2.1
-	Packing Group: Not applicable.
	nvironmental Hazards: Yes.
	RG Code: 10L
-	becial Precautions for User: Read safety instructions, SDS and emergency procedures before handling.
0	ther Information:
	Passenger and Cargo Aircraft: Allowed with restrictions.
	Cargo Aircraft Only: Allowed with restrictions.
IMDG:	UN NUMBER: UN1950
	UN Proper Shipping Name: AEROSOLS Transport Hazard Class(es)
	Class: 2.1
	Subsidiary Risk: -
	Label(s): 2.1
	Packing Group: Not applicable.
	Environmental Hazards:
	Marine pollutant: Yes
	EmS: F-D, S-U
	Special Precautions for User: Read safety instructions, SDS and emergency procedures before handling.
	Packaging Exceptions: LTD QTY
TRANSF	ORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 and the IBC CODE:
	Not applicable.
15. Regu	latory Information
US FED	ERAL REGULATIONS:
	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
	Polyethylene Glycol Nonylphenol Ether (CAS 9016-45-9) 1.0 % One-Time Export Notification only. CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.
	SARA 304 Emergency release notification: Not regulated.
	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.
SUPERF	UND AMENDMENTS AND REAUTHORIZATION ACT of 1986 (SARA):
	Hazard categories: Immediate Hazard - Yes
	Delayed Hazard - No
	Fire Hazard - Yes
	Pressure Hazard - Yes Reactivity Hazard - No
	SARA 302 Extremely hazardous substance: Not listed.
	SARA 302 Extremely hazardous substance. Normstea.
	SARA 313 (TRI reporting): Not regulated.
OTHER	FEDERAL REGULATIONS
	Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.
	Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
	Butane (CAS 106-97-8)
	Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA): Not regulated.
US STA	TE REGULATIONS
55 01A	US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100): Not listed.
	US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)):
	Butane (CAS 106-97-8)

	e Glycol Nonylphenol Ether (CAS 9016-45-9)	
US. Massachusetts R		
Butane (CA	,	
Propane (CA		
	ker and Community Right-to-Know Act	
Butane (CAS	,	
Propane (CA		
	orker and Community Right-to-Know Law	
Butane (CAS		
Propane (CA	,	
US. Rhode Island RT		
Butane (CAS		
Propane (CA		
	sition 65: WARNING: This product contains a chemical known to the State of California t	o cause cancer and birth defects
or other reproductive h		
	sition 65 - CRT: Listed date/Carcinogenic substance	
Benzene (C		
	sition 65 - CRT: Listed date/Developmental toxin	
Benzene (C		
	sition 65 - CRT: Listed date/Male reproductive toxin	
Benzene (C		
INTERNATIONAL INVE3NTORI		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the govern	
	e components of the product are not listed or exempt from listing on the inventory adminis	stered by the governing
country(s).		
16. Other Information		
DISCLAIMER:		
	wledge, information contained herein is accurate. However, there is no assumption of liab	sility for the accuracy or
	formation contained herein. Final determination of suitability of any material is the sole re	
	unknown hazards and should be used with caution. Although certain hazards are descril	
	hazard, which exists. The information contained in this SDS was obtained from current a	
	thout any warranty, expressed or implied, regarding its correctness or accuracy. Since the	

and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.