




SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	1284	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	TACKY	EMERGENCY TELEPHONE:	1-800-241-8180
PRODUCT DESCRIPTION:	Aerosol Belt Dressing	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION: Flammable Aerosols: Category 1 Skin corrosion/irritation: Category 2 Serious eye damage/eye irritation: Category 2A Germ cell mutagenicity: Category 2 Carcinogenicity: Category 1B Specific target organ toxicity, single exposure: Category 3 narcotic effects OSHA defined hazards: Not classified.	SIGNAL WORD: DANGER	SYMBOL:	
---	--------------------------------------	----------------	---

HAZARD STATEMENTS:

Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer.

PRECAUTIONARY STATEMENTS:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF EXPOSED OR CONCERNED: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDS NOT OTHERWISE SPECIFIED:

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

SUPPLEMENTAL INFORMATION:

None.

3. Composition / Information on Ingredients

CHEMICAL NAME	CAS	Concentration % by Weight
Butane	106-97-8	20-40
Trichloroethylene	79-01-6	20-40
Propane	74-98-6	10-20
Naphtha, Petroleum, Light Alkylate	64741-66-8	2.5 - 10
1,2-Butylene Oxide	106-88-7	0.1-1
Other components below reportable levels		10-20

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First Aid Measures

EMERGENCY OVERVIEW

GENERAL: If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this Safety Data Sheet to the doctor in attendance.

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

SKIN: Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

INGESTION: In the unlikely event of swallowing, contact a physician or poison control center. Rinse mouth.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin irritation. May cause redness and pain.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Powder. Carbon dioxide (CO₂).

UNSUITABLE FIRE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA.

FIRE FIGHTING EQUIPMENT/INSTRUCTIONS:

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure buildup. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion, do not breathe fumes.

GENERAL FIRE HAZARDS:

Extremely flammable aerosol.

6. Accidental Release Measures

PERSONAL PRECAUTIONS:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

AND CLEAN-UP METHODS:

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see Section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, watercourses or onto the ground.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind or expose containers to heat, flame, sparks or other sources of ignition. All equipment used when handling the product must be grounded. Do not reuse empty containers. Avoid breathing gas. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls / Personal Protection

US. OSHA TABLE Z-1 LIMITS FOR AIR CONTAMINANTS (29 CFR 1910.1000)

COMPONENTS	TYPE	VALUE
Propane (CAS 74-98-6)	PEL	1800 mg/m ³ 1000 ppm

US. OSHA TABLE Z-2 (29 CFR 1910.1000)

COMPONENTS	TYPE	VALUE
Trichloroethylene (CAS 79-01-6)	Ceiling	200 ppm
	TWA	100 ppm

US. ACGIH THRESHOLD LIMIT VALUES

COMPONENTS	TYPE	VALUE
Butane (CAS 106-97-8)	STEL	1000 ppm
Trichloroethylene (CAS 79-01-6)	STEL	25 ppm
	TWA	10 ppm

US. NIOSH: POCKET GUIDE TO CHEMICAL HAZARDS

COMPONENTS	TYPE	VALUE
Butane (CAS 106-97-8)	TWA	1900 mg/m ³ 800 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m ³ 1000 ppm
Trichloroethylene (CAS 79-01-6)	TWA	25 ppm

US WORKPLACE ENVIRONMENTAL EXPOSURE LEVEL (WEEL) GUIDES

1,2-Butylene Oxide (CAS 106-88-7)

TWA

5.9 mg/m³

2 ppm

BIOLOGICAL LIMIT VALUES:**ACGIH BIOLOGICAL EXPOSURE INDICES**

Components	Value	Determinant	Specimen	Sampling Time
Trichloroethylene	15 mg/l	Trichloroacetic acid	Urine	*
	0.5 mg/l	Trichloroethanol, without hydrolysis	Blood	*

* - For sampling details, please see the source document.

APPROPRIATE ENGINEERING CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT**Eye Protection:** Wear safety glasses with side shields (or goggles).**Skin/Hand Protection:** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.**Other:** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.**Respiratory Protection:** If permissible levels are exceeded, use NIOSH mechanical filter/organic vapor cartridge or an air-supplied respirator.**Thermal Hazards:** Wear appropriate thermal protective clothing, when necessary.**General Hygiene Considerations:** Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.**9. Physical & Chemical Properties**

Physical State:	Gas.	Explosive Properties:	Not explosive.
Form:	Aerosol.	Explosive limit - lower (%):	Not available.
Color:	Not available.	Explosive limit - upper (%):	Not available.
Odor:	Not available.	Melting/Freezing Point:	Not available.
Odor Threshold:	Not available.	Flash Point:	-156.0°F (-104.4°C) Propellant estimated.
pH:	Not available.	Flammability (solid/gas):	Not available.
Initial Boiling Point/Range:	194°F (90°C) estimated.	Vapor Pressure:	45-55 psig @70°F estimated.
Evaporation Rate:	Not available.	Vapor Density:	Not available.
Flammability Limit (lower) %:	6.7% estimated	Partition Coeff(n-octanol/water):	Not available.
Flammability Limit (upper)%:	43.8% estimated	Auto-Ignition Temperature:	779.98°F (415.55°C) estimated.
Relative Density:	Not available.	Viscosity:	Not available.
Solubility (water):	Not available.	Oxidizing Properties:	Not oxidizing.
Decomposition Temperature:	Not available.	Specific Gravity:	0.826 estimated.

10. Stability & Reactivity Information**REACTIVITY:**

The product is stable and nonreactive under normal conditions of use, storage and transport.

CHEMICAL STABILITY:

Material is stable under normal conditions.

INCOMPATIBLE MATERIALS:

Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

POSSIBILITY OF HAZARDOUS REACTIONS:

Hazardous polymerization does not occur.

CONDITIONS TO AVOID:

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

HAZARDOUS DECOMPOSITION PRODUCTS:

No hazardous decomposition products are known.

11. Toxicological Information**ACUTE/POTENTIAL HEALTH EFFECTS:****Eyes:** Causes serious eye irritation.**Skin:** Causes skin irritation.**Inhalation:** May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.**Ingestion:** Expected to be a low ingestion hazard.**SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:**

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision. Skin irritation. May cause redness and pain.

ACUTE TOXICITY:

Narcotic effects.

COMPONENTS	SPECIES	TEST RESULTS
1,2-Butylene Oxide (CAS 106-88-7)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	1500 - 2950 mg/kg, 24 Hours 1.77 ml/kg, 24 Hours
<i>Inhalation</i>		
<i>Vapor</i>		
LC50	Rat	> 6.3 mg/l
<i>Oral</i>		
LD50	Rat	1 - 1.58 mg/kg 1100 µl/kg 1.3 ml/kg
Butane (CAS 106-97-8)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes 52%, 120 Minutes
	Rat	1355 mg/l
Naphtha, Petroleum, Light Alkylate (CAS 64741-66-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	>1900 mg/kg, 24 Hours
<i>Inhalation</i>		
LC50	Rat	>5000 mg/m ³ , 4 Hours >4980 mg/m ³ >4980 mg/m ³ , 4 Hours >4.96 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	4820 mg/kg
Propane (CAS 74-98-6)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	1237 mg/l, 120 Minutes 52%, 120 Minutes
	Rat	1355 mg/l 658 mg/l/4 h
Trichloroethylene (CAS 79-01-6)		
Acute		
<i>Dermal</i>		
LD50	Rat	19031 mg/kg
<i>Inhalation</i>		
LC50	Dog; mouse; rabbit; rat	8450 ppm, 4 Hours
	Rat	12500 ppm, 4 Hours 1044 mg/l/4 h
<i>Oral</i>		
LD50	Dog; mouse; rat	2900 mg/kg
* Estimates for product may be based on additional component data not shown.		
SKIN CORROSION/IRRITATION:		
Cause skin irritation.		
SERIOUS EYE DAMAGE/EYE IRRITATION:		
Causes serious eye irritation.		
RESPIRATORY SENSITIZATION:		
Not a respiratory sensitizer.		
SKIN SENSITIZATION:		
This product is not expected to cause skin sensitization.		
GERM CELL MUTAGENICITY:		
Suspected of causing genetic defects.		
CARCINOGENICITY:		
May cause cancer.		
IARC Monographs. Overall Evaluation of Carcinogenicity		
1, 2-Butylene Oxide (CAS 106-88-7)		2B Possibly carcinogenic to humans.
Trichloroethylene (CAS 79-01-6)		If <1L: Consumer Commodity Carcinogenic to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Trichloroethylene (CAS 79-01-6)		Reasonably Anticipated to be a Human Carcinogen.
REPRODUCTIVE TOXICITY:		
This product is not expected to cause reproductive or developmental effects.		
SPECIFIC TARGET ORGAN TOXICITY-single exposure:		
May cause drowsiness and dizziness.		
SPECIFIC TARGET ORGAN TOXICITY-repeated exposure:		
Not classified.		
ASPIRATION HAZARD:		
Not likely, due to the form of the product.		

CHRONIC EFFECTS:

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological Information**ECOTOXICITY:**

Harmful to aquatic life with long lasting effects.

PRODUCT	SPECIES		TEST RESULTS
11 OZ TACKY LB 12PK			
Aquatic			
Crustacea	EC50	Daphnia	6.143 mg/L, 48 Hours estimated
Fish	LC50	Fish	144.4846 mg/L, 96 Hours estimated
COMPONENTS	SPECIES		TEST RESULTS
1,2-Butylene Oxide (CAS 106-88-7)			
Aquatic			
Algae	IC50	Algae	500 mg/L, 72 Hours
Crustacea	EC50	Daphnia	69.8 mg/L, 48 Hours
Fish	LC50	Fish	160, 96 Hours
Naphtha, Petroleum, Light Alkylate (CAS 64741-66-8)			
Aquatic			
Algae	IC50	Algae	30000 mg/L, 72 hours
Trichloroethylene (CAS 79-01-6)			
Aquatic			
Crustacea	EC50	Daphnia	2.2 mg/L, 48 Hours
Fish	LC50	Fish	40.8933, 96 Hours
		Flagfish (Jordanella floridae)	3.1 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

PERSISTENCE AND DEGRADABILITY:

No data is available on the degradability of this product.

BIOACCUMULATIVE POTENTIAL:**Partition coefficient n-octanol/water (log Kow)**

Butane	2.89
Propane	2.36
Trichloroethylene	2.61

MOBILITY IN SOIL:

No data available.

OTHER ADVERSE EFFECTS:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Consideration**DISPOSAL INSTRUCTIONS:**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

LOCAL DISPOSAL REGULATIONS:

Dispose in accordance with all applicable regulations.

HAZARDOUS WASTE CODE:

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

WASTE FROM RESIDUES/UNUSED PRODUCTS:

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (See: Disposal instructions).

CONTAMINATED PACKAGING:

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste-handling site for recycling or disposal. Do not reuse empty containers.

14. Transportation Information

DOT: UN NUMBER: UN1950

UN PROPER SHIPPING NAME: Aerosols, flammable, (each not exceeding 1 L capacity).

TRANSPORT HAZARD CLASS(es):

CLASS: 2.1

SUBSIDIARY RISK LABEL(s): 6.1 (PGIII)

LABELS: 2.1, 6.1

PACKING GROUP: Not applicable.

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

SPECIAL PROVISIONS: N82.

PACKAGING EXCEPTIONS: 306.

PACKAGING NON BULK: None.

PACKAGING BULK: None.



This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

IATA: UN NUMBER: UN1950

UN PROPER SHIPPING NAME: Aerosols, flammable.

TRANSPORT HAZARD CLASS(es):

CLASS: 2.1

SUBSIDIARY RISK LABEL(s): 6.1(PGIII)

LABELS: 2.1, 6.1



PACKING GROUP: Not applicable.

ENVIRONMENTAL HAZARDS: No.

ERG CODE: 10L

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

OTHER INFORMATION:

PASSENGER AND CARGO AIRCRAFT: Allowed with restrictions.

CARGO AIRCRAFT ONLY: Allowed with restrictions.

PACKAGING EXCEPTIONS: LTD QTY.

IMDG: UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS

TRANSPORT HAZARD CLASS(es):

CLASS: 2.1

SUBSIDIARY RISK LABEL(s): 6.1(PGIII)

LABELS: 2.1, 6.1



PACKING GROUP: Not applicable.

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: No.

EMS CODE: F-D, S-U

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

PACKAGING EXCEPTIONS: LTD QTY.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

Not applicable.

15. Regulatory Information**US FEDERAL REGULATIONS:**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA SECTION 12(b) EXPORT NOTIFICATION (40 CFR 707, SUBPT D): Not regulated.

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4):

1,2-Butylene Oxide (CAS 106-88-7) Listed.

Trichloroethylene (CAS 79-01-6) Listed.

SARA 304 EMERGENCY RELEASE NOTIFICATION: Not regulated.

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050): Not regulated.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

Hazard Categories: Immediate Hazard – Yes.

Delayed Hazard – Yes.

Fire Hazard – Yes.

Pressure Hazard – No.

Reactivity Hazard – No.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: Not listed.

SARA 311/312 HAZARDOUS CHEMICAL: No.

SARA 313 (TRI REPORTING):

Chemical name	CAS number	% by wt.
Trichloroethylene	79-01-6	20 – 40
1,2-Butylene Oxide	106-88-7	0.1 – 1

OTHER FEDERAL REGULATIONS:**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:**

1,2-Butylene Oxide (CAS 106-88-7)

Trichloroethylene (CAS 79-01-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

SAFE DRINKING WATER ACT (SDWA):

Not regulated.

US STATE REGULATIONS:**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100):**

Not listed.

U.S. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)):

1,2-Butylene Oxide (CAS 106-88-7)

Butane (CAS 106-97-8)

Naphtha, Petroleum, Light Alkylate (CAS 64741-66-8)

Trichloroethylene (CAS 79-01-6)

US. Massachusetts RTK - Substance List:

1,2-Butylene Oxide (CAS 106-88-7)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Trichloroethylene (CAS 79-01-6)

US. New Jersey Worker and Community Right-to-Know Act:

1,2-Butylene Oxide (CAS 106-88-7)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Trichloroethylene (CAS 79-01-6)

US. Pennsylvania Worker and Community Right-to-Know Law:

1,2-Butylene Oxide (CAS 106-88-7)
 Butane (CAS 106-97-8)
 Propane (CAS 74-98-6)
 Trichloroethylene (CAS 79-01-6)

US. Rhode Island RTK:

1,2-Butylene Oxide (CAS 106-88-7)
 Butane (CAS 106-97-8)
 Propane (CAS 74-98-6)
 Trichloroethylene (CAS 79-01-6)

US. California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance:

Trichloroethylene (CAS 79-01-6) Listed: April 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Trichloroethylene (CAS 79-01-6) Listed: Jan 31, 2014

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Trichloroethylene (CAS 79-01-6) Listed: Jan 31, 2014

INTERNATIONAL INVENTORIES:

COUNTRY(s) OR REGION	INVENTORY NAME	ON INVENTORY (yes or no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

16. Other Information**DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.