

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET
TOTALLY DRY / 1336
MAY 2013
PAGE 1

| | |
|------------|---|
| HEALTH | 1 |
| FIRE | 4 |
| REACTIVITY | 0 |
| P.P.E. | G |

SECTION 1 – Product and Company Identification

PRODUCT NAME: Totally Dry Fresh Breeze, Mulberry , Lemon Fresh and Summertime
PRODUCT DESCRIPTION: Air Freshener

SECTION 2 – Hazards Information

LABELING:
SIGNAL WORD: DANGER
EMERGENCY OVERVIEW: DANGER. Flammable. Harmful or fatal if swallowed. Aspiration hazard. Contents under pressure. Keep away from heat and flame. Do not puncture or incinerate container.

POTENTIAL HEALTH EFFECTS:
ROUTES OF ENTRY: Skin contact, inhalation
EYES: May cause mild eye irritation. Symptoms include stinging, tearing and redness.
SKIN: May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.
INHALATION: High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects.
INGESTION: Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

TARGET ORGANS: No data.
CHRONIC/LONG TERM EFFECTS: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage.

SIGNS AND SYMPTOMS: Signs and symptoms of overexposure to this material through breathing, ingestion or skin contact/absorption may include: stomach or intestinal upset (nausea, vomiting or diarrhea), irritation (nose, throat, airways).
No data.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data.
CARCINOGENIC INFORMATION: This material is not listed as a carcinogen by IARC, NTP or OSHA.

SECTION 3 – Composition on Ingredients

| COMPONENTS | CAS # | WGHT. % | OSHA PEL/ACGIH TLV | SARA 302/304(1)* | SARA 313 (2)* | STATE INFO (3) (4) | CERCLA RQ |
|--------------------|----------|---------|--------------------|------------------|---------------|--------------------|-----------|
| Acetone | 67-64-1 | < 73.0 | 750 ppm/500 ppm | NO | NO | NO | 5000 lbs |
| Propellant Mixture | - | - | - | - | - | - | - |
| Propane | 74-98-6 | - | 1000 ppm | NO | NO | NO | - |
| N-Butane | 106-97-8 | - | 800 ppm | NO | NO | NO | - |

*See section 15 for more information

n/e = none established, n/a =not applicable

SECTION 4 – First Aid Measures**FIRST AID PROCEDURES:**

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SKIN CONTACT: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

INGESTION: Seek medical attention immediately. Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Do not leave individual unattended.

SECTION 5 – Fire Fighting Measures

FLASH POINT: 0° F (TCC Method), **FLAME EXTENTION:** >18", No Flashback

SUITABLE EXTINGUISHING MEDIA: Dry chemical, CO2 or foam is recommended.

UNSUITABLE EXTINGUISHING MEDIA: n/e

PRODUCTS OF COMBUSTION: n/e

EXPLOSION DATA:
SENSITIVITY TO MECHANICAL IMPACT: Not available.
SENSITIVITY TO STATIC DISCHARGE: Not available.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTION FOR FIRE FIGHTERS: CAUTION. Contents under pressure. Cool exposed containers with water spray to prevent bursting. SCBA should be used whenever chemical fires are present.

SECTION 6 – Accidental Release Measures

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

SECTION 7 – Handling and Storage

Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

SECTION 8 – Exposure Controls/Personal Protection**PERSONAL PROTECTIVE EQUIPMENT:**

EYE/ FACE PROTECTION: Wear safety glasses or goggles.

HAND PROTECTION: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

RESPIRATORY PROTECTION: When respiratory protection is required, use an organic vapor & particulate cartridge. All respiratory programs must meet OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements.

ENGINEERING CONTROLS: Good general ventilation required.

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.
NO WARRANTY IS EXPRESSED/ IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/ USER ASSUMES ALL RISKS ASSOCIATED WITH USE.

PRO CHEM, INC.

1475 BLUEGRASS LAKES PKWY.
ALPHARETTA, GA 30004
EMERGENCY/INFO # (800) 241-8180
ADDITIONAL EMERGENCY # INFO TRAC 1-800-535-5053

MATERIAL SAFETY DATA SHEET**TOTALLY DRY / 1336****MAY 2013****PAGE 2**

| | |
|------------|---|
| HEALTH | 1 |
| FIRE | 4 |
| REACTIVITY | 0 |
| P.P.E. | G |

SECTION 9 – Physical and Chemical Properties

| | | | |
|----------------------------|----------------|---|-------------------|
| APPEARANCE: | Clear. | VAPOR PRESSURE [mmHg]: | n/e |
| COLOR: | Colorless. | VAPOR DENSITY [Air=1]: | n/e |
| ODOR: | Pleasant. | VISCOSITY: | n/a |
| ODOR THRESHOLD: | Not available. | SOLUBILITY IN WATER: | Soluble. |
| PHYSICAL STATE: | Spray/mist. | COEFFICIENT OF WATER/OIL DISTRIBUTION: | Not available. |
| pH: | n/a | PERCENT VOLATILE, WT. %: | Not available. |
| MELTING POINT: | n/a | AUTOIGNITION TEMPERATURE: | Not available. |
| FREEZING POINT: | Not available. | VOC CONTENT, WT. %: | Not available. |
| BOILING POINT: | n/a | FLASH BACK: | No Flashback |
| FLAMMABILITY (HOC): | Not available. | SPECIFIC GRAVITY: | 0.80 |
| UPPER LIMITS: | Not available. | FLASH POINT: | 0° F (TCC Method) |
| LOWER LIMITS: | Not available. | EVAPORATION RATE (Butyl Acetate=1): | n/e |

SECTION 10 – Stability and Reactivity

| | |
|--|-----------------------------|
| STABILITY: | Stable. |
| INCOMPATIBILITY: | Acids and strong oxidizers. |
| HAZARDOUS POLYMERIZATION: | Will not occur. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | CO, CO2 |
| CONDITIONS OF REACTIVITY: | High temperature. |

SECTION 11 – Toxicological Information

No data.

SECTION 12 – Ecological Information

No data.

SECTION 13 – Disposal Consideration

WASTE DISPOSAL METHOD: This material must be disposed of in accordance with all federal, state, and local environmental control regulations.

SECTION 14 – Transport Information**DEPARTMENT OF TRANSPORTATION (DOT) REQUIREMENTS**

| | | | |
|---------------------------------|-------|----------------------------|------|
| PROPER SHIPPING NAME: | ORM-D | PACKAGING NON BULK: | None |
| HAZARD CLASS: | None | PACKAGING BULK: | None |
| SUBSIDIARY HAZARD CLASS: | None | UN NUMBER: | None |
| PACKAGING EXCEPTIONS: | None | PACKING GROUP: | None |

SECTION 15 – Regulatory Information**US FEDERAL REGULATIONS:**

TSCA (Toxic Substances Control Act): The intentional ingredients of product are listed.
Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure (X) Reactive () Not Applicable ()
(1) Title III Section 302/304 Extremely Hazardous Substances - 40 CFR 355 Appendix A

(2) Title III Section 313 Toxic Chemicals - 40 CFR 372.65

If indicated under Section 3 of this MSDS, this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right to Know Act of 1986. This information must be included in all MSDS that are copied and distributed for this material.

RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes a hazardous waste it would be assigned RCRA Code(s): D001

STATE AND LOCAL REGULATIONS: Certain states maintain their own ingredient lists which differ slightly from the Federal standards. If indicated under Section 2 of this MSDS states listed below may have regulations on ingredients contained in this product.
Check with your state for any additional regulations.
(3) California proposition 65 (Safe Drinking Water & Toxic Enforcement Act of 1986)
(4) Massachusetts (Hazardous Substance Disclosure by Employers)

SECTION 16 – Other Information

Further Information: HMIS Ratings: Health: 1; Flammability: 4; Reactivity: 0; Personal Protection: G
HMIS® is a registered trade and service mark of the NPCA.

Disclaimer: The Manufacturer believes that the information contained in the Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

MSDS Sections Updated: Composition / Information on Ingredients
Prepared by: Kyla DeWees

THIS INFORMATION MUST BE ON ALL MSDS'S COPIED AND DISTRIBUTED FOR THIS MATERIAL.
NO WARRANTY IS EXPRESSED/IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS OBTAINED FROM USE. PROCHEM ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USER. VENDEE/ USER ASSUMES ALL RISKS ASSOCIATED WITH USE.