

| 1. Product and Company Iden | tification | | | |
|---|--|---|---|---|
| PRODUCT NUMBER: | 2965 | COMF | PANY PHONE: | 1-800-241-8180 |
| PRODUCT NAME: | QUICK FIX Part A | EMERGENCY TELEPHONE: | | 1-800-241-8180 |
| PRODUCT DESCRIPTION: | Two-Part Quick Cure Epoxy | | FRAC: | 1-800-535-5053 |
| COMPANY INFORMATION: | PRO CHEM, INC. 1475 Bluegrass Lakes Park Alpharetta, GA 30004 | - | | |
| 2. Hazards Identification | | | | |
| GHS CLASSIFICATION: Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes serio | us eye irritation. | SIGNAL WORD: Warning | SYMBOL: | $\overline{\mathbf{O}}$ |
| Skin Sens. 1 H317 May cause a STOT SE 3 H335 May cause re | | | | \sim |
| P280: Wear protectiv P280: Wear eye prote P271: Use only outdo P272: Contaminated Response: P264: Wash face, hai P305+P351+P338: If rinsing. P304+P340: IF INHA P312: Call a POISON P333+P313: If skin iri P332+P313: If skin iri P337+P313: If skin iri P362+P364: Take off P363: Wash contamii P302+P352: IF ON S P321: Specific treatm Storage: P405: Store locked uj P403+P233: Store in | sin itation. s eye irritation. allergic skin reaction. piratory irritation. NTS: g dust/fume/gas/mist/vapors/sp e gloves. action / face protection. iors or in a well-ventilated area work clothing must not be allow nds and any exposed skin thor in eyes: Rinse cautiously with LED: Remove person to fresh I CENTER/doctor if you feel ur itation or rash occurs: Get medical ad itation persists: Get medical ad itation persists: Get medical ad itation persists: Get medical ad itated clothing before reuse. KIN: Wash with plenty of wate ent (see on this label). b. a well-ventilated place. Keep of pose of contents/container in a vPvB assessment: | wed out of the workplac roughly after handling. water for several minute air and keep comfortabl well. dical advice/attention. vice/attention. dvice/attention. sh it before reuse. r. | es. Remove contact lenses, le for breathing. | if present and easy to do. Continue |
| | | | | |
| 3. Composition / Information CHEMICAL CHARACTERIZAT CAS No & Description Identification Numbo - NLP Number: 500-0 - Index number: 603-1 | TON: on: 25068-38-6 - Bisphenol-A er(s): 33-5 | epoxy resin | | |
| 4. First Aid Measures | | | | |
| EMERGENCY OVERVIEW EYES: Rinse opened eye for SKIN: Immediately wash wit INHALATION: | several minutes under runnin h water and soap and rinse th | oroughly. | | |
| air; consult doctor in o | case of complaints. | ase of unconsciousnes | s, place patient stably in sid | e position for transportation. Supply fresh |
| If symptoms persist, of MOST IMPORTANT SYMPTON No further relevant in | MS/EFFECTS, ACUTE AND D | ELAYED: | | |
| Draduat Namar Oll | | | | |

| 5. Fire-Fighting Measures | | | |
|--|--|--|--|
| SUITABLE FIRE EXTINGUISHING M | IEDIA: | | |
| | | with water spray or alcohol resistant foar | n. |
| SPECIFIC HAZARDS ARISING FRO No further relevant informat | | | |
| | | | |
| | atory protective device. Wear fully | protective suit. | |
| 6. Accidental Release Measures | | | |
| PERSONAL PRECAUTIONS: | Maar protoctive elething | | |
| Ensure adequate ventilatior ENVIRONMENTAL PRECAUTIONS: | | | |
| Inform respective authoritie | s in case of seepage into waterco | ourse or sewage system. Do not allow to | enter sewers/surface or ground water. |
| METHODS & MATERIALS FOR CON | | | |
| Dispose of the collected ma REFERENCE TO OTHER SECTIONS | aterial according to regulations. | | |
| | | 8 for information on personal protection | equipment. See Section 13 for disposal |
| information. | J | | •••••• |
| '. Handling and Storage | | | |
| SAFE HANDLING: Precautions For Safe Han | dling: No special measures requ | iirad | |
| | | res: No special measures required. | |
| SAFE STORAGE & INCOMPATIBILI | TIES: | | |
| Requirements To Be Met | By Storerooms and Receptacle e in One Common Storage Fac | es: No special requirements. | |
| | t Storage Conditions: Keep rec | | |
| SPECIFIC END USE(s): | | | |
| No further relevant informat | tion available. | | |
| . Exposure Controls / Personal Pro | otection | | |
| | | | |
| Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. | from splashes gloves made of the follow | egradation. Material of Gloves: The ality and varies from manufacturer to has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re | egradation. Material of Gloves: The ality and varies from manufacturer to has to be found out by the manufacturer |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glov manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection fective work clothing. rations: Keep away from foodst and at the end of work. Avoid con | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. | egradation. Material of Gloves: The ality and varies from manufacturer to has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. | egradation. Material of Gloves: The ality and varies from manufacturer to has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: | Product is not flammable. 100.0% |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: dor: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): | egradation. Material of Gloves: The ality and varies from manufacturer to has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: dor: dor Threshold: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: dor: dor: dor Threshold: H: lelting Point/Range: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0% Not applicable. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: dor: dor: dor Threshold: H: lelting Point/Range: oiling Point/Range: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: VOC Content: | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0% Not applicable. 0.0 g/l / 0.00 lb/gl |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: color: bdor: bdor: bdor: bdor Threshold: H: lelting Point/Range: coiling Point/Range: iscosity (dynamic/kinematic): | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0% Not applicable. 0.0 g/l / 0.00 lb/gl Insoluble. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: color: bdor: bdor: bdor: bdor Threshold: H: lelting Point/Range: coiling Point/Range: iscosity (dynamic/kinematic): lash Point: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0% Not applicable. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: color: odor: Ddor Threshold: H: lelting Point/Range: coiling Point/Range: iscosity (dynamic/kinematic): lash Point: tyaporation Rate: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: color: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: olor: olor: dor Threshold: H: lelting Point/Range: oiling Point/Range: iscosity (dynamic/kinematic): lash Point: vaporation Rate: ensity at 20°C (68°F): apor Density: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Explosive Limit-Upper (%): Organic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: | Agradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties orm: color: Ddor: Ddor Threshold: H: lelting Point/Range: coiling Point/coiling Point/Range: coiling Point/coilin | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) Not applicable. Not determined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties Form: Color: Ddor: Ddor: Ddor: Ddor Threshold: Ddor Helting Point/Range: Alloing Point/Range: Viscosity (dynamic/kinematic): Flash Point: Evaporation Rate: Density at 20°C (68°F): Appor Density: Relative Density: 0. Stability & Reactivity Informatio | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid co Highly viscous. Clear. Characteristic. Not determined. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) Not applicable. Not determined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks Wash hands before breaks OPhysical & Chemical Properties Form: Color: Ddor: Ddor: Ddor: Ddor: Ddor: Ddor: Ddor Threshold: Ddr: Ddor: Ddor Threshold: Ddr: Ddor: Ddor Threshold: Ddr: Ddor: Ddor Threshold: Ddr: Ddor: Ddor Threshold: Ddr: Ddor: Ddor: Ddor Threshold: Ddr: Ddor: Ddor: Ddor: Ddor Threshold: Ddr: Ddor: Ddor Threshold: Ddr: Ddor Threshold: Ddr: Ddr: Ddor Threshold: Ddr: Ddr: Ddr: Ddr: Ddr: Ddr: Ddr: Dd | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) Not applicable. Not determined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties Form: Color: Ddor: Ddor: Ddor: Ddor: Ddor Threshold: Ddor: Ddor Threshold: DH: Melting Point/Range: discosity (dynamic/kinematic): Flash Point: Evaporation Rate: Density at 20°C (68°F): /apor Density: Relative Density: 0. Stability & Reactivity Informatio REACTIVITY: No further relevant informatio | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Not applicable. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) Not applicable. Not determined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Not determined. |
| Skin Protection: Protective Selection of the glove mate selection of the suitable glo manufacturer. Nitrile rubber the protective gloves and ha NBR. Body Protection: Prot General Hygiene Conside Wash hands before breaks . Physical & Chemical Properties form: Color: Dodor: Dodor Threshold: | e gloves. The glove material has t rial on consideration of the penet ves does not only depend on the r, NBR. Penetration Time Of Glov as to be observed. As protection rective work clothing. rrations: Keep away from foodst and at the end of work. Avoid con Highly viscous. Clear. Characteristic. Not determined. Undetermined. 260°C (500°F). Not applicable. 251°C (484°F). Not applicable. 1.17 g/cm³ (9.764 lbs/gal) Not applicable. Not determined. | ration times, rates of diffusion and the de material, but also on further marks of qu e Material: The exact break through time from splashes gloves made of the follow uffs, beverages and feed. Immediately re ntact with the eyes and skin. Flammability(solid/gas): Solids Content: Explosive Limit-Lower (%): Crganic Solvent Content: Vapor Pressure: VOC Content: Solubility/Miscibility (water): Auto-Ignition Temp: Decomposition Temp: Partition Coeff(n-octanol/water): | egradation. Material of Gloves: The ality and varies from manufacturer to a has to be found out by the manufacturer ing materials are suitable: Nitrile rubber, emove all soiled and contaminated clothing Product is not flammable. 100.0% Not determined. 0.0% Not determined. 0.0 g/l / 0.00 lb/gl Insoluble. Not determined. Not determined. Not determined. Not determined. Does not present an explosion hazard. |

| INCOM | PATIBLE MATERIALS: |
|----------|--|
| | No further relevant information available. |
| CONDIT | FIONS TO AVOID: |
| | No further relevant information available. DOUS DECOMPOSITION PRODUCTS: |
| | No dangerous decomposition products known. |
| | |
| | icological Information |
| ACUTE | TOXICITY: |
| | Primary irritant effect: - on the skin: Irritant to skin and mucous membranes. |
| | - on the eye: Irritating effect. |
| | Sensitization: Sensitization possible through skin contact. |
| CARCIN | |
| | IARC (International Agency for Research on Cancer): Substance is not listed. NTP (National Toxicology Program): Substance is not listed. |
| | OSHA-Ca (Occupational Safety & Health Administration): Substance is not listed. |
| 10 Eas | |
| TOXICI | logical Information |
| TOXICI | Aquatic toxicity: No further relevant information available. |
| PERSIS | TENCE AND DEGRADABILITY: |
| | No further relevant information available. |
| BIOACC | CUMULATIVE POTENTIAL: No further relevant information available. |
| MOBILI | TY IN SOIL: |
| | No further relevant information available. |
| ECOTO | XICAL EFFECTS: Toxic for fish. |
| ADDITIC | ONAL ECOLOGICAL INFORMATION: |
| | General Notes: Water hazard class 2 (Assessment by list): hazardous for water. Do not allow product to reach ground water, watercourse or |
| | sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. |
| OTHER | Toxic for aquatic organisms. ADVERSE EFFECTS: |
| Unien | No further relevant information available. |
| 10 Dia | anal Consideration |
| | bosal Consideration SAL INSTRUCTIONS: |
| DISFUS | Must not be disposed of together with household garbage. Do not allow product to reach sewage system. |
| CONTA | MINATED PACKAGING: |
| | Disposal must be made according to official regulations. |
| 14. Trar | |
| DOT: | nsportation Information |
| | |
| | nsportation Information UN Number: Not regulated. UN Proper Shipping Name: Not regulated. |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F |
| 1474- | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): |
| ΙΑΤΑ: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles |
| ΙΑΤΑ: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A |
| IATA: | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), Acrylic Copolymer Mixture), MARINE POLLUTANT. |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight < 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight < 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight < 700), Acrylic Copolymer Mixture), MARINE POLLUTANT. Transport Hazard Class(es): |
| | UN Number: Not regulated. UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 5 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight 5 700). Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 5 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight 5 700), Acrylic Copolymer Mixture), MARINE POLLUTANT. Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-M, S-F |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions for User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight < 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight < 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight < 700), Acrylic Copolymer Mixture), MARINE POLLUTANT. Transport Hazard Class(es): |
| | UN Number: Not regulated. UN Proper Shipping Name: Not regulated. Transport Hazard Class(es): Class: Not regulated. Packing Group: Not regulated. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles. - Danger code (Kemler): 90 - EMS Number: F-A,S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin): epoxy resin (number average molecular weight < 700), Acrylic Copolymer Mixture) Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - Label(s): 9 Packing Group: III Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight < 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight < 700) Marine Pollutant: Yes. Symbol: Fish and tree. Special Precautions For User: Warning: Miscellaneous dangerous substances and articles - Danger code (Kemler): 90 - EMS Number: F-A, S-F - Stowage: Category A UN Number: UN3082 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin); epoxy resin (number average molecular weight < 700). Acrylic Copolymer Mixture), MARINE POLLUTANT. Transport Hazard Class(es): Class: 9 Miscellaneous dangerous substances and articles Subsidiary risk: - |

| Environmental Hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin); | ; epoxy resin |
|--|---|
| (number average molecular weight ≤ 700) | |
| Marine Pollutant: Yes. Symbol: Fish and tree. | |
| Special Precautions For User: Warning: Miscellaneous dangerous substances and articles | |
| - Danger code (Kemler): 90 | |
| - EMS Number: F-A, S-F | |
| - Stowage: Category A | |
| Limited quantities (LQ): 5L | |
| Excepted quantities (EQ) Code: E1 | |
| Maximum net quantity per inner packaging: 30 g | |
| Maximum net quantity per outer packaging: 1000 g TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: | |
| Not applicable. | |
| UN "MODEL REGULATION:" | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A- | |
| (EPICHLORHYDRIN); EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700), ACRYLIC COPOLYMER MIXTURE), | 9.111 |
| | 0, III |
| 15. Regulatory Information | |
| SAFETY, HEALTH & ENVIRONMENTAL LREGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTSANCE OR MIXTURE – SARA: | |
| Section 355 (extremely hazardous substances): Substance is not listed. | |
| Section 313 (Specific toxic chemical listings): Substance is not listed. | |
| TSCA (Toxic Substances Control Act): Substance is listed. | |
| Proposition 65 Chemicals known to cause cancer: Substance is not listed. | |
| Chemicals known to cause reproductive toxicity for females: Substance is not listed. | |
| Chemicals known to cause reproductive toxicity for males: Substance is not listed. | |
| Chemicals known to cause developmental toxicity: Substance is not listed. | |
| Carcinogenic categories | |
| EPA (Environmental Protection Agency): Substance is not listed. | |
| TLV (Threshold Limit Value established by ACGIH): Substance is not listed. | |
| NIOSH-Ca (National Institute for Occupational Safety and Health): Substance is not listed. | |
| Chemical safety assessment: | |
| A Chemical Safety Assessment has not been carried out. | |
| | |
| 16. Other Information | |
| 16. Other Information Abbreviations & Acronyms: | |
| Abbreviations & Acronyms: | nal Carriage |
| | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/Irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 24: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitization – Category 1 | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitization – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitization – Category 1 | nal Carriage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | |
| Abbreviations & Acronyms: ADB: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit: 2: Skin corrosion/irritation – Category 2 Eye Irrit: A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | / or |
| Abbreviations & Acronyms: ADB: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REI: Recommended Exposure Limit Skin Sens. 1: Skin sensization – Category 2 Eye Irrit: 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein i | / or Ser. All |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DDT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit: 2: Skin corrosion/irritation – Category 2 Eye Inrt. 2A: Serious eye damage/eye irritation – Category 2A Skin Isens: 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for | / or ser. All ot guarantee |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPv8: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Stin Sens. 1: Skin sensitization – Category 2 Eye Intt. 22: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: | v or ser. All ot guarantee however, |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPv8: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Intri. 2: Skin corosion/irritation – Category 2 Eye Intri. 2A: Serious eye damage/eye irritation – Category 2A Skin Bens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMEE: To the best of our knowledge, information contain | or ser. All ot guarantee however, iling, storage |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Identification System (USA) YOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPWB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitization – Category 2 Eye Irrit. 2: Skin corrosion/irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy completeness of the information cont | or ser. All ot guarantee however, illing, storage expense |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPWB: very Persistent and very Bioaccumulative NIGSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Irrit. 2: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, | or ser. All ot guarantee however, fling, storage expense irreated or |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSH: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Stin Sens. 1: Skin sensitization – Category 2 Eye Irit: 2A: Serious eye damage/eye iritation – Category 2A Skin Sens. 1: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein. Final | or Ser. All ot guarantee however, dling, storage expense created or |
| Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPWB: very Persistent and very Bioaccumulative NIGSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Irrit. 2: Skin sensitization – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, | v or Ser. All ot guarantee however, Iling, storage expense created or |



| 1. Product and Company Iden | tification | | | |
|---|---|---|---|--|
| PRODUCT NUMBER: | 2965 | COMP | ANY PHONE: | 1-800-241-8180 |
| PRODUCT NAME: | QUICK FIX Part B | EMERO | GENCY TELEPHONE | : 1-800-241-8180 |
| PRODUCT DESCRIPTION: | Two-Part Quick Cure Epoxy | INFOTI | RAC: | 1-800-535-5053 |
| COMPANY INFORMATION: | PRO CHEM, INC. 1475 Bluegrass Lakes Park Alpharetta, GA 30004 | way | | |
| 2. Hazards Identification | | | | |
| GHS CLASSIFICATION: Skin Irrit. 2 H315 Causes skin ir Eye Irrit. 2A H319 Causes serio | | SIGNAL WORD: Warning | SYMBOL: | |
| HAZARD STATEMENTS: H315: Causes skin irritation. H319: Causes serious eye irritation. PRECAUTIONARY STATEMENTS: Prevention: P280: Wear protective gloves. P280: Wear eye protection / face protection. P264: Wash face, hands and any exposed skin thoroughly after handling. Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P332+P313: If eye irritation persists: Get medical advice/attention. P332+P313: If eye irritation persists: Get medical advice/attention. P332+P313: If eye irritation persists: Get medical advice/attention. P332+P313: If Sec of the oft contaminated clothing and wash it before reuse. P302+P352: IF ON SKIN: Wash with plenty of water. P321: Specific treatment (see on this label). OTHER HAZARDS: Results of PBT and vPvB assessment: - PBT: Not applicable. - vPvB: Not applicable. | | | | |
| DANGEROUS COMPONENTS Mercaptan-terminated Curing Agent: Acute 1 4. First Aid Measures EMERGENCY OVERVIEW EYES: Rinse opened eye for SKIN: Immediately wash wit INHALATION: Immediately wash wit | nces listed below with nonhaza polymer: Skin Irrit. 2, H315; E fox. 4, H312; Skin Irrit. 2, H315 several minutes under running h water and soap and rinse the sness, place patient stably in s consult doctor. IS/EFFECTS, ACUTE AND D ormation available. | Eye Irrit. 2B, H320 – 90-1 5; Eye Irrit. 2A, H319 – 1 9 water. If symptoms per broughly. side position for transpor | 0-19% sist, consult a doctor. tation. Supply fresh ai | r; consult doctor in case of complaints. |
| environment. SPECIFIC HAZARDS ARISING No further relevant inf SPECIAL PROTECTIVE EQUIR | ING MEDIA: owder or water spray. Fight larg FROM THE CHEMICAL: ormation available. | | y or alcohol resistant fo | pam. Use firefighting measures that suit the |

| 6. Accidental Release M | easures | | |
|--------------------------|--|---|--|
| PERSONAL PRECAUTIO | NS: | | |
| | e ventilation. Wear protective clothing. | | |
| ENVIRONMENTAL PREC | | | |
| | enter sewers/ surface or ground water. | | |
| | S FOR CONTAINMENT & CLEAN-UP: re ventilation. Dispose of the collected materia | Looperding to regulations | |
| REFERENCE TO OTHER | | | |
| | or information on safe handling. See Section 8 | for information on personal protection | on equipment. See Section 13 for disposal |
| information. | · · · · · · · · · · · · · · · · · · · | | |
| 7. Handling and Storage | | | |
| SAFE HANDLING: | | | |
| | or Safe Handling: Ensure good ventilation/ext | austion at the workplace. Prevent fo | rmation of aerosols |
| | out Protection Against Explosions and Fire | | |
| SAFE STORAGE & INCO | | | |
| | To Be Met By Storerooms and Receptacles | | |
| | out Storage in One Common Storage Facil | | |
| | ation About Storage Conditions: Keep rece | ptacle tightly sealed. | |
| SPECIFIC END USE(s): | ant information available. | | |
| | | | |
| 8. Exposure Controls / P | ersonal Protection | | |
| ADDITIONAL INFORMAT | TION ABOUT DESIGN OF TECHNICAL SYST | TEMS: | |
| No further data; | | | |
| CONTROL PARAMETER | | the Westerland The second set does | |
| Components v | Vith Limit Values That Require Monitoring a ritical values that have to be monitored at the v | tt the workplace: The product does | not contain any relevant quantities of |
| | rmation: The lists that were valid during the c | | |
| PERSONAL PROTECTIV | | | |
| | | | |
| | | | |
| | | | |
| Evo/Ecoo Broto | ection: Tightly sealed goggles. | | |
| Skin Protection | 1: Protective gloves. The glove material has to | be impermeable and resistant to the | e product/ the substance/ the preparation |
| Selection of the | glove material on consideration of the penetra | ation times, rates of diffusion and the | degradation. Material of gloves: The selection |
| | loves does not only depend on the material, b | | |
| | | | be calculated in advance and has therefore to |
| | r to the application. Nitrile rubber, NBR. Penel | | |
| | er of the protective gloves and has to be obser | | ves made of the following materials are |
| | rubber, NBR. Body protection: Protective work otection: In case of brief exposure or low poll | | asso of intensive or lenger experience |
| | ective device that is independent of circulating | | case of intensive of longer exposure use |
| | Te Considerations: Keep away from foodstu | | remove all soiled and contaminated clothing. |
| | fore breaks and at the end of work. Avoid cont | | |
| 9. Physical & Chemical I | Properties | | |
| Form: | Viscous. | Flammability(solid/gas): | Not applicable. |
| Color: | Clear. | Explosive Limit-Lower (%): | Not determined. |
| | Clear. | Explosive Limit Upper (%) | Not determined. |

| | V130003. | r lammasmry(sona/gas). | |
|--------------------------------|-----------------|-----------------------------------|---------------------------------------|
| Color: | Clear. | Explosive Limit-Lower (%): | Not determined. |
| Odor: | Characteristic. | Explosive Limit-Upper (%): | Not determined. |
| Odor Threshold: | Not determined. | Organic Solvent Content: | 0.0% |
| pH: | Not determined. | Vapor Pressure: | Not determined. |
| Melting Point/Range: | Undetermined. | VOC Content: | 0.0 g/l / 0.00 lb/gl |
| Boiling Point/Range: | 212°C (414°F) | Solubility/Miscibility (water): | Not miscible or difficult to mix. |
| Viscosity (dynamic/kinematic): | Not determined. | Auto-Ignition Temp: | Product is not self igniting. |
| Flash Point: | 149°C (300°F) | Decomposition Temp: | Not determined. |
| Evaporation Rate: | Not determined. | Partition Coeff(n-octanol/water): | Not determined. |
| Density: | Not determined. | Danger of Explosion: | Does not present an explosion hazard. |
| Vapor Density: | Not determined. | Relative Density: | Not determined. |
| | | | |

10. Stability & Reactivity Information

REACTIVITY:

No further relevant information available. CHEMICAL STABILITY: Thermal Decomposition/Conditions To Be Avoided: No decomposition if used according to specifications. POSSIBILITY OF HAZARDOUS REACTIONS: No dangerous reactions known. INCOMPATIBLE MATERIALS: No further relevant information available.

CONDITIONS TO AVOID:

No further relevant information available.

| AZARDOUS DECOMPOSITION PRODUCTS: | |
|--|--|
| No dangerous decomposition products known. 1. Toxicological Information | |
| | |
| LD/LC50 values that are relevant for classification: | |
| Mercaptan-terminated polymer – Oral LD50 2600 mg/kg (rat Curing agent: Oral LD50 2169 mg/kg (rabbit) / Dermal LD50 1242 mg/kg (rabbit) | |
| RIMARY IRRITANT EFFECT: | |
| - on the skin: Irritant to skin and mucous membranes. - on the eye: Irritating effect. | |
| ENSITIZATION: | |
| No sensitizing effects known. | |
| DDITIONAL TOXICOLOGICAL INFORMATION: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant. | |
| ARCINOGENICITY: | |
| IARC (International Agency for Research on Cancer): None of the ingredients is listed. NTP (National Toxicology Program): None of the ingredients is listed. | |
| OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients is listed. | |
| 2. Ecological Information OXICITY: | |
| Aquatic toxicity: No further relevant information available. | |
| ERSISTENCE AND DEGRADABILITY: | |
| No further relevant information available. SIOACCUMULATIVE POTENTIAL: | |
| No further relevant information available. | |
| IOBILITY IN SOIL: No further relevant information available. | |
| DDITIONAL ECOLOGICAL INFORMATION: | |
| Water hazard class 1 (Self-assessment): slightly hazardous for water no not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. | |
| THER ADVERSE EFFECTS: | |
| No further relevant information available. | |
| 3. Disposal Consideration | |
| ISPOSAL INSTRUCTIONS: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. | |
| CONTAMINATED PACKAGING: | |
| Disposal must be made according to official regulations. | |
| 4. Transportation Information | |
| IN NUMBER: | |
| DOT, ADN, IMDG, IATA: Not regulated. IN PROPER SHIPPING NAME: | |
| DOT, ADN, IMDG, IATA: Not regulated. | |
| RANSPORT HAZARD CLASS(ES): | |
| DOT, ADN, IMDG, IATA: Class: Not regulated. | |
| ACKING GROUP: | |
| DOT, IMDG, IATA: Not regulated. INVIRONMENTAL HAZARDS: | |
| Marine Pollutant: No. | |
| PECIAL PRECAUTIONS FOR USER: Not applicable. | |
| RANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 & IBC CODE: | |
| Not applicable. IN "MODEL REGULATION:" | |
| Not regulated. | |
| 5. Regulatory Information | |
| AFETY, HEALTH & ENVIRONMENTAL LREGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTSANCE OR MIXTURE – SARA: | |
| Section 355 (extremely hazardous substances): None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): None of the ingredients is listed. TSCA (Toxic Substances Control Act): None of the ingredients is listed. | |
| Proposition 65 Chemicals known to cause cancer: None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: None of the ingredients is listed. | |
| ARCINOGENIC CATEGORIES: | |
| EPA (Environmental Protection Agency): None of the ingredients is listed. TLV (Threshold Limit Value established by ACGIH): None of the ingredients is listed. | |
| NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed. | |
| HEMICAL SAFETY ASSESSMENT: A Chamical Safety Assessment has not been carried out | |
| A Chemical Safety Assessment has not been carried out. | |

16. Other Information

Abbreviations & Acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.