



# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	2783	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	BOOM GLIDE	<b>EMERGENCY TELEPHONE:</b>	1-800-241-8180
<b>PRODUCT DESCRIPTION:</b>	Telescopic Boom Lubricant	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> This product is not considered hazardous by OSHA Hazard Communication Standard 29 CFR 1910.1200	<b>SIGNAL WORD:</b> Not applicable.	<b>SYMBOL:</b>	
-------------------------------------------------------------------------------------------------------------------------------	----------------------------------------	----------------	--

**HAZARD STATEMENTS:**  
Not expected to contain any products that cause health hazards when uses under normal conditions and/or as directed by manufacturer. Used grease may contain harmful substances.

### PRECAUTIONARY STATEMENTS:

**General:** Keep out of reach of children. Read label before use.

**Prevention & Personal Protection Equipment:** Always wear eye or face protection. Protect exposed skin from prolonged use.

**Hazard Response:** EYES: Rinse eyes continually for several minutes.

SKIN: Wash affected skin with soap and water.

**Storage:** Not applicable.

**Disposal:** Always return waste to appropriate collection center. Dispose of empty containers in accordance with all national, state and local regulations.

### HAZARDS NOT OTHERWISE SPECIFIED:

3.8% of the mixture consists of component(s) of unknown toxicity.

## 3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Butanedioic Acid	29658-97-7	<2.5%

This product is a Calcium Sulfonate Complex blended with a mixture of mineral oil with additives. The formulation is considered a trade secret and specific chemical names and/or percentages of the components have not been disclosed.

## 4. First Aid Measures

### EMERGENCY OVERVIEW

**GENERAL:** Not expected to contain or cause any specific health or safety hazards when used in accordance with label.

**EYES:** Immediately flush with plenty of clear water for at least 15 minutes. Make sure to flush under the eyelids. Consult a physician.

**SKIN:** Remove with soap and water. Consult a physician if irritation continues. If large skin area is affected, remove contaminated clothing.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if symptoms persist or if unconscious.

**INGESTION:** Seek medical attention if discomfort occurs. Do not induce vomiting.

**NOTES TO PHYSICIAN:** No data.

## 5. Fire-Fighting Measures

### CONDITIONS OF FLAMMABILITY:

Heat, sparks, flame, red hot metal.

### SUITABLE FIRE EXTINGUISHING MEDIA:

Water, CO<sub>2</sub>, dry chemical, or universal aqueous film forming foam.

### UNSUITABLE FIRE EXTINGUISHING MEDIA:

Not available.

### FLASH POINT & METHOD OF DETERMINATION:

<500 F ASTM D92 (Cleveland Open cup).

### EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT:

Not available.

### EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE:

Not available.

### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Not available.

### HAZARDOUS COMBUSTION PRODUCTS:

Oxides of Carbon (CO, CO<sub>2</sub>), smoke, and vapors as products of incomplete combustion.

### SPECIFIC FIRE-FIGHTING METHODS:

Use water spray to cool fire exposed containers as contents can rupture violently from heat developed pressure.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Firemen should wear self-contained breathing apparatus.

## 6. Accidental Release Measures

### ENVIRONMENTAL PRECAUTIONS:

Prevent material from entering sewers, water sources or low lying areas; advise the relevant authorities if it has, or if it contaminates soil or vegetation.

### METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:

Report spills/releases as required to appropriate authorities. Some regulations require immediate reporting of spills/releases that could reach any waterway including intermittent dry creeks.

For land spills shut off source taking normal safety precautions. Take measures to minimize the effects on ground water. Recover by pumping or contain spilled material with sand or other suitable absorbent and remove mechanically into containers. If necessary, dispose of absorbed residues as directed in Section 13.

For water spills confine the spill immediately with booms. Notify port and/or other relevant authorities. Remove from the surface by skimming or with suitable absorbents.

## 7. Handling and Storage

### SAFE HANDLING:

No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection.

### SAFE STORAGE & INCOMPATIBILITIES:

Keep containers closed when not in use. Do not store in open or unlabeled containers. Store away from strong oxidizing agents and combustible materials. Do not store near heat, sparks, or flame.

### EMPTY CONTAINER WARNING:

Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death. Do not attempt to clean since residue is difficult to remove. Empty drums should be completely drained, properly bunged, and promptly returned to drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

## 8. Exposure Controls / Personal Protection

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Molybdenum Disulfide	TWA: 10 mg/m <sup>3</sup> Inhalable TWA: 3mg/m <sup>3</sup> Respirable	TWA: 15 mg/m total dust (vacated)	IDLH: 500 mg/m <sup>3</sup>
Limestone		TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust

### PERSONAL PROTECTIVE EQUIPMENT:



**Eye/Face Protection:** Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling. Where eye contact with this material could occur, chemical splash proof goggles are recommended.

**Skin Protection:** For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or repeated contact could occur, use protective clothing impervious to the ingredients listed in Section 2.

**Respiratory Protection:** When mists are generated, and/or when ventilation is not adequate, wear a NIOSH approved respirator with an appropriate cartridge. If respirators are needed, compliance with OSHA standard 29 CFR 1910.134 is necessary within the United States.

**Other Measures:** Safety showers and eye/wash stations should be available in the workplace

**General Hygiene Considerations:** Avoid breathing vapors and contact with the skin and eyes. Keep out the reach of children. Wash hands after use.

### APPROPRIATE ENGINEERING CONTROLS:

General ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Local exhaust ventilation or an enclosed handling system may be necessary to control air contamination below that of the lowest PEL rated ingredient from Section 2.

## 9. Physical & Chemical Properties

<b>Appearance:</b>	Green, gray or black semisolid.	<b>Flammability Limit-lower (%):</b>	No data.
<b>Physical State:</b>	Paste.	<b>Flammability Limit-upper (%):</b>	No data.
<b>Viscosity:</b>	>160 SUS	<b>Percent Volatile:</b>	0% wt (0% Vol) max.
<b>MIR Value:</b>	0.0	<b>VOC Content:</b>	0.0 lbs/gal (0.0 g/L)
<b>Odor:</b>	Slight petroleum.	<b>Vapor Density:</b>	Not available.
<b>Odor Threshold:</b>	Not available.	<b>Vapor Pressure:</b>	<1 mm Hg
<b>pH:</b>	Not available.	<b>Percent VOC:</b>	0% Wt (0% vol) Max
<b>Melting/Freezing Point:</b>	Not available.	<b>Solubility (water):</b>	Insoluble.
<b>HAP Content:</b>	0.0 lbs/gal (0.0 g/L)	<b>Auto-Ignition Temp:</b>	Not available.
<b>Flash Point:</b>	>300°F	<b>Coeff of Water/Oil Dist:</b>	Not available.
<b>Specific Gravity (H<sub>2</sub>O=1):</b>	1.06 g/cc	<b>Weight:</b>	8.1 lbs/gal
<b>Evaporation Rate:</b>	Not available.		

## 10. Stability & Reactivity Information

### CONDITIONS OF REACTIVITY:

Extreme heat and high energy sources of ignition

**STABILITY:** Stable.

### HAZARDOUS POLYMERIZATION:

Not expected to occur.

### CONDITIONS TO INSTABILITY:

Not available.

**INCOMPATIBLE MATERIALS:**

Strong oxidizers.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

At elevated temperatures oxides of carbon can be produced.

**11. Toxicological Information****CARCINOGENICITY:**

The petroleum base oil contained in this product has been highly refined by a variety processes including hydrotreating and dewaxing to remove aromatics and improve performance characteristics. None of these oils used are listed as a carcinogen by NTP, IARC or OSHA

**OTHER:** No other information is available.**12. Ecological Information****ECOTOXICITY:**

Ingredient	FISH LC50	DAPHNIA EC50	ALGAE IC50	BACTERIAL EC50
Base oil	>10 g/l/96 hr	Not available.	Not available.	Not available.

**PERSISTENCE:**

Not available.

**DEGRADABILITY:**

This product is not expected to be inherently biodegradable.

**BIOACCUMULATIVE POTENTIAL:**

Unlikely due to the very low water solubility of the product.

**MOBILITY IN SOIL:**

When released into the environment, absorption to sediment and soil will be the predominant behavior.

**OTHER ADVERSE EFFECTS:**

Do not allow to enter waters, wastewater or soil. This product does not contain any ozone depleting ingredients.

**13. Disposal Consideration**

Product is suitable for burning in an enclosed, controlled burner for fuel value. Hazard characteristics and Regulatory waste stream classification can change with product use and location. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment, and/or disposal methodologies for spent materials and residues at the time of disposition. All waste material must be disposed of in compliance with the respective national, federal, state, and/or local regulations.

**14. Transportation Information****NONREGULATED MATERIAL****NMFC DESCRIPTION (United States)**

ITEM DESCRIPTION:.....Compounds, Lubricating

ITEM NUMBER:.....CSCM322, CSCM352

CLASS:.....55-65

**15. Regulatory Information****UNITED STATES-FEDERAL:**

INGREDIENT CAS # TSCA RCRA CERCLA SARA 313 SARA 311/312

**UNITED STATES-STATES:**

INGREDIENT CA DE FL MA PA MN NJ NY WA

**CANADA:**

INGREDIENT A B D1B D2A D2B E DSL NDSL NPRI CWC

**WHMIS CLASSIFICATION:**

Not regulated

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**EUROPEAN UNION:**

INGREDIENT EINECS SYMBOL RISK PHRASES SAFETY PHRASES

SARA (313) Toxic Release Inventory: This material may contain chemical(s) regulated under SARA. For specific question contact customer service.

RoHS Compliance: This product is RoHS compliant according to the definitions and restrictions given by The European Parliament (Directive 2002/95/EC) and The Council of January 27, 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

**16. Other Information****DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.