

Double Check #2968

Leak Detector



Features:

- Nontoxic
- Noncorrosive
- Biodegradable
- Easy to use
- Oxygen safe

Description:

DOUBLE CHECK has an advanced sensitive solution that is specially formulated to pinpoint even the smallest leaks. It suspends dirt so the particles do not drastically reduce the sensitivity of DOUBLE CHECK. This unique formula allows the product to cling to pipes for extended periods of time. It can be used to locate nitrogen and natural gas leaks. Previously coated surfaces can be rechecked by wetting the area with water.



Areas of Use:

- Walk-In Coolers
- Refrigeration Units
- Air Conditioners

Applications:

- Coolant
- Natural Gas
- Nitrogen

Product Characteristics:

Appearance:	Clear, blue liquid.
Odor:	Fresh.
Detergency:	Excellent.
Toxicity:	Nonhazardous.
Wetting Ability:	Saturates.
Cold Stability:	32°F.
Solubility (water):	100%
pH:	8
Evaporation Rate:	Slow
Specific Gravity:	1.02
Freezing Point:	< 32°F (0°C)
Volatility:	99%
VOC:	0%
Vapor Density (AIR=1):	1
Vapor Pressure:	23.8 mmHg @ 77°F (25°C)
Storage:	Store in a cool, dry area. Do not store at elevated temperatures.
Transport Information:	
Proper Shipping Name:	Cleaning compound, n.o.s.
UN Number:	Not regulated.
Class:	Not regulated.
Packing Group:	Not regulated.

Directions:

Spray or swab product to thoroughly coat surfaces to be checked. Visually inspect for bubbles. Micro leaks will produce a cluster of small bubbles. All surfaces previously coated can be rechecked by wetting areas with water. Turn on system for 5–10 minutes, then visually inspect for vibration leaks.

Pictograms:



Signal Word:

None.

Personal Protective Equipment Required:



DOT Placard:

Not regulated.