

New Products August 2018

DRAIN MAINTENANCE

BIO-DIGEST

2437

Drain Line & Septic Tank Maintainer

- Reduces FOG, BOD and sludge volume
- Reduces suspended solids
- Fast acting when applied to clogged drains
- Heat resistant up to 180°F
- Has rapid bacteria replication
- Contains 200 billion microbes
- Nontoxic, nonacid and nonpolluting
- Saves money by reducing the frequency of grease trap pumping



Utilizing the latest technology in the bacillus industry, BIO-DIGEST provides a revolutionary approach to grease and waste elimination. This formula combines 7 strains of bacteria that consumes FOG (fats, oils and greases) in any plumbing system. With every dose, billions of living bacteria wake up and feed on dead organic waste. BIO-DIGEST is resistant to bleach, quaternary disinfectants and alkaline cleaners that normally inhibit the performance of most bacillus products. Ideal for use in healthcare facilities, this environmentally friendly, nonflammable product not only meets the necessary safety requirements, it is also resistant to antibiotics and chemo, which are more prominent in these environments. The bacterial colony will double in count every 20 minutes, leaving a biofilm coating in every inch of the plumbing system. Regular use of this product creates free flowing drains, eliminates foul odors, destroys drain fly colonies, restores drain fields and reduces grease trap pumping

Ideal for: grease traps, drain pipes, lift stations, restrooms, septic tanks, portable toilets, odorous surfaces, dumpsters, waste treatment plants, cement vault toilets, down pipes, trash cans

Appearance	Opaque, white liquid
Odor	Cherry

FLOOR MAINTENANCE

CAPTURE NEW & IMPROVED

#3119

Universal Spill Absorbent

- Not dusty or messy
- Nonhazardous, nontoxic, noncarcinogenic and noncombustible
- Completely encapsulates acids, caustics, oils, solvents, bodily fluids and more
- Drastically reduces cleaning time and disposal costs
- Reduces slipping hazards
- Landfill acceptable
- Absorbs fast and many times its weight
- Odorless



CAPTURE NEW & IMPROVED is a highly efficient, lightweight, naturally occurring, amazingly absorbent material. It reduces time, effort, equipment and landfill space and exceeds all standards set by the Environmental Protection Agency's regulations regarding disposal of liquid waste. This dust-free formula eliminates airborne particles, making it a safe noncarcinogenic product. Safe to use on all surfaces. It leaves no residue so mopping is not required after cleanup.

Ideal for: water and oil based paints, plumbing leaks, roof leaks, run-off water, blood, sewage overflow, vomit, coolant, gas, urine, grease, transmission fluid, oils, solvents, alcohols, caustics:

Appearance	Mostly white powder/granules
Odor	None

DISINFECTANT & DEODORANT

LEMON DROP

#2395

Wastewater & Sewer Deodorizer

- Ready to use
- Does not affect bacterial action
- Water based – no harmful solvents
- Attacks the source of the odor
- Formulated to control obnoxious odors
- FPA: C1



LEMON DROP is a water-based deodorizer that contains no harmful solvents, making it perfect for use when you do not want the bacterial action in digesters, septic tanks and drain fields disturbed. Its powerful formula quickly and effectively controls obnoxious odors in sewage plants, lagoons, mains and laterals and other wastewater facilities. It has a pleasant, lemon fragrance that is powerful enough to quickly knock out the most pungent of odors.

Ideal for: lagoons, mains & laterals aerators, dumps, septic tanks, garbage containers & trucks, drain fields, sewer lines

Appearance	Clear to hazy yellow liquid
Odor	Lemon

DISINFECTANT & DEODORANT

FAN FRESH

#3397

Smart Fan Air Freshening System

- Freshens consistently for 30 days
- Smart Chip that controls fan activation
- Light sensor conserves battery life when the room is dark
- Push tab for easy removal of old cover
- Beeps and has LED light remind you to change the cover
- Powerful enough to fresh large places
- Environmentally friendly
- Easily recyclable
- Contains 2-3 times more fragrance than gels or metered air fresheners
- VOC compliant in all 50 states

Ideal for: offices, lobbies, restrooms, locker rooms, cafeterias, trash areas



FAN FRESH is the only air freshener dispenser that uses the fragranced cover of the dispenser as the air freshener itself. It also utilizes the newest technology in odor control available. The motor driven fan moves the air freshener further than typical, passive systems to freshen large areas. It has a smart chip that controls the fan speed so the air freshener provides consistent fragrance all month long. It will turn sparingly for week one and gradually turns more frequently until week four when it turns constantly.

Appearance	Thermoplastic infused with fragrance oil
Odor	Various

MULTI-OXIDE

#2390

One-Step Disinfectant, Cleaner and Deodorant

- Kills MRSA, Norovirus, E. coli and many more
- Cleans with the power of hydrogen peroxide
- Hospital-grade germicidal cleaner
- Can be used on any hard, nonporous surface
- Extremely versatile
- Bactericide, virucide, fungicide and sanitizer in one
- No NPE's (non-phenyl ethoxlates) making it safer for the environment
- No Quaternary ammonium chlorides eliminates the issue of Quat binding and ensures proper disinfection
- No VOC's so it can be sold in every state
- No fragrances or dyes eliminates potential allergic outbreaks

Ideal for: shower stalls, restroom doors, glazed tiles, auditoriums, chrome-plated intakes, toilets, urinals, cafeterias, portable latrines, counter tops, restroom fixtures, exercise equipment, school bus seats, classroom furniture, locker rooms, office furniture



MULTI-OXIDE is a one-step germicidal cleaner and deodorant. While designed for hospital use, this formula can be used in any application that requires disinfecting, sanitizing, deodorizing or cleaning. It can also be used to control mold and mildew odors on hard, nonporous surfaces. Apply using an electrostatic sprayer or a mop, sponge, cloth, paper towel, trig sprayer or auto-scrubber.

Appearance	Clear, colorless liquid
Odor	None

LUBRICANTS

ATOMIC LUBE

#2790

Multipurpose, Hi-Temp, Extreme Pressure Grease

- Withstands extreme pressure
- Wide temperature range of 10°F to 525°F
- Extremely water washout resistant
- Will not melt or run out
- Prevents rust and corrosion
- Excellent metal adherence
- Reduces wear
- NLGI Grade 2

Ideal for: ball bearings, roller bearings, bushings, slides, valve operators, valve bearings, gears, screw drives, couplings, cranes, wheel bearings, chassis



ATOMIC LUBE is a unique blend of petroleum oil and special synthetic polymers that combine to form an extremely water-resistant, tough lubricating film. It prevents water washout and metal-to-metal contact, even under extreme pressure or shock loading. It is a non-melting, premium quality grease specifically designed for very heavy-duty service in multiple adverse environments. Its unique formulation provides the optimum amount of additives to provide protection from rust, corrosion and oxidation. It can be used in a wide variety of applications, reducing the number of lubricants you need to have on hand.

Appearance	Red, semisolid
Odor	Mild

LUBRICANTS

HIGH LOAD

#2792

Extreme Pressure Calcium Sulfonate Grease

- Highly water washout resistant
- Extreme pressure properties
- High drop point
- Excellent rust protection, even under humid and water ingress conditions
- Excellent pumping properties
- Recommended for centralized lubrication systems
- Calcium sulfonate base



HIGH LOAD's formula and manufacturing process has been perfected over the years to produce the best quality Over Based Calcium Sulfonate Complex Grease with outstanding performance in severe operating conditions. The process is controlled to maximize calcite formation and minimize vaterite. This makes HIGH LOAD have outstanding pumpability characteristics where other sulfonate greases fail. This high performance, extreme pressure grease has outstanding film strength and resistance to corrosive saltwater environments. It is made with premium base oils that give equipment a long life and protects against chemical and thermal degradation. It keeps equipment free from metal to metal contact ensuring the best protection, even under very severe operating conditions. It does not contain any harmful additives.

Ideal for: high speed bearings, fifth wheels, water pumps, universal joints, centralized lubricating systems, electric motors, steering linkage, ball joints, pilot bearings, low speed bearings

Appearance	Green, semisolid
Odor	Slight hydrocarbon

WHITE SHIELD

#2788

Food-Grade, Antiseize Compound

- Prevents galling and seizing
- Nonmelting
- Prevents rust and corrosion
- Nondrying
- Creates a leak-proof seal
- Protects to 1800°F
- Contains PTFE
- Chemical and steam resistant
- NLGI Grade 1
- FPA H1
- Meets requirements for Kosher certification



WHITE SHIELD is a premium, synthetic, food-grade thread sealant and antiseize compound that is engineered specifically for the food processing and packaging industry. It is acceptable for use as a lubricant with incidental food contact and meets the requirements for Kosher certification. This product provides a superior leak-proof seal for the life of the connection while maintaining its antiseize capabilities. This allows for easy disassembly without thread damage. It is safe to be used on all brass, black iron, galvanized steel, stainless steel, aluminum, copper, PVC and fiberglass reinforced pipes. It does not contain any solvents, lead, graphite or clay fillers.

Ideal for: bottling machinery, chain drives, gaskets, conveyor & oven bearings, nuts, bolts & screws, packaging machinery, pipe fittings, press fit assemblies, pump gears & motors, stainless steel fittings, valve assemblies, worm gears

Appearance	Semisolid, off-white
Odor	Mild

BACKPACK ELECTROSTATIC SPRAYER

#4132

Professional, Cordless Electrostatic Sprayer

- Patented electrostatic charge penetrates chemical providing a thin, even spray pattern on all surfaces
- Adjustable 3-N-1 nozzle allows you to set the spray particle size to match your application
- Double charge technology for maximum coverage
- Ergonomic handle with lock for comfort and safety
- Long-lasting battery – 4 hour run time
- Glass-filled housing for increased durability
- 2.25 gallons, easy fill tank
- Weighs 10 pounds empty and 28.8 pounds full
- Optimum spray range is 4-6 feet
- 16.8 V lithium-ion battery
- Cordless convenience allows for freedom of movement from room to room
- Charge time is 90 minutes
- 4 ft. hose with quick release valve
- Has an easy carry handle and comfortable carrying straps

Ideal for: sanitizing, disinfecting, odor control, pest control

Note: Not for use with petroleum products



This ELECTROSTATIC SPRAYER provides many unique characteristics that cannot be found on other sprayers. It double charges the solution it is spraying. The product is charged when it enters the tank and again when it is sprayed. As the fully-charged droplets hit the surface, they create an even spread. When you spray something that has a negative or neutral charge, the product sprayed will not only

cling to what you spray, it will wrap around it, fully encasing it. Particles hold their cationic charge for approximately 2-3 seconds, preventing drips. This allows the solution to cover hidden and shadowed areas. This SPRAYER allows for better coverage in less time. Because of the even spray, 70% less chemical is required to clean an area. It also provides more complete and consistent coverage than traditional sprayers.

The special battery used with this sprayer fully charges in under 90 minutes and has a run time of four hours while similar batteries have a four-hour charge time and a run time of two hours. If you purchase a backup battery, you will be able to run the sprayer for a full 8 hours.

HAND-HELD ELECTROSTATIC SPRAYER

#4131

Professional, Cordless Electrostatic Sprayer

- Patented electrostatic charge penetrates chemical providing a thin, even spray pattern on all surfaces
- Adjustable 3-N-1 nozzle allows you to set the spray particle size to match your application
- Double charge technology for maximum coverage
- Ergonomic handle with lock for comfort and safety
- Long-lasting battery – 4 hour run time
- Glass-filled housing for increased durability
- 33.8 ounce, easy fill tank
- Comes in a heavy-duty kit box
- LED headlight for better visibility
- Weighs 3.8 pounds empty and 5.9 pounds full
- Optimum spray range is 2-3 feet
- 6.8 V lithium-ion battery
- Cordless convenience allows for freedom of movement from room to room
- Charge time is 90 minutes

Ideal for: sanitizing, disinfecting, odor control, pest control

Note: Not for use with petroleum products



This ELECTROSTATIC SPRAYER provides many unique characteristics that cannot be found on other sprayers. It double charges the solution it is spraying. The product is charged when it enters the tank and again when it is sprayed. As the fully-charged droplets hit the surface, they create an even spread. When you spray something that has a negative or neutral charge, the

product sprayed will not only cling to what you spray, it will wrap around it, fully encasing it. Particles hold their cationic charge for approximately 2-3 seconds, preventing drips. This allows the solution to cover hidden and shadowed areas. This SPRAYER allows for better coverage in less time. Because of the even spray, 70% less chemical is required to clean an area. It also provides more complete and consistent coverage than traditional sprayers.

The special battery used with this sprayer fully charges in under 90 minutes and has a run time of four hours while similar batteries have a four-hour charge time and a run time of two hours. If you purchase a backup battery, you will be able to run the sprayer for a full 8 hours.