

DISINFE-X #3399

Disinfecting Wipes



Features:

- 2 minute dwell time on most applications
- Pre-moistened wipe
- Ideal for daily maintenance in a wide array of facilities
- Wipe size: 6"x10" – 150 wipes per canister
- Convenient, easy to use, cost effective solution
- Kills 46 bacteria and viruses
- Multi-surface disinfection with little to no lint



Description:

Convenient, pre-moistened wipes are designed for everyday disinfecting. DISINFE-X Disinfecting Wipes helps reduce cross contamination on treated surfaces. Use in critical care areas where control of the hazards of cross contamination between treated surfaces is of prime importance. Kills 46 strands of bacteria and viruses including 13 out of the 19 CDC healthcare-associated (HA) microorganisms (2018). Use wipes on hard, non-porous surfaces such as equipment surfaces and countertops.

DISINFE-X (EPA Reg # 6836-372-11861) has demonstrated effectiveness against viruses similar to 2019 novel coronavirus-Wuhan (also 2019-nCoV) on hard non-porous surfaces. Therefore, this product can be used against 2019 novel coronavirus-Wuhan (also 2019-nCoV) when used in accordance with the directions on hard, non-porous surfaces. Refer to the CDC website (<https://www.cdc.gov/coronavirus/2019-ncov/index.html>) for additional information.

Effective Against – Bacteria:

- Pseudomonas Aeruginosa
- Staphylococcus Aureus
- Burkholderia Cepacia
- Enterobacter Aerogenes
- Escherichia Coli & NDM-1 Positive
- ESBL Escherichia Coli
- Listeria Monocytogenes
- Salmonella Enterica Sserovar Typhi
- Shingella Dysenteriae
- Salmonella Enterica
- Acinetobacter Baumannii – Multi-Drug Resistant
- Campylobacter Jejuni
- Enterococcus Faecalis – Vancomycin Resistant (VRE)
- Escherichia Coli 0157:H7
- ESBL Klebsiella Pneumoniae & NDM-1 Positive
- Proteus Vulgaris
- Serratia Marcescens
- Staphylococcus Aureus – Community Associated Methicillin-Resistant (CA-MRSA) NRS123
- Staphylococcus Aureus – Methicillin-Resistant (MRSA)
- Staphylococcus Aureus – Vancomycin Intermediate Resistant (VRSA)
- Staphylococcus Aureus – Multi-Drug Resistant
- Vibrio Cholerae
- Streptococcus Pneumoniae – Penicillin Resistant
- Streptococcus Pyogenes Associated With Scarlet Fever

Effective Against – Viruses:

- Hepatitis B Virus
- Hepatitis C Virus
- Herpes Simplex Virus Type 1
- Rotavirus
- SARS Associated Coronavirus
- HIV-1
- Human Coronavirus
- Herpes Simplex Virus Type 2
- Avian Influenza Virus (H3N2)
- Feline Calicivirus
- Human Influenza A Virus (H7N9)
- Influenza A Virus / Hong Kong (H3N2)
- Respiratory Syncytial Virus (RSV)
- Candida Albicans
- Norwalk Virus (Norovirus)

Effective Against – Animal Viruses:

- Avian Influenza Virus (H3N2 & H5N1)
- Feline Calicivirus

Effective Against – Fungi:

- Candida Albicans

For Use By:

- Hospitals
- Schools
- Assisted Living Centers
- Public Facilities
- Medical Offices
- Universities/Colleges
- Bus Barns
- Business Offices

DISINFE-X #3399

Disinfecting Wipes



Product Characteristics:

Form:	Wet Wipe
Odor:	Slight, unscented
Flammability:	Not applicable
Vapor Pressure:	Not determined
Specific Gravity:	0.98 – 1.02
Relative Density:	1.0008 (23°C)
Solubility (water):	Soluble (liquid portion)
Freezing Point:	32°F (0°C)
VOC Contribution:	0% by weight
Boiling Point/Range:	100°C / 212°F
Flash Point:	99°C does not flash
Storage:	Store in a cool, dry location. Keep container tightly closed.
Transport Information:	
UN Number:	Unregulated
Proper Shipping Name:	Unregulated
Class:	Not available
Packing Group:	Not available

Directions:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe. Do not flush.

For plastic and painted surfaces, spot test on an inconspicuous area before use.

Disinfe-X Disinfecting Wipes will not harm most surfaces: including acrylic, sealed fiberglass and vinyl.

Note: Do not use on unpainted wood, natural marble or brass.

TO CLEAN AND DEODORIZE: Wipe surface with wipe. Let air dry.

Discard used wipe in trash.

TO CLEAN AND DISINFECT: Wipe hard, non-porous surface with wipe until surface is visibly wet. Allow surface to remain wet for 2 minutes. For *Serratia marcescens*, treated surfaces must remain wet for 5 minutes.

For Feline Calicivirus and Norwalk Virus (Norovirus), treated surfaces must remain wet for 10 minutes.

If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

Fungi: For *Candida albicans* control, follow disinfection directions.

This product is not for use on medical device surfaces.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Hepatitis B Virus or Hepatitis C Virus.

NOTE: Is not in child-resistant packaging. Not for sale to daycares, nurseries or kindergartens.

Pictograms:

Not available.

Signal Word:

WARNING

Personal Protective Equipment Required:



DOT Placard:



VOC Compliant:

Yes.