


# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	257001	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	Evoke – Mountain Woods	<b>EMERGENCY TELEPHONE:</b>	1-800-535-5053
<b>PRODUCT DESCRIPTION:</b>	Scent Diffuser	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> Skin corrosion/irritation: Category 2: H315: Causes skin irritation Serious eye damage/eye irritation: Category 2: H319: Causes serious eye irritation Skin Sensitization, Category 1: H317: May cause an allergic skin reaction Full text of H statements: See Section 16	<b>SIGNAL WORD:</b> <b>WARNING.</b>	<b>SYMBOL:</b>	
<b>HAZARD STATEMENTS:</b> H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation <b>PRECAUTIONARY STATEMENTS:</b> <b>Prevention:</b> P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. <b>Response:</b> P302+P352 – IF ON SKIN: Wash with plenty of water. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. <b>Disposal:</b> P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. <b>HAZARDS NOT OTHERWISE SPECIFIED:</b> No additional information available. <b>UNKNOWN ACUTE TOXICITY (GHS US):</b> Not applicable.			

## 3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight	GHS-US Classification
Iso E Super	54464-57-2	5 - 10	Skin Irritant 2, H315 Skin Sensitization 1B, H317
Florol	63500-71-0	5 - 10	Skin Irritant 2, H319
Benzyl Benzoate	120-51-4	5 - 10	Acute Toxicity 4 (Oral), H302
Cedramber	19870-74-7	1 - 5	Skin Sensitization 1B, H317
Methyl Ionone Gamma 70	127-51-5	1 - 5	Skin Irritant 2, H315 Eye Irritant 2, H319 Skin Sensitization 1B, H317
Linalool	78-70-6	1 - 5	Flammable Liquid 4, H227 Skin Irritation 2, H315 Eye Irritation 2, H319 Skin Sensitization 1B, H317
Benzyl Salicylate	118-58-1	1 - 5	Eye Irritant 2, H319 Skin Sensitization 1B, H317
DPG – Dipropylene Glycol	25265-71-8	1 - 5	Acute Toxicity 4 (Inhalation: dust, mist), H332
Mayol	13828-37-0	1 - 5	Skin Sensitization 1B, H317
Tonalid	1506-02-1	1 - 5	Acute Toxicity 4 (Oral), H302
Vanillin	121-33-5	1 - 5	Eye Irritant 2, H319
d-Limonene	5989-27-5	1 - 5	Flammable Liquid 3, H226 Skin Irritation 2, H315 Skin Sensitization 1, H317 Asp. Toxicity 1, H304

**Substances:** Not applicable.  
 Full text of hazard classes and H-statements: See Section 16.

#### 4. First Aid Measures

##### EMERGENCY OVERVIEW

**EYES:** Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**SKIN:** Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

##### INHALATION:

Remove person to fresh air and keep comfortable for breathing.

##### INGESTION:

Call a poison center/doctor/physician if you feel unwell.

##### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Symptoms/effects after skin contact: Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact: Eye irritation.

##### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Treat symptomatically.

#### 5. Fire-Fighting Measures

##### SUITABLE FIRE EXTINGUISHING MEDIA:

Water spray. Dry powder. Foam. Carbon dioxide.

##### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No additional information available.

##### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### 6. Accidental Release Measures

##### PERSONAL PRECAUTIONS:

###### For Non-emergency Personnel:

Emergency Procedures: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

###### For Emergency Responders:

Protective Equipment: Do not attempt to take action without suitable protective equipment. For further information refer to Section 8: "Exposure controls/personal protection".

##### ENVIRONMENTAL PRECAUTIONS:

Avoid release to the environment.

##### METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:

Methods for cleaning up: Take up liquid spill into absorbent material.

Other information: Dispose of materials or solid residues at an authorized site.

##### REFERENCE TO OTHER SECTIONS:

For further information refer to Section 13.

#### 7. Handling and Storage

##### SAFE HANDLING:

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.

##### HYGIENE MEASURES:

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

##### SAFE STORAGE & INCOMPATIBILITIES:

Store in a well-ventilated place. Keep cool.

#### 8. Exposure Controls / Personal Protection

##### CONTROL PARAMETERS:

**Floral (63500-71-0):** Not applicable.

**Mayol (13828-37-0):** Not applicable.

**Benzyl Salicylate (118-58-1):** Not applicable.

**Benzyl Benzoate (120-51-4):** Not applicable.

**Cedramber (19870-74-7):** Not applicable.

**Iso E Super (54464-57-2):** Not applicable.

**Linalool (78-70-6):** Not applicable.

**Methyl Ionone Gamma 70 (127-51-5):** Not applicable.

**Tonalid (1506-02-1):** Not applicable.

**Vanillin (121-33-5):** Not applicable.

**d-Limonene (5989-27-5):** Not applicable.

**DPG – Dipropylene Glycol (25265-71-8):** Not applicable.

##### PERSONAL PROTECTIVE EQUIPMENT:



**Eye/Face Protection:** Safety glasses.

**Skin/Hand Protection:** Protective gloves. Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

##### APPROPRIATE ENGINEERING CONTROLS:

Ensure good ventilation of the work station.

**Environmental Exposure Controls:** Avoid release to the environment.

9. Physical & Chemical Properties			
<b>Physical State:</b>	Liquid.	<b>Flammability(solid/gas):</b>	Not applicable.
<b>Color:</b>	Mixture contains one or more component(s) which have the following color(s): Colorless to light yellow Colorless Yellow White On exposure to light: yellow White to off-white White to light yellow On exposure to light: discolors.	<b>Odor:</b>	There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure.
<b>Odor Threshold:</b>	No data available.	<b>Vapor Pressure:</b>	No data available.
<b>pH:</b>	No data available.	<b>Relative Density:</b>	No data available.
<b>Melting Point:</b>	Not applicable.	<b>Relative Vapor Density at 20°C:</b>	No data available.
<b>Freezing Point:</b>	No data available.	<b>Solubility (water):</b>	No data available.
<b>Boiling Point/Range:</b>	No data available.	<b>Auto-Ignition Temp:</b>	No data available.
<b>Viscosity, Kinematic:</b>	No data available.	<b>Log Pow:</b>	No data available.
<b>Viscosity, Dynamic:</b>	No data available.	<b>Decomposition Temp:</b>	No data available.
<b>Flash Point:</b>	94.9 (≥ 0)°C	<b>Relative evaporation rate (butyl acetate=1):</b>	No data available.
<b>Explosion Limits:</b>	No data available.	<b>Oxidizing Properties:</b>	No data available.
<b>Explosion Properties:</b>	No data available.		

10. Stability & Reactivity Information	
<b>REACTIVITY:</b>	The product is nonreactive under normal conditions of use, storage and transport.
<b>CHEMICAL STABILITY:</b>	Stable under normal conditions.
<b>POSSIBILITY OF HAZARDOUS REACTIONS:</b>	No dangerous reactions known under normal conditions of use.
<b>CONDITIONS TO AVOID:</b>	None under recommended storage and handling conditions (see Section 7).
<b>INCOMPATIBLE MATERIALS:</b>	No additional information available.
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information			
<b>ACUTE TOXICITY:</b>			
Acute toxicity (oral): Not classified.			
Acute toxicity (dermal): Not classified.			
Acute toxicity (inhalation): Not classified.			
<b>Components</b>	<b>Species</b>	<b>Test Results</b>	
<b>Benzyl Salicylate (118-58-1)</b>			
<b>Acute Dermal</b>			
LD50	Rabbit	>2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male/female, Read-across, Dermal, 14 day(s))	
<b>Oral</b>			
LD50	Rat	3031 - 3339 mg/kg body weight (EU Method B.1: Acute Toxicity (Oral), Rat, Male/female, Read-across, Oral, 14 day(s))	
ATE US (oral)		2200 mg/kg body weight	
<b>Benzyl Benzoate (120-51-4)</b>			
<b>Acute Dermal</b>			
LD50	Rabbit	>2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)	
<b>Oral</b>			
LD50	Rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))	
ATE US (oral)		1500 mg/kg body weight	
ATE US (dermal)		4000 mg/kg body weight	
<b>Linalool (78-70-6)</b>			
<b>Acute Dermal</b>			
LD50	Rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))	
<b>Oral</b>			
LD50	Rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))	
ATE US (oral)		2790 mg/kg body weight	
ATE US (dermal)		5610 mg/kg body weight	

<b>Tonalid (1506-02-1)</b>			
ATE US (oral)		1000 mg/kg body weight	
<b>Vanillin (121-33-5)</b>			
<b>Acute</b>			
<i>Dermal</i>			
LD50	Rat	>2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 14 day(s))	
<i>Oral</i>			
LD50	Rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))	
ATE US (oral)		3300 mg/kg body weight	
<b>d-Limonene (5989-27-5)</b>			
<b>Acute</b>			
<i>Dermal</i>			
LD50	Rabbit	>5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)	
<i>Oral</i>			
LD50	Rat	>2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)	
<b>DPG – Dipropylene Glycol (25265-71-8)</b>			
<b>Acute</b>			
<i>Dermal</i>			
LD50	Rabbit	>5010 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male/female, Experimental value, Dermal)	
<i>Inhalation</i>			
LC50	Rat	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male/female, Experimental value, Inhalation)	
<i>Oral</i>			
LD50	Rat	>5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral)	
ATE US (vapors)		2.34 mg/l/4h	
ATE US (dust, mist)		2.34 mg/l/4h	
<b>SKIN CORROSION/IRRITATION:</b> Causes skin irritation.			
<b>RESPIRATORY SENSITIZATION:</b> Not classified.			
<b>SKIN SENSITIZATION:</b> May cause an allergic skin reaction.			
<b>GERM CELL MUTAGENICITY:</b> Not classified.			
<b>CARCINOGENICITY:</b> Not classified.			
<b>d-Limonene (5989-27-5)</b> IARC Group 3 - Not classifiable			
<b>REPRODUCTIVE TOXICITY:</b> Not classified.			
<b>SPECIFIC TARGET ORGAN TOXICITY -single exposure:</b> Not classified.			
<b>SPECIFIC TARGET ORGAN TOXICITY -repeated exposure:</b> Not classified.			
<b>ASPIRATION HAZARD:</b> Not classified.			
<b>VISCOSITY, KINEMATIC:</b> No data available.			
<b>SYMPTOMS/EFFECTS AFTER SKIN CONTACT:</b> May cause an allergic skin reaction.			
<b>SYMPTOMS/EFFECTS AFTER EYE CONTACT:</b> Eye irritation.			

## 12. Ecological Information

### ECOTOXICITY:

The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Components	Species	Test Results
<b>Benzyl Salicylate (118-58-1)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Fish	LC50 Danio rerio	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
<b>Benzyl Benzoate (120-51-4)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Fish	LC50 Danio rerio	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
<b>Linalool (78-70-6)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Fish	LC50 Oncorhynchus mykiss	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
	Desmodemus subspicatus	156.7 mg/l (DIN 38412-9, 96 h, Desmodemus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
<b>Vanillin (121-33-5)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Fish	LC50 Pimephales promelas	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
Algae	ErC50 Pseudokirchneriella subcapitata	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>d-Limonene (5989-27-5)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Fish	LC50 Pimephales promelas	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
<b>DPG – Dipropylene Glycol (25265-71-8)</b>		
<b>Aquatic</b> Crustacea	EC50 Daphnia magna	>100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
Fish	LC50 Oryzias latipes	>1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
Other aquatic organisms 1 LC50	Xenopus laevis	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
<b>PERSISTENCE AND DEGRADABILITY:</b>		
<b>Florol (63500-71-0):</b> Biodegradability in water: No data available.		
<b>Mayol (13828-37-0):</b> Biodegradability in water: No data available.		
<b>Benzyl Salicylate (118-58-1):</b> Readily biodegradable in water.		
<b>Benzyl Benzoate (120-51-4):</b> Readily biodegradable in water.		
<b>Linalool (78-70-6):</b> Readily biodegradable in water.		
<b>Vanillin (121-33-5):</b> Readily biodegradable in water.		
<b>d-Limonene (5989-27-5):</b> Readily biodegradable in water. ThOD: 3.29 g O <sub>2</sub> /g substance.		
<b>DPG – Dipropylene Glycol (25265-71-8):</b> Readily biodegradable in water.		
<b>BIOACCUMULATIVE POTENTIAL:</b>		
<b>Florol (63500-71-0):</b> No bioaccumulation data available.		

**Mayol (13828-37-0):**

Bioaccumulative Potential: No bioaccumulation data available.

**Benzyl Salicylate (118-58-1):**

BCF fish 1: 1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flowthrough system, Fresh water, Read-across, GLP).

Log Pow: 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method).

Bioaccumulative Potential: Potential for bioaccumulation ( $500 \leq \text{BCF} \leq 5000$ ).

**Benzyl Benzoate (120-51-4):**

BCF fish 1: 2.286 (BCFBAF v3.00, Pisces, QSAR)

Log Pow: 3.97 (Experimental value, 25°C)

Bioaccumulative Potential: Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).

**Linalool (78-70-6):**

Log Pow: 2.84 (Experimental value, Equivalent or similar to OECD 107, 25°C)

Bioaccumulative Potential: Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).

**Vanillin (121-33-5):**

Log Pow: 1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25°C)

Bioaccumulative Potential: Low potential for bioaccumulation ( $\text{Log Kow} < 4$ ).

**d-Limonene (5989-27-5):** Persistence and degradability: Readily biodegradable in water.

BCF fish 1: 864.8 - 1022 (Pisces, QSAR, Fresh weight)

Log Pow: 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37°C)

Bioaccumulative Potential: Potential for bioaccumulation ( $4 \geq \text{Log Kow} \leq 5$ ).

**DPG – Dipropylene Glycol (25265-71-8):**

Log Pow: -0.462 (Test data, Equivalent or similar to OECD 107, 21.7°C)

Bioaccumulative Potential: Bioaccumulation: Not applicable.

**MOBILITY IN SOIL:**

**Florol (63500-71-0):** Ecology – soil: No (test) data on mobility of the substance available.

**Benzyl Salicylate (118-58-1):**

Surface Tension: 69 mN/m (20°C, 0.004 g/l, EU Method A.5: Surface tension)

Log Koc: 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value).

Ecology – Soil: Low potential for mobility in soil.

**Benzyl Benzoate (120-51-4):**

Surface Tension: 0.027 N/m (210°C)

Log Koc: 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value).

Ecology – Soil: Low potential for mobility in soil.

**Linalool (78-70-6):**

Surface Tension: 8.3 mN/m (20°C, ISO 9101: Surface active agents - Determination of interfacial tension).

Ecology – Soil: No (test) data on mobility of the substance available.

**Vanillin (121-33-5):**

Log Koc: 3.438 (log Koc, Experimental value)

Ecology – Soil: Low potential for mobility in soil.

**d-Limonene (5989-27-5):**

Ecology – soil: Low potential for adsorption in soil.

**DPG – Dipropylene Glycol (25265-71-8):**

Surface Tension: 71.4 mN/m (22°C, 1.01 g/l)

Log Koc: 0.78 (log Koc, Calculated value)

Ecology – Soil: Low potential for adsorption in soil.

**OTHER ADVERSE EFFECTS:**

No additional information available.

**13. Disposal Consideration****DISPOSAL INSTRUCTIONS:**

Dispose of contents/container in accordance with licensed collector's sorting instructions.

**14. Transportation Information**

**DOT:** In accordance with DOT: Not regulated.

**Transportation of Dangerous Goods:** Not applicable.

**IATA:** Not regulated.

**IMDG:** Not regulated.

**15. Regulatory Information****US FEDERAL REGULATIONS:**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**Florol (63500-71-0):**

EPA TSCA Regulatory Flag

PMN - PMN - indicates a commenced PMN substance.

**INTERNATIONAL REGULATIONS:****CANADA:**

**Linalool (78-70-6):** Listed on the Canadian DSL (Domestic Substances List)

**Allyl Caproate/Allyl Hexanoate (123-68-2):** Listed on the Canadian DSL (Domestic Substances List)

**Amyl Cinnamic Aldehyde (122-40-7):** Listed on the Canadian DSL (Domestic Substances List)  
**Damascenone (23696-85-7):** Listed on the Canadian DSL (Domestic Substances List)  
**Diethyl Malonate (105-53-3):** Listed on the Canadian DSL (Domestic Substances List)  
**DPG – Dipropylene Glycol (25265-71-8):** Listed on the Canadian DSL (Domestic Substances List)  
**d-Limonene (5989-27-5):** Listed on the Canadian DSL (Domestic Substances List)  
**Hexyl Cinnamic Aldehyde (101-86-0):** Listed on the Canadian DSL (Domestic Substances List)  
**Benzyl Benzoate (120-51-4):** Listed on the Canadian DSL (Domestic Substances List)


**EU-REGULATIONS:**

No additional information available.

**NATIONAL REGULATIONS:**

No additional information available.

**US STATE REGULATIONS:**



This product can expose you to Myrcene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**16. Other Information**

**Full text of H-phrases:**

H226: Flammable liquid and vapor  
H227: Combustible liquid  
H302: Harmful if swallowed  
H304: May be fatal if swallowed and enters airways  
H315: Causes skin irritation  
H317: May cause an allergic skin reaction  
H319: Causes serious eye irritation  
H332: Harmful if inhaled

**DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.