This product is a ^ one-step germicidal disinfectant cleaner and odor neutralizer designed for general cleaning and disinfecting of hard, non-porous inanimate surfaces. Quickly removes dirt, grime, food residue, blood and other organic matter commonly found in hospitals or health care facilities. It eliminates odors leaving surfaces smelling clean and fresh. Use where odors are a problem. ^ "One Step disinfectant claim" is limited to association with non-food contact surface use.

Kills Rhinovirus, Norovirus, and Canine Parvovirus in 2 minutes Kills Poliovirus in 5 minutes!

Kills 99.9% of Bacteria in just 5 Seconds!** Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu)

Kills Flu Virus Kills Cold†† Virus

** Staphylococcus aureus (Staph), Klebsiella pneumoniae †† Rhinovirus

Use on hard, non-porous surfaces: stainless steel, Formica®, glass, glass tables, glazed porcelain, plastic, glazed stone, glazed granite, sealed stone, sealed granite Saves time. Use every day in every room throughout the house. Cost Effective and Time Efficient when used with the refillable spray bottle or mechanical spray device. Ready to use (R-T-U) spray.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

Fill or refill the Pro Chem One Step Disinfectant All Purpose Cleaner and Deodorizer spray bottle with this product. Pour product spray bottle over sink or tub basin. **GENERAL CLEANING:** Spray soiled area then wipe with a dry paper towel or lint-free cloth.

DISINFECTING, DEODORIZING: Remove gross filth or heavy soil prior to application of this product. Apply product with a hand pump trigger sprayer or low pressure coarse sprayer. Hold sprayer six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 2 minutes. No scrubbing necessary. Allow treated surfaces to air dry or wipe off with a clean cloth, mop or sponge. When using on food contact surfaces: counter tops, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable water. This product must not be used to clean eating utensils, glassware and dishes.

This product is an effective disinfectant against: Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (Salmonella) (ATCC 10708), Staphylococcus aureus (ATCC 6538), Methicillin Resistant Staphylococcus aureus (MRSA) (ATCC 33591), Vancomycin Resistant Enterococcus faecium (ATCC 51559), Multi-Drug Resistant (MDR) Acinetobacter baumannii Ceftazidime and Gentamicin Resistant, Extended Spectrum Beta-Lactamase (ESBL) Escherichia coli and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

MILDEWSTAT: To control mold and mildew (Aspergillus niger) on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

SANITIZE NON-FOOD CONTACT SURFACES and DEODORIZE: To sanitize/deodorize hard, non-porous surfaces, hold container six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 seconds. This product is an effective sanitizer against Staphylococcus aureus (Staph) (ATCC 6538) and Klebsiella pneumoniae (ATCC 4352). Let surface dry. For heavily soiled surfaces, a pre-cleaning step is required.

*VIRUCIDAL ACTIVITY: This product is an effective virucide on hard non-porous surfaces against Human Immunodeficiency Virus Type-1 (HIV-1) and Avian Influenza Virus (H5N1) NIBRG-14, when the treated surface is allowed to remain wet for 30 seconds.



CAUTION

See side panels for additional precautionary statements.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES:Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

EPA REG. NO. 1839-220-11861

EPA EST. NO. 61524-GA-1

Product #257107 Distributed by: PRO CHEM, INC. PO BOX 1309 • ALPHARETTA, GA 30009 • 1-800-241-8180

NET CONTENTS: 1 GALLON

This product is an effective virucide on hard, non-porous surfaces against Human Rotavirus (ATCC VR-2018), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV) and Bovine Viral Diarrhea Virus (BVDV) when the treated surface is allowed to remain wet for **1 minute**. This product is an effective virucide on hard, non-porous surfaces against Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus, Rhinovirus Type 14 (ATCC VR-284) and Rhinovirus Type 39 (ATCC VR-340), when the treated surface is allowed to remain wet for **2 minutes**. This product is effective against Poliovirus Type 1 (ATCC VR-1562) when the treated surface is allowed to remain wet for **5 minutes**. Allow treated surfaces to air dry or wipe off with a clean cloth, mop or sponge.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1. Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surfaces to remain wet for 2 minutes. (HIV-1 is inactivated in 30 seconds, HBV and HCV are inactivated in 1 minute).

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place inaccessible to children.

CONTAINER HANDLING – Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration, or burning, if allowed by state and local authorities. If burned, stay out of smoke.

CONTAINER DISPOSAL FOR REFILL SPRAY BOTTLE- Do not reuse empty spray bottle except with refill container, otherwise wrap spray bottle and discard in trash. Offer for recycling if available.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

