

SURFACE-N-AIR #1321

Sanitizing Spray



Features:

- Controls mold, mildew and fungus
- Disinfectant, deodorant and air sanitizer
- Pleasant fragrance
- EPA registered
- Kills MRSA on treated surfaces
- Virucidal against HIV-1 (AIDS Virus)
- Eliminates odors – Fungicidal



Description:

This product has been designed specifically for homes, hospitals, nursing homes, Institutions, Offices, Schools, Motels and Hotels as a disinfectant deodorant and air refresher. It is recommended for disinfection of telephones, bed springs, door knobs, linen carts, wheelchairs, light switches, garbage pails and clean hard nonporous inanimate surfaces. It will also remove foul musty odors from automobile air conditioning systems caused by mildew and odor producing organisms. Powerful deodorizers keep the automobile interiors smelling fresh and clean. In addition, this product deodorizes those areas which generally are hard to keep fresh smelling (such as garbage storage areas, empty garbage bins and cans, restrooms, shower stalls and areas which are prone to odors caused by microorganisms). This product may also be applied directly to ash trays and food spills in automobiles to eliminate odors from these sources. When used as directed, this product demonstrates effective disinfection against Staphylococcus aureus, Staphylococcus aureus-MRSA, Salmonella enterica, Pseudomonas aeruginosa and Trichophyton mentagrophytes. This product is fungicidal against Pathogenic fungi (Athletes Foot Fungus), when used as directed on hard surfaces found in the bathroom, shower stalls and locker rooms or clean hard nonporous surfaces commonly contacted by the bare feet.

Applications:

- Telephones
- Toilet Seats
- Sinks and Showers
- Garbage Cans
- Office Equipment
- Urinals

For Use By:

- Medical Facilities
- Dental Facilities
- Funeral Services
- Salons
- Nursing Homes
- Veterinary Clinics
- Hotels/Motels
- Dairy Farms
- Prisons
- Police and Fire Departments
- Food Processing Plants
- Recreational/Sport Facilities

For Use Against – Disinfectant

- Staphylococcus aureus
- Staphylococcus aureus-MRSA
- Pseudomonas aeruginosa
- Trichophyton mentagrophytes
- Salmonella enterica

For Use Against – Fungus




- Pathogenic fungi (Athletes Foot Fungus) – (when used as directed)

SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	132101	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	SURFACE-N-AIR	EMERGENCY TELEPHONE:	1-800-535-5053
PRODUCT DESCRIPTION:	Sanitizing Spray	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION: Flammable Aerosol: Category 2 Liquefied Gas Skin Irritant: Category 2 Eye Irritant: Category 2A	SIGNAL WORD: WARNING	SYMBOL:			
--	---------------------------------------	----------------	---	---	---

HAZARD STATEMENTS:

WARNING: Flammable Aerosol. Contains gas under pressure; May explode if heated. Causes skin and serious eye irritation. This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: Keep away from heat, sparks, open flames and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Wash hands thoroughly after handling. Wear protective gloves and eye protection.

Pressurized Container: Do not pierce or burn, even after use.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation persists: Get medical attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.

HAZARDS NOT OTHERWISE SPECIFIED:

No applicable.

ADDITIONAL INFORMATION:

Not applicable.

3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Propane/n-Butane	68476-86-8	10-30%
Isopropyl Alcohol	67-63-0	30-60%
Triethylene Glycol	112-27-6	3-7%

4. First Aid Measures

EMERGENCY OVERVIEW

EYES: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

SKIN: Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation develops.

INHALATION:

Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.

INGESTION:

Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention if irritation persists.

ACUTE HEALTH HAZARDS:

Acute: Eyes: redness, tearing, blurred vision

Skin: defatting and dermatitis

Oral: abdominal irritation, nausea, vomiting and diarrhea

CHRONIC HEALTH HAZARDS:

Skin disorders, drying and irritation of the skin.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:

Carbon dioxide, standard chemical fire extinguisher and water fog.

UNSUITABLE FIRE EXTINGUISHING MEDIA:

No applicable.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Keep away from sparks, open flames and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:

None known.

SPECIFIC FIRE-FIGHTING METHODS:

Cool fire exposed containers with water fog to prevent bursting.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes and decomposition products.

6. Accidental Release Measures**PERSONAL PRECAUTIONS:**

Refer to section VIII for proper Personal Protective Equipment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:

SPILL: Absorb with non-combustible material like vermiculite, sand or earth and rinse with small amount of soapy water. Do not allow to drain into sewers or storm drains. Dispose of in accordance with local, state and federal regulations.

WASTE DISPOSAL:

Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

RCRA STATUS:

Product should be fully characterized prior to disposal (40 CFR 261).

7. Handling and Storage**SAFE HANDLING:**

Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F.

Pressurized Container: Do not pierce or burn, even after use.

OTHER PRECAUTIONS:

Do not contaminate other materials (including foods/drinks/feeds/water) during transport, use, storage and disposal.

INCOMPATIBILITY:

Strong oxidizing agents.

8. Exposure Controls / Personal Protection

Hazardous Ingredients	OSHA PEL	ACGIH TLV
Propane/n-Butane	1000 ppm	1000 ppm
Isopropyl Alcohol	400 ppm	200 ppm
Triethylene Glycol	Not applicable	Not applicable

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses and chemical resistant gloves



Eye/Face Protection: Safety glasses.

Skin Protection: Chemical resistant gloves.

Respiratory Protection: Wear NIOSH/MSHA approved respiratory protection if used in confined, poorly ventilated areas.

General Hygiene Considerations: Wash hands and clothing in contact with product after use.

APPROPRIATE ENGINEERING CONTROLS:

General ventilation and local exhaust should be adequate.

9. Physical & Chemical Properties

Appearance:	Clear Aerosol.	Flammability(solid/gas):	Flammable Aerosol.
Odor:	Medicinal, mild scent.	Flammability Limit-lower (%):	Not determined.
Odor Threshold:	Not determined.	Flammability Limit-upper (%):	Not determined.
pH:	10	Vapor Density (AIR=1):	> 1 @ 77°F (25°C)
Freezing Point:	Not determined.	Vapor Pressure:	44 @ 77°F (25°C)
Boiling Point:	>170°F	Solubility (water):	100%
Viscosity:	Not determined.	Auto-Ignition Temp:	Not determined.
Flash Point:	Not determined.	Partition Coeff(n-octanol/water):	Not determined.
Specific Gravity (H2O=1):	0.89 @ 77°F (25°C)	Solids (%):	Not determined.
Evaporation Rate:	> 1	Decomposition Temp:	Not determined.
Volatility Including Water (%):	99%	Dielectric Strength (Volts):	Not applicable.
Volatile Organic Compounds (VOC):	60%		

10. Stability & Reactivity Information**REACTIVITY:**

None known.

CHEMICAL STABILITY:

Stable.

POSSIBILITY OF HAZARDOUS REACTIONS:

None known.

CONDITIONS TO AVOID:

Temperatures greater than 122°F may cause bursting.

INCOMPATIBLE MATERIALS:

Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxides of carbon.

11. Toxicological Information

PRIMARY ROUTE OF ENTRY: Eyes, Ingestion, Inhalation, Skin

Eyes: Causes moderate to severe irritation, redness, tearing, pain

Skin: Contact with liquid can freeze tissue similar to thermal burn.

Inhalation: Acute exposure may cause nausea, vomiting, coughing and pulmonary irritation.

Ingestion: May cause gastrointestinal irritation, headaches, nausea, diarrhea, vomiting, depending on the amount ingested. Small amounts unlikely to cause irritation.

MEDICAL CONDITION AGGRAVATED:

Pre-existing disorders of the skin, respiratory system and eyes will be aggravated by overexposure.

TOXICOLOGICAL INFORMATION: Isopropyl Alcohol (67-63-0) LD50 (Oral, Rat) 5045 mg/kg; LD50 (Oral, Rabbit) 5045 mg/kg; LD50 (Dermal, Rabbit) 12,800 mg/kg; LC50 (Inhalation, Rat, 8hr) 16,000 ppm

ACUTE HEALTH HAZARDS:

Eyes: redness, tearing, blurred vision

Skin: defatting and dermatitis

Oral: abdominal irritation, nausea, vomiting and diarrhea

CHRONIC HEALTH HAZARDS:

Skin disorders, drying and irritation of the skin.

CARCINOGENICITY:

OSHA: No ACGIH: No NTP: No IARC: No OTHER: Not applicable.

12. Ecological Information

ECOLOGICAL INFORMATION:

Isopropyl Alcohol (67-63-0) LC50 (Fathead Minnow, 96 hrs) 100,000 mg/L

PERSISTENCE AND DEGRADABILITY:

Component or components of this product are not biodegradable.

BIOACCUMULATIVE POTENTIAL:

This product is not expected to bioaccumulate.

MOBILITY IN SOIL:

This product is mobile in soil.

OTHER ADVERSE EFFECTS:

This material is toxic to aquatic life.

13. Disposal Consideration

DISPOSAL INSTRUCTIONS:

Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

RCRA STATUS:

Product should be fully characterized prior to disposal (40 CFR 261).

14. Transportation Information

DOT: UN Number: UN1950

UN Proper Shipping Name: Aerosols, Ltd. Qty.

Transport Hazard Class(es):

Class: 2.1

Packing Group: None.

IATA: UN Number: UN1950

UN Proper Shipping Name: Aerosols, Ltd. Qty.

Transport Hazard Class(es):

Class: 2.1

Packing Group: None.

Environmental Hazards: Yes.

IMO/IMDG: UN Number: UN1950

UN Proper Shipping Name: Aerosols, Ltd. Qty.

Transport Hazard Class(es):

Class: 2.1

Packing Group: None.

Environmental Hazards Water: Marine Pollutant.

15. Regulatory Information

US FEDERAL REGULATIONS:

TSCA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Fire Hazard

SARA 311/312 HAZARD CATEGORIES: Acute Health, Fire

SARA 313 REPORTABLE INGREDIENTS: Isopropyl Alcohol (67-63-0)

CLEAN WATER ACT: None.

STATE REGULATIONS: California Proposition 65: None.

INTERNATIONAL REGULATIONS:

All components are listed or exempted.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Keep out of reach of children. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Harmful if swallowed. Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Reg. No. 44446-20

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Characteristics:

Appearance:	Clear aerosol
Odor:	Medicinal, mild scent
Boiling Point:	>170°F
Vapor Density (AIR=1):	>1 @ 77°F (25°C)
Vapor Pressure:	44 @ 77°F (25°C)
Specific Gravity (H2O=1):	0.89 @ 77°F (25°C)
Water Solubility:	100%
Flash Point:	Not determined
Volatility Including Water (%):	99%
VOC (%):	60%
pH:	10
Evaporation Rate:	>1
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.
Transport Information:	
UN Number:	UN1950
Proper Shipping Name:	Aerosols, Ltd. Qty
Class:	2.1
Packing Group:	None

Directions:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter the normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Surface Disinfection and Deodorization: (1) First remove soil deposits from surface to be treated. (2) Hold can six inches from surface & spray until completely wet, allow the surface to remain wet for 10 minutes.

Air Deodorizer, Air Freshener and Air Sanitizer: Shake well before each use. To temporarily reduce airborne odor-causing bacteria and eliminate odors, close all doors, windows, and air vents. Hold can upright, press button and spray towards the center of an average size room (12'x12'x9') for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled. Repeat as necessary.

Mildewstat: To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops) spray the surface to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

For use in automobile air conditioning systems, with engine running and air conditioner on maximum speed and cooling, spray the product into the air intake vent. Hold can eight to twelve inches above the vent while spraying four to six seconds. Make sure the spray tip is pointed directly at the intake vent before spraying. The recirculating system will pick up the product and the entire system will be deodorized in seconds. Shut off engine and air conditioner after applying the product. After applying product into the air conditioning system, get out of the car immediately. Do not return for 4–10 minutes so air in the compartment can be properly ventilated. If odors persist, repeat treatment as necessary.

Special Instructions: FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Pictograms:



Signal Word:

Warning

Personal Protective Equipment Required:



DOT Placard:

Yes.

VOC Compliant:

Yes.

This product has been designed specifically for Homes, Hospitals, Nursing Homes, Institutions, Offices, Schools, Motels & Hotels as a disinfectant deodorant & air refresher. It is recommended for disinfection of telephones, bed springs, door knobs, linen carts, wheelchairs, light switches, garbage pails & clean hard non-porous inanimate surfaces. It will also remove foul musty odors from automobile air conditioning systems caused by mildew and odor producing organisms. Powerful deodorizers keep the automobile interiors smelling fresh and clean. In addition, this product deodorizes those areas which generally are hard to keep fresh smelling (such as garbage storage areas, empty garbage bins & cans, restrooms, shower stalls & areas which are prone to odors caused by micro-organisms). This product may also be applied directly to ash trays and food spills in automobiles to eliminate odors from these sources. When used as directed, this product demonstrates effective disinfection against *Staphylococcus aureus*, *Staphylococcus aureus-MRSA*, *Salmonella enterica*, *Pseudomonas aeruginosa* & *Trichophyton mentagrophytes*. This product is fungicidal against Pathogenic fungi (Athletes Foot Fungus), when used as directed on hard surfaces found in the bathroom, shower stalls & locker rooms or clean hard non-porous surfaces commonly contacted by the bare feet.

***Kills HIV-1 (AIDS virus)** on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

MOLD & MILDEWSTAT: This product controls mold, mildew & the odors they cause on hard non-porous inanimate surfaces when used as directed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter the normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

SURFACE DISINFECTION & DEODORIZATION: (1) First remove soil deposits from surface to be treated. (2) Hold can six inches from surface & spray until completely wet, allow the surface to remain wet for 10 minutes.

AIR DEODORIZER, AIR FRESHENER & AIR SANITIZER: Shake well before each use. To temporarily reduce airborne odor-causing bacteria and eliminate odors, close all doors, windows, and air vents. Hold can upright, press button and spray towards the center of an average size room (12'x12'x9') for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled. Repeat as necessary.

MILDEWSTAT: To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops) spray the surface to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

For use in automobile air conditioning systems, with engine running and air conditioner on maximum speed and cooling, spray the product into the air intake vent. Hold can eight to twelve inches above the vent while spraying four to six seconds. Make sure the spray tip is pointed directly at the intake vent before spraying. The recirculating system will pick up the product and the entire system will be deodorized in seconds. Shut off engine and air conditioner after applying the product. After applying product into the air conditioning system, get out of the car immediately. Do not return for 4-10 minutes so air in the compartment can be properly ventilated. If odors persist, repeat treatment as necessary.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood and decontamination procedures. Cleaning procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. Contact Time: Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) providing 1800 ppm of active quaternary water for a contact time of 10 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria and fungi claimed (listed on labeling).

Disposal of Infectious Materials: blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Storage: Store in cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F.

Disposal: Nonrefillable container. Do not reuse or refill this container. Do not Puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partially full:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, socks and shoes. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Harmful if swallowed.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID:

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PHYSICAL OR CHEMICAL HAZARDS

Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

INGREDIENTS (CAS#): Isopropyl Alcohol (67-63-0), Propane-Isobutane (68476-86-8), Water (7732-18-5), Triethylene Glycol (112-27-6), Quaternary Compound (N/A).

An Exclusive Product of
PRO CHEM, INC.

P.O. Box 1309 • Alpharetta, GA 30004
1-800-241-8180 • www.procheminc.com



**Product #
132101**



SURFACE N AIR SANITIZING SPRAY

**BACTERICIDAL – STAPHYLOCIDAL
PSEUDOMONICIDAL
ELIMINATES ODORS – FUNGICIDAL
VIRUCIDAL AGAINST HIV-1 (AIDS VIRUS)*
AIR SANITIZER
KILLS MRSA ON TREATED SURFACES**

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride	0.10%
n-Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chloride	0.10%
Triethylene glycol	6.00%
OTHER INGREDIENTS:	93.80%
TOTAL	100.00%

EPA Reg. No. 44446-20-11861 EPA Est. No. 44446-TX-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION:**

See Additional Precautionary Statements on Back Panel.

NET WT. 16.5 OZ. (468 g)

600004768