

GERM ENFORCER #1573

Aerosol Disinfectant Spray and Deodorant



Features:

- Kills 99% of germs
- Antibacterial, tuberculocidal, pseudomonacidal, germicidal-fungicidal
- Kills MRSA, HIV-1, H1N1
- Eliminates odors
- Prevents mold and mildew
- Meets AOAC Efficacy Standards for hospital aerosol disinfectants
- Ready to use
- Country scent



Description:

GERM ENFORCER is a disinfectant spray and deodorant that is for use only on hard, non-porous environmental surfaces. It is effective in preventing mold and mildew on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity while leaving a fresh scent and eliminating odors. Kills *Staphylococcus aureus* (Staph), *Streptococcus hemolyticus* (Strep), *Pseudomonas aeruginosa*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Mycobacterium bovis* (BCG), *Salmonella enterica*, *Trichophyton interdigitale* (athlete's foot fungus), Vancomycin-Resistant *Enterococcus faecalis* (VRE), Influenza A Virus, Influenza B Virus, Swine Influenza A Virus Strain (H1N1) and Influenza A Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces. GERM ENFORCER (EPA REG. NO. 67603-4-11861) has demonstrated effectiveness against viruses similar to 2019 novel coronavirus-Wuhan (also 2019-nCoV) on hard non-porous surfaces. Therefore, these products can be used against 2019 novel coronavirus-Wuhan (also 2019-nCoV) when used in accordance with the directions on hard, non-porous surfaces. Refer to the CDC website (<https://www.cdc.gov/coronavirus/2019-ncov/index.html>) for additional information.

Applications:

- Vinyl
- Ceramic/Glass
- Polypropylene
- Polyester
- Enameled Surfaces
- Metal
- Porcelain
- Polyethylene
- Rubber
- ABS

For Use In:

- Hospital Rooms
- Doctor's Offices
- Kitchens
- Locker Rooms
- Shower Stalls
- Sick Rooms
- Nurseries
- Bathrooms
- Floors
- Benches

Product Characteristics:

Appearance:	Liquid
Odor:	Not available
Boiling Point/Range:	N.A. Low/High
Flammability(solid/gas):	Flashpoint below 73°F
Explosive Limit-Lower (%):	1.9%
Explosive Limit-Upper (%):	19%
pH:	10
Flash Point:	-29°C (-20.2°F) [Pensky-Martens Closed Cup]
Density:	6.90 lb/gal
Density VOC:	2.50 lb/gl
% VOC:	36.20%
Vapor Density:	1 (air = 1)
Evaporation Rate:	1.6 (butyl acetate = 1)
Viscosity, Kinematic:	<0.205 cm ² /s (40°C)
Storage:	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.
Transport Information:	
UN Number:	UN1950
Proper Shipping Name:	Aerosols
Class:	2.1 (LTD QTY)
Packing Group:	Not available

Directions:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Please see label for detailed direction. SHAKE WELL BEFORE USING: Thoroughly clean all surfaces to be treated to remove gross filth or heavy soil. TO DISINFECT: Hold can upright and spray from a distance of 6" to 8" until area is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping. FOR CONTROL OF MOLD/MILDEW ON HARD, NON-POROUS ENVIRONMENTAL SURFACES: Spray surface until thoroughly moistened. Allow to air dry. Repeat application in 7 days. FOR CONTROL OF FUNGUS in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet. Spray surface until thoroughly moistened. Allow to air dry.

*Do not use on polished wood, painted surfaces, leather, rayon fabrics, acrylic plastics or furniture.

Pictograms:



Signal Word:

DANGER.

Personal Protective Equipment Required:



VOC Compliant:

Yes.

DOT Placard:

Not available.

SAFETY DATA SHEET

1. Product and Company Identification

PRODUCT NUMBER:	4955	COMPANY PHONE:	1-800-241-8180
PRODUCT NAME:	GERM ENFORCER	EMERGENCY TELEPHONE:	1-800-535-5053
PRODUCT DESCRIPTION:	Aerosol Disinfectant Spray and Deodorant	INFOTRAC:	1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification

GHS CLASSIFICATION:

Aerosols - Category 1
Gases Under Pressure - Compressed Gas
Skin Irritation - Category 2
Eye Irritation - Category 2A
Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) - Category 3
Specific Target Organ Toxicity - Single Exposure (Narcotic Effects) - Category 3
Specific Target Organ Toxicity - Repeated Exposure - Category 2
Aspiration Hazard - Category 1
Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 4.7%
Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 41.7%
Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 4.7%

SIGNAL WORD:
DANGER

SYMBOL:



HAZARD STATEMENTS:

Physical: H222 - Extremely flammable aerosol.
H280 - Contains gas under pressure; may explode if heated.
Health: H304 - May be fatal if swallowed and enters airways.
H319 - Causes serious eye irritation.
H315 - Causes skin irritation.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H373 - May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS:

General: P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.
Prevention: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P280 - Wear protective gloves, eye protection and face protection.
P264 - Wash hands thoroughly after handling.
P260 - Do not breathe mist, vapors, or spray.
P271 - Use only outdoors or in a well-ventilated area.
Response: P314 - Get medical attention if you feel unwell.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P331 - Do NOT induce vomiting.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P362 + P364 - Take off contaminated clothing and wash it before reuse.
P332 + P313 - If skin irritation occurs: Get medical attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical attention.
Storage: P405 - Store locked up.
P410 - Protect from sunlight.
P412 - Do not expose to temperatures exceeding 50°C / 122°F.
P403 - Store in a well-ventilated place.
Disposal: P501 - Dispose of contents and container in accordance with local, regional, national and international regulations.

SUPPLEMENTARY INFORMATION:

DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE. Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
WARNING: This product contains a chemical known to the State of California to cause cancer.

Please refer to the SDS for additional information. Keep out of reach of children. Keep upright in a cool, dry place. Do not discard empty can in trash compactor.

3. Composition / Information on Ingredients		
Chemical Name	CAS	Concentration % by Weight
Ethyl Alcohol	64-17-5	25%-50%
Butane	106-97-8	10%-25%
Propane	74-98-6	1%-5%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

4. First Aid Measures

EMERGENCY OVERVIEW:

EYES: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

SKIN: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse.

INHALATION:
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

INGESTION:
Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

5. Fire-Fighting Measures

SUITABLE FIRE EXTINGUISHING MEDIA:
Use extinguishing media suitable for surrounding fire.

UNSUITABLE FIRE EXTINGUISHING MEDIA:
None known.

SPECIFIC HAZARDS IN CASE OF FIRE:
Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. In fire, will decompose to carbon dioxide, carbon monoxide.

SPECIFIC FIRE-FIGHTING METHODS:
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:
Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

6. Accidental Release Measures

EMERGENCY PROCEDURE:

SMALL SPILL: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

LARGE SPILL: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

PERSONAL PRECAUTIONS:
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

ENVIRONMENTAL PRECAUTIONS:
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

RECOMMENDED EQUIPMENT:
Wear appropriate protective equipment (see Section 8).

7. Handling and Storage

SAFE HANDLING:
Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not ingest. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

SAFE STORAGE & INCOMPATIBILITIES:

Ventilation Requirements: Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements: Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Protect from sunlight. Store locked up. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls / Personal Protection

Chemical Name	OSHA TWA (ppm)	OSHA TWA (mg/m ³)	OSHA STEL (ppm)	OSHA STEL (mg/m ³)	OSHA-Tables-Z1,2,3	OSHA Carcinogen	OSHA Skin designation	NIOSH TWA (ppm)
Butane								800
Ethyl Alcohol	1000	1900			1			1000
Propane	1000	1800			1			1000

Chemical Name	NIOSH TWA (mg/m ³)	NIOSH STEL (ppm)	NIOSH STEL (mg/m ³)	NIOSH Carcinogen	ACGIH TWA (ppm)	ACGIH TWA (mg/m ³)	ACGIH STEL (ppm)	ACGIH STEL (mg/m ³)
Butane	1900						1000 (EX)	
Ethyl Alcohol	1900						1000	
Propane	1800						Simple asphyxiant (D), explosion hazard (EX)	

PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face Protection: Safety glasses with side shields should be used if indicated. Eye wash and safety showers in the workplace are recommended.

Skin Protection: Use solvent-resistant protective gloves for prolonged or repeated contact.

Respiratory Protection: Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

APPROPRIATE ENGINEERING CONTROLS:

Ventilation should be sufficient to prevent inhalation of any vapors.

9. Physical & Chemical Properties

Appearance:	Liquid.	Flammability(solid/gas):	Flash point below 73°F/23°C
Odor Description:	N.A.	Explosive Limit-Lower (%):	1.9%
Odor Threshold:	N.A.	Explosive Limit-Upper (%):	19%
pH:	10	Vapor Density:	1 (air = 1)
Melting/Freezing Point:	N.A.	Vapor Pressure:	101.3 kPa (20°C)
Boiling Point/Range:	N.A. Low/High.	Solubility (water):	N.A.
Viscosity, Kinematic:	<0.205 cm ² /s (40°C)	Auto-Ignition Temp:	N.A.
Flash Point:	-29°C (-20.2°F) [Pensky-Martens Closed Cup]	Decomposition Temp:	N.A.
Density:	6.90 lb/gal	Evaporation Rate:	1.6 (butyl acetate = 1)
Density VOC:	2.50 lb/gal	% VOC:	36.20%

10. Stability & Reactivity Information**CHEMICAL STABILITY:**

Stable.

CONDITIONS TO AVOID:

Keep away from heat, sparks, extreme temperatures, flame, other sources of ignition and incompatible materials.

INCOMPATIBLE MATERIALS:

None known.

HAZARDOUS REACTIONS/POLYMERIZATION:

Under normal conditions of storage and use, hazardous reactions will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information

Components	Species	Test Results
Ethyl Alcohol (64-17-5)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	Approximately 21,000 ppm (4-hour exposure); cited as 39 g/m3 (4-hour exposure) (1, unconfirmed)
<i>Oral</i>		
LD50	Rat	LD50 (oral, rat): 7,060 mg/kg (41); 10,600 mg/kg (41); 13,660 mg/kg (37)
	Mouse	LD50 (oral, mouse): 3,450 mg/kg (1, unconfirmed)
	Guinea Pig	LD50 (oral, guinea pig): 5,560 mg/kg (37)
Butane (106-97-8)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	C50 (mouse): 202,000 ppm (481,000 mg/m3) (4-hour exposure); cited as 680 mg/L (2-hour exposure) (9)
	Rat	LC50 (rat): 276,000 ppm (658,000 mg/m3) (4-hour exposure); cited as 658 mg/L (4-hour exposure) (9)

ACUTE TOXICITY:

Inhalation: effects of overexposure include irritation of the respiratory tract, headache, dizziness, nausea, and loss of coordination.

SKIN CORROSION/IRRITATION:

Causes skin irritation.

SERIOUS EYE DAMAGE/EYE IRRITATION:

Causes serious eye irritation.

RESPIRATORY SENSITIZATION:

No data available.

SKIN SENSITIZATION:

No data available.

GERM CELL MUTAGENICITY:

No data available.

CARCINOGENICITY:

No data available.

REPRODUCTIVE TOXICITY:

No data available.

SPECIFIC TARGET ORGAN TOXICITY -single exposure:

May cause drowsiness or dizziness.

May cause respiratory irritation.

SPECIFIC TARGET ORGAN TOXICITY -repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

ASPIRATION HAZARD:

May be fatal if swallowed and enters airways.

12. Ecological Information

TOXICITY:

No data available.

PERSISTENCE AND DEGRADABILITY:

No data available.

BIOACCUMULATIVE POTENTIAL:

No data available.

MOBILITY IN SOIL:

No data available.

OTHER ADVERSE EFFECTS:

No data available.

13. Disposal Consideration

WASTE DISPOSAL:

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

14. Transportation Information

DOT: **UN Number:** UN1950
UN Proper Shipping Name: Aerosols.
Class: 2.1 (LTD QTY)
Packaging Group: N.A.
Marine Pollutant: No data available.
Toxic-Inhalation Hazard: N.A.

IATA: UN Number: UN1950
UN Proper Shipping Name: Aerosols, flammable.
Transport Hazard Class(es):
 Class: 2.1 (LTD QTY)
Packaging Group: N.A.

IMDG: UN Number: UN1950
UN Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)
 Class: 2.1 (LTD QTY)
Marine Pollutant: N.A.

15. Regulatory Information

CAS	Chemical Name	% By Weight	Regulation List
64-17-5	Ethyl Alcohol	25%-50%	SARA312, VOC, TSCA, ACGIH, OSHA
74-98-6	Propane	1%-5%	SARA312, VOC, TSCA, ACGIH, OSHA
106-97-8	Butane	10%-25%	SARA312, VOC, TSCA, ACGIH

16. Other Information

*There are points of differences between OSHA GHS and UN GHS. In 90% of the categories, they can be used interchangeably, but for the Skin Corrosion/Irritant Category and the Specific Target Organ Toxicity (Single and Repeated Exposure) Categories. In these cases, our system will say UN GHS. ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94- 469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.-Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Spray Disinfectant

Prevents mold and mildew on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills *Staphylococcus aureus* (Staph), *Streptococcus hemolyticus* (Strep), *Pseudomonas aeruginosa*, Methicillin-Resistant *Staphylococcus aureus* (MRSA), *Mycobacterium bovis* (BCG), *Salmonella enterica*, *Trichophyton interdigitale* (athlete's foot fungus), Vancomycin-Resistant *Enterococcus faecalis* (VRE), Influenza A Virus, Influenza B Virus, Swine Influenza A Virus Strain (H1N1) and Influenza A Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces.

Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nurseries and bathrooms.

****Sanitizes:** Kills 99.9% of *Staphylococcus aureus* (Staph), and *Enterobacter aerogenes* on pre-cleaned, hard non-porous, non-food contact surfaces with a 5 minute contact time.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1.800.222.1222. For general information on this product call 1.515.955.2344 or contact the National Pesticides Information Center (NPIC) at 1.800.858.7378, Monday through Friday, 8 am to 12 pm (Pacific), or at <http://npic.orst.edu>.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: Causes substantial, but temporary, eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Thoroughly wash hands after using and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use on polished wood, painted surfaces, leather, rayon fabrics, acrylic plastics or furniture.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake Well Before Using

For use only on pre-cleaned, hard, non-porous, non-food environmental surfaces.

Hold can upright and spray from a distance of 6 to 8 inches.
To Clean: Prior to disinfection, thoroughly pre-clean all surfaces to be treated by removing all gross filth and heavy soil.
To Disinfect: Spray until area for treatment is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping. After disinfection, a potable water rinse is required. Do not use to disinfect appliances, refrigerator interiors and microwave oven interiors. Do not use on dishes, glasses or utensils.

PRODUCT #157301

Manufactured for:

PRO CHEM, INC.

PO BOX 1309 • ALPHARETTA GA 30009

1-800-241-8180

To Sanitize: Spray surface until entire area is thoroughly wet. Allow to remain wet for 5 minutes before wiping.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surfaces until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of *Trichophyton interdigitale* (Athlete's Foot Fungus) in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow surfaces to remain wet for 10 minutes. Allow to air dry.

HIV-1 Directions

Kills HIV on pre-cleaned environmental surfaces and objects previously soiled with blood or body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS). **Special instructions for cleaning and decontamination against HIV on surfaces and objects soiled with blood or body fluids: Personal Protection:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **Disposal of Infectious Materials:** Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.

For Use on: Walls, floors, bedframes, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone.

Precautions

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store upright in a cool, dry place away from heat or open flame. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. Do not Puncture! If recycling is not available, discard container in trash. **If partly filled:** Call your local solid waste agency for disposal instructions.



GERM ENFORCER

DISINFECTANT SPRAY AND DEODORANT COUNTRY SCENT

- ANTIBACTERIAL • KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES
- ELIMINATES ODORS • DESTROYS ODORS • TUBERCULOCIDAL
- PSEUDOMONACIDAL • GERMICIDAL • FUNGICIDAL • KILLS HOUSEHOLD GERMS
- PREVENTS MOLD & MILDEW • FOR COMMERCIAL & INDUSTRIAL USE
- INSTITUTIONAL • KILLS 99.9% OF GERMS** • KILLS METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS (MRSA) • KILLS VANCOMYCIN-RESISTANT ENTEROCOCCUS FAECALIS (VRE) • KILLS INFLUENZA A VIRUS
- KILLS INFLUENZA B VIRUS • KILLS SWINE INFLUENZA A VIRUS STRAIN (H1N1) • KILLS INFLUENZA A VIRUS STRAIN HONG KONG

Active Ingredients:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride	0.05%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	0.05%
Ethyl Alcohol	37.00%

Other Ingredients*

Total	62.90%
	100.00%

*Contains Sodium Nitrite

***Staphylococcus aureus* (Staph) and *Enterobacter aerogenes*

EPA Reg. No. 67603-4-11861

EPA Est. No. 74424-OH-002

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for First Aid and additional Precautionary Statements.

15 oz. / 425 g Net Wt.

#495625

06/22

4cp



L495625PROCH-P20

G