CHEM

Ú Ţ



PRO LUBE is a multi-purpose, non-melting, H1-rated grease that is specifically designed for all general lubrication needs in food processing facilities. Its semi-synthetic formula makes this grease a truly multi-service maintenance grease. It stays on metal surfaces much longer than conventional greases due to its excellent film-forming characteristics and anti-wear qualities. This grease is completely resistant to water washout, friction and chemical attack, making it the professional's choice for their lubricating needs.

FEATURES:

- NSF/U.S.D.A. H-1 *Registered
- Extremely Water Resistant
- Non-Melting

- Reduces Friction & Wear
- High Film Strength
- Prevents Rust & Corrosion

USAGE:

PRO LUBE, with its semi-synthetic base oils and polymer additives, is completely resistant to water washout, friction and chemical attack. This makes PRO LUBE the Professional's Choice for all conveyor bearings, ball bearings, journal bearings, roller bearings, universal joints and all other lubrication points having sliding or rolling friction requiring a multi-purpose NSF/ U.S.D.A. H-1 *Registered grease.

USES:

Grid Belts

Guide Rails

Egg Processors

- Cables
- Cams
- Casters
- Chains
- Dicers

Chairs

Conveyors

- Gears
- **APPLICATIONS:**

Culinary Schools • Food Processing

- Bakeries
- Bottlers

- Meat & Poultry Plants
- Packaging Plants & Manufacturers
- Schools

Rollers

Slicers

Slides

Sprockets

- Universities
- Water Treatment Plants

DIRECTIONS FOR USE:

Remove old grease before applying this product. For ball-type grease fittings fill with this product until old grease is forced out.

HAZARDS IDENTIFICATION:

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). There are no known significant effects or critical hazards. See the Safety Data Sheet for more information. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

DISPOSAL AND/OR SPILL INFORMATION: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

STORAGE: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

KEEP OUT OF REACH OF CHILDREN

For industrial and institutional use only not for household use or resale. For additional information reference the product safety data sheet (SDS).

INGREDIENTS (CAS#'S): There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

> An Exclusive Product of: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway • Alpharetta, GA 30004 1-800-241-8180 · www.procheminc.com

> > NET WT. 14 OZ.(397 grams)

- Open Lube Points Plungers

- **Breweries**
- Canneries
- - Dairies
- Correctional Institutions

Creameries

- Plants Industrial Rendering