ORANGE AID #1244 Aerosol All-Purpose Emulsion Degreaser and Cleaner

Features:

- Powerful foaming action
- Fresh citrus fragrance
- Food Processing Acceptability: C1

Description:

ORANGE AID is a powerful, heavy-duty foam cleaner that clings to any hard surface, providing extended cleaning contact time. It is formulated with orange citrus solvents to remove dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon mark. It deodorizes as it cleans. Foam clings to vertical surfaces to allow for quick spot cleaning.

Applications:

- Washable Surfaces
- Venetian Blinds
- Bathtubs
- Cabinets
- Painted Surfaces
- Porcelain
- SinksStoves
- Window SillsTile
- Toilet Bowls
 - Refrigerators
- Walls
- Doors
- Floors

Directions:

Pictograms:

Grease Spots

with clean dry cloth. Rinse, if desired.

Product Characteristics:

Physical State:	Aeros	sol, ga	as		
Odor:	Citrus	S			
Initial Boiling Point/F	Range: 21		2°F (100°C) estimated		
Vapor Pressure:	55 - 7	75 psię	g @20°C estimated		
Specific Gravity:	0.95	estima	ated		
Solubility (water):	Not available		ble		
Relative Density:	Not a	ivailab	ble		
Flash Point:	-156.	0°F (-	104.4°C) Propellant estimated		
pH:	Not available		ble		
Flammability Limit-I	Limit–lower (%):		0.8% estimated		
Flammability Limit–u	upper (%):		6.3% estimated		
Storage:	Protect fro		n sunlight. Do not expose to		
temperate		eratur	ures exceeding 50°C/122°F		
Transport Information:					
UN Number:		UN19	950		
Proper Shipping Name:		Aerosols, flammable, (each not			
		exceeding 1 L capacity)			
Class:		2.1			
Packing Group:		Not applicable			

DOT Placard:

VOC Compliant: Yes.





Personal Protective Equipment Required:

SHAKE WELL BEFORE USING. Remove outer cap. Hold can in upright position. Point valve opening toward area to be cleaned. Press button and spray a small area until wet. Let stand for several seconds. Wipe off

IMPORTANT: When using on plastic seat covers, leather or plastic tile, RINSE with clean, damp cloth.







SAFETY DATA SHEET

1. Product and Company Ident	ification				
PRODUCT NUMBER:	1244	CON	PANY PHONE:		1-800-241-8180
PRODUCT NAME:	ORANGE AID	EME	RGENCY TELEPH	IONE:	1-800-535-5053
PRODUCT DESCRIPTION:	Aerosol All-Purpose Emulsior and Cleaner	Degreaser INFC			1-800-535-5053
COMPANY INFORMATION:	PRO CHEM, INC. 1475 Bluegrass Lakes Parkw Alpharetta, GA 30004	ay			
2. Hazards Identification					
GHS CLASSIFICATION: Flammable aerosols: Category 1 Sensitization, skin: Category 1 OSHA defined hazards: Not class		SIGNAL WORD: DANGER	SYMBOL:		
HAZARD STATEMENTS:				•	•
Pressurized Container. workplace. Wear prote Response: IF ON SKI before reuse. Storage: Protect from Disposal: Dispose of of ENVIRONMENTAL HAZARDS: Hazardous to the aqua	IN: Wash with plenty of water. If sunlight. Do not expose to tem contents/container in accordance atic environment, acute hazard: atic environment, long-term hazard SPECIFIED:	ter use. Avoid breat skin irritation or ras peratures exceeding with local/regiona Category 2	ning gas. Contamir n occurs: Get medi 50°C/122°F.	ated work clothing mu	st not be allowed out of the
None.					
3. Composition / Information o	n Ingredients		CAS	Concentra	tion % by Weight
3. Composition / Information o Chemical Name d-Limonene	n Ingredients	5	CAS 989-27-5		tion % by Weight 2.5 - 10
Chemical Name d-Limonene Propane	n Ingredients		989-27-5 74-98-6		2.5 - 10 2.5 - 10
Chemical Name d-Limonene Propane Butane			989-27-5		2.5 - 10 2.5 - 10 1 - 2.5
Chemical Name d-Limonene Propane Butane Other components below reporta	able levels		989-27-5 74-98-6 06-97-8	2 2 9	2.5 - 10 2.5 - 10
Chemical Name d-Limonene Propane Butane Other components below reporta *Designates that a specific chem 4. First Aid Measures	able levels		989-27-5 74-98-6 06-97-8	2 2 9	2.5 - 10 2.5 - 10 1 - 2.5
Chemical Name d-Limonene Propane Butane Other components below reporta *Designates that a specific chem 4. First Aid Measures EMERGENCY OVERVIEW GENERAL: Ensure that medical before reuse. EYES: Rinse with water. Get r SKIN: In case of eczema or of INHALATION: Move to fresh air. Call INGESTION: Rinse mouth. Get med MOST IMPORTANT SYMPTOM May cause an allergic INDICATION OF IMMEDIATE M	able levels ical identity and/or percentage personnel are aware of the ma medical attention if irritation dev other skin disorders: Seek medic a physician if symptoms develo lical attention if symptoms occu (S/EFFECTS, ACUTE AND DEI skin reaction. Dermatitis. Rash. IEDICAL ATTENTION AND SP ortive measures and treat sympt NG MEDIA:	of composition has terial(s) involved an velops and persists. cal attention and tak op or persist. r. LAYED: ECIAL TREATMEN	989-27-5 74-98-6 06-97-8 een withheld as a d take precautions e along these instru	trade secret.	2.5 - 10 2.5 - 10 1 - 2.5 10 - 100 Wash contaminated clothing

SPECIFIC FIRE-FIGHTING METHODS:			
	ures and consider the hazards of othe	r involved materials. In the event of fire and/or ex	plosion, do not breathe
fumes. Move containers from fire	e area if you can do so without risk. Co	ntainers should be cooled with water to prevent	vapor pressure build up.
		nozzles, if possible. If not, withdraw and let fire b	urn out.
SPECIAL PROTECTIVE EQUIPMENT FO Firefighters must use standard p		tardant coat, helmet with face shield, gloves, rub	ber boots and in
enclosed spaces, SCBA.	noteenve equipment meruding name re	tardant coat, neinet with face shield, gloves, rub	
GENERAL FIRE HAZARDS:			
Extremely flammable aerosol.			
6. Accidental Release Measures			
PERSONAL PRECAUTIONS:	way Kaan naanla away from and unwi	ad of anill/look. Moor appropriate protective equi	amont and alothing during
cleanup. Avoid breathing gas. D	o not touch damaged containers or spi	nd of spill/leak. Wear appropriate protective equip lled material unless wearing appropriate protecti ed if significant spillages cannot be contained. Fo	ve clothing. Ventilate
ENVIRONMENTAL PRECAUTIONS:	it. Inform appropriate managerial or su	pervisory personnel of all environmental releases	s. Prevent further leakage
or spillage if safe to do so. Avoid	discharge into drains, water courses		0
METHODS & MATERIALS FOR CONTAIL		eak if you can do so without risk. Move the cylind	lar to a cafe and enen
area if the leak is irreparable. Iso immediate area). Keep combust	blate area until gas has dispersed. Elin ibles (wood, paper, oil, etc.) away from	ninate all ignition sources (no smoking, flares, sp is spilled material. Prevent entry into waterways, s waste disposal, see Section 13 of the SDS.	arks or flames in
7. Handling and Storage SAFE HANDLING:			
	erce or burn, even after use. Do not us	se if spray button is missing or defective. Do not	spray on a naked flame
or any other incandescent mater	ial. Do not smoke while using or until s	sprayed surface is thoroughly dry. Do not cut, we	ld, solder, drill, grind or
		Il equipment used when handling the product mu	
		skin and clothing. Use only in well-ventilated are	eas. Wear appropriate
personal protective equipment. A SAFE STORAGE & INCOMPATIBILITIES		erve good industrial hygiene practices.	
Level 1 Aerosol.			
	om sunlight and do not expose to tem	peratures exceeding 50°C/122°F. Do not punctur	re. incinerate or crush.
Pressurized container. Protect fr Do not handle or store near an o	open flame, heat or other sources of ig	peratures exceeding 50°C/122°F. Do not punctur nition. This material can accumulate static charge	
Pressurized container. Protect fr Do not handle or store near an o		nition. This material can accumulate static charge	
Pressurized container. Protect fr Do not handle or store near an c and become an ignition source.	open flame, heat or other sources of ig Store away from incompatible material	nition. This material can accumulate static charge	
Pressurized container. Protect fr Do not handle or store near an c and become an ignition source. B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta	open flame, heat or other sources of ig Store away from incompatible material iton aminants (29 CFR 1910.1000)	nition. This material can accumulate static charge s (See Section 10 of the SDS).	
Pressurized container. Protect fr Do not handle or store near an c and become an ignition source. B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type	nition. This material can accumulate static charge s (See Section 10 of the SDS). Value	
Pressurized container. Protect fr Do not handle or store near an c and become an ignition source. B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta	open flame, heat or other sources of ig Store away from incompatible material iton aminants (29 CFR 1910.1000)	nition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6)	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type	nition. This material can accumulate static charge s (See Section 10 of the SDS). Value	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6)	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type	nition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near and and become an ignition source. B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) JS. ACGIH Threshold Limit Values	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL	nition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m³ 1000 ppm	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8)	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) JS. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) JS. NIOSH: Pocket Guide to Chemical H Components	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1000 ppm Value	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H	open flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1000 ppm Value 1900 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) JS. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) JS. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8)	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Type STEL Hazards Type TWA	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1000 ppm Value 1900 mg/m ³ 800 ppm	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards Type	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1900 mg/m ³ 800 ppm 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 B. Exposure Controls / Personal Protect JS. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) JS. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) JS. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards Type TWA TWA	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1000 ppm Value 1900 mg/m ³ 800 ppm	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3. Exposure Controls / Personal Protect 3. Exposure Controls / Personal Protect 4. Components 5. Butane (CAS 106-97-8) 5. NIOSH: Pocket Guide to Chemical H 5. Components 5. Butane (CAS 106-97-8) 7. Propane (CAS 106-97-8) 7. Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL fazards Type TWA TWA TWA TWA	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1900 mg/m ³ 800 ppm 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3. Exposure Controls / Personal Protect 3. State Controls / Personal Protect 3. Components Propane (CAS 74-98-6) 3. ACGIH Threshold Limit Values <u>Components</u> Butane (CAS 106-97-8) 3. NIOSH: Pocket Guide to Chemical H <u>Components</u> Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL fazards Type TWA TWA TWA TWA	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1900 mg/m ³ 800 ppm 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3. Exposure Controls / Personal Protect 3. Exposure Controls / Personal Protect 4. Components 5. Butane (CAS 106-97-8) 5. NIOSH: Pocket Guide to Chemical H 5. Components 5. Butane (CAS 106-97-8) 7. Propane (CAS 106-97-8) 7. Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not	ppen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL fazards Type TWA TWA TWA TWA	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1900 mg/m ³ 800 ppm 1800 mg/m ³	
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 8. Exposure Controls / Personal Protect 9. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT:	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s	hition. This material can accumulate static charge s (See Section 10 of the SDS). Value 1800 mg/m ³ 1000 ppm Value 1900 mg/m ³ 800 ppm 1800 mg/m ³ 1000 ppm	e which may cause spark
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta <u>Components</u> Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values <u>Components</u> Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H <u>Components</u> Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Type STEL Hazards Type TWA TWA TWA ted for the ingredient(s Edd is recommended. Wear safety glasson: Wear appropriate chemical resistant	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Sees with side shields (or goggles). nt gloves. Suitable gloves can be recommended	e which may cause spark
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta <u>Components</u> Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values <u>Components</u> Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H <u>Components</u> Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio Other: Wear appropriate chemic	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL fazards Type TWA TWA TWA TWA ted for the ingredient(s Edd is recommended. Wear safety glasson: Wear appropriate chemical resistar al resistant clothing. Use of an impervi	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Value 1000 ppm 1	e which may cause spark
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s bill is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervin hissible levels are exceeded use NIOS	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Value 1000 ppm Value 1000 ppm Value 1000 ppm 1000 ppm value 1000 ppm 1000 ppm set with side shields (or goggles). t gloves. Suitable gloves can be recommended ous apron is recommended. H mechanical filter / organic vapor cartridge or al	e which may cause spark
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shift Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear appropri	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervi- hissible levels are exceeded use NIOS briate thermal protective clothing, wher	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Set with side shields (or goggles). td gloves. Suitable gloves can be recommended ous apron is recommended. H mechanical filter / organic vapor cartridge or an ecessary.	e which may cause spark
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shid Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear approp General Hygiene Consideratio	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervi- nissible levels are exceeded use NIOS briate thermal protective clothing, wher ms: When using, do not smoke. Alway	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Set with side shields (or goggles). nt gloves. Suitable gloves can be recommended ous apron is recommended. H mechanical filter / organic vapor cartridge or an in necessary. ys observe good personal hygiene measures, su	e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear approp General Hygiene Consideratio handling the material and before	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL PEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervi- nissible levels are exceeded use NIOS briate thermal protective clothing, wher ms: When using, do not smoke. Alway	Value 1800 mg/m³ 1000 ppm Value 1000 ppm Set with side shields (or goggles). t gloves. Suitable gloves can be recommended ous apron is recommended. H mechanical filter / organic vapor cartridge or an in ecessary. ys observe good personal hygiene measures, suinely wash work clothing and protective equipment	e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. 3 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shift Skin Protection: Hand Protection Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear approp General Hygiene Consideratio handling the material and before contaminants. Contaminated wo	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Hazards Type TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glasson: beld is recommended. Wear safety glasson: Wear appropriate chemical resistar al resistant clothing. Use of an impervin hissible levels are exceeded use NIOS priate thermal protective clothing, wher mis: When using, do not smoke. Alway e eating, drinking and/or smoking. Rout rk clothing should not be allowed out of DLS:	Value 1800 mg/m³ 1000 ppm Value 1000 ppm	e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after ent to remove
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. : 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta Components Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H Components Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear approp General Hygiene Consideratio handling the material and before contaminants. Contaminated wo APPROPRIATE ENGINEERING CONTRO	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervin issible levels are exceeded use NIOS priate thermal protective clothing, where the eating, drinking and/or smoking. Rout rk clothing should not be allowed out of DLS: ly 10 air changes per hour) should be	Value 1800 mg/m³ 1000 ppm Value 1000 ppm 10 ppm	e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after ent to remove nditions. If applicable, use
Pressurized container. Protect fr Do not handle or store near an or and become an ignition source. : 8. Exposure Controls / Personal Protect US. OSHA Table Z-1 Limits for Air Conta <u>Components</u> Propane (CAS 74-98-6) US. ACGIH Threshold Limit Values <u>Components</u> Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H <u>Components</u> Butane (CAS 106-97-8) US. NIOSH: Pocket Guide to Chemical H <u>Components</u> Butane (CAS 106-97-8) Propane (CAS 74-98-6) BIOLOGICAL LIMIT VALUES No biological exposure limits not PERSONAL PROTECTIVE EQUIPMENT: Eye/Face Protection: Face shie Skin Protection: Hand Protectio Other: Wear appropriate chemic Respiratory Protection: If perm Thermal Hazards: Wear approp General Hygiene Consideratio handling the material and before contaminants. Contaminated wo APPROPRIATE ENGINEERING CONTRC	bypen flame, heat or other sources of ig Store away from incompatible material tion aminants (29 CFR 1910.1000) Type PEL Type STEL Hazards Type TWA TWA TWA TWA ted for the ingredient(s beld is recommended. Wear safety glass on: Wear appropriate chemical resistant al resistant clothing. Use of an impervin issible levels are exceeded use NIOS priate thermal protective clothing, where the eating, drinking and/or smoking. Rout rk clothing should not be allowed out of DLS: ly 10 air changes per hour) should be	Value 1800 mg/m³ 1000 ppm Value 1900 mg/m³ 800 ppm 1800 mg/m³ 1000 ppm Not ppm <th< td=""><td>e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after ent to remove nditions. If applicable, use</td></th<>	e which may cause spark by the glove supplier. n air-supplied respirator. ch as washing after ent to remove nditions. If applicable, use

9. Physical & Chemical Proper	ties		
Physical State:	Gas.	Flammability(solid/gas):	Not available.
Form:	Aerosol.	Flammability Limit-lower (%):	0.8% estimated.
Color:	Not available.	Flammability Limit-upper (%):	6.3% estimated.
Odor:	Not available.	Explosive Limit-Lower (%):	Not available.
Odor Threshold:	Not available.	Explosive Limit-Upper (%):	Not available.
pH:	Not available.	Vapor Density:	Not available.
Melting/Freezing Point:	Not available.	Vapor Pressure:	55 - 75 psig @20°C estimated.
Initial Boiling Point/Range:	212°F (100°C) estimated.	Relative Density:	Not available.
Viscosity:	Not available.	Solubility (water):	Not available.
Flash Point:	-156.0°F (-104.4°C) Propellant estimated.	Auto-Ignition Temp:	Not available.
Specific Gravity:	0.99 estimated.	Decomposition Temp:	Not available.
Evaporation Rate:	Not available.	Partition Coeff(n-octanol/water):	Not available.
Explosive Properties:		Oxidizing Properties	
Explosive Properties.	Not explosive.	Oxidizing Properties	Not oxidizing.
10. Stability & Reactivity Inform	mation		
REACTIVITY:			
	and nonreactive under normal conditions of u	se, storage and transport.	
CHEMICAL STABILITY:			
Material is stable unde			
POSSIBILITY OF HAZARDOUS			
Hazardous polymeriza CONDITIONS TO AVOID:			
	ceeding the flash point. Contact with incomp	atible materials	
INCOMPATIBLE MATERIALS:	ceeding the hash point. Contact with incomp		
Strong oxidizing agent	ts.		
HAZARDOUS DECOMPOSITIO			
No hazardous decomp	position products are known.		
11. Toxicological Information			
PRIMARY ROUTE OF ENTRY:			
	with eyes may cause temporary irritation.		
Skin: May cause an a			
Inhalation: No adver	se effects due to inhalation are expected.		
	se effects due to inhalation are expected. to be a low ingestion hazard.		
Ingestion: Expected SYMPTOMS RELATED TO THE	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLO	GICAL CHARACTERISTICS:	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic	to be a low ingestion hazard.	GICAL CHARACTERISTICS:	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY:	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash.	GICAL CHARACTERISTICS:	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction.		
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction.	GICAL CHARACTERISTICS:	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8)	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction.		
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction.		
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation	to be a low ingestion hazard. E PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Fest Results	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5)	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6)	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic <u>Components</u> Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute	to be a low ingestion hazard. F PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Mouse	I237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation	to be a low ingestion hazard. F PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Rat	Test Results 1237 mg/l, 120 Minutes 125%, 120 Minutes 1355 mg/l 2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 52%, 120 Minutes	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. <u>Species</u> Mouse Rat Mouse Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 535 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Species Mouse Rat Mouse Rat Mouse Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for product	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species 1 Mouse Rat Mouse Rat Mouse Rat Mouse	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for product	to be a low ingestion hazard.	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for product SKIN CORROSION/IRRITATION Prolonged skin contact	to be a low ingestion hazard.	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic <u>Components</u> Butane (CAS 106-97-8) <u>Acute</u> Inhalation LC50 <u>Acute</u> Oral LD50 Propane (CAS 7989-27-5) <u>Acute</u> Oral LD50 Propane (CAS 74-98-6) <u>Acute</u> Inhalation LC50 <u>* Estimates for produc</u> SKIN CORROSION/IRRITATIO Prolonged skin contac	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATIO Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Second Additional component dat N: t may be based on additional component dat N: t may cause temporary irritation. IRRITATION: es may cause temporary irritation.	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic <u>Components</u> Butane (CAS 106-97-8) <u>Acute</u> Inhalation LC50 <u>d-Limonene (CAS 5989-27-5)</u> <u>Acute</u> Oral LD50 <u>Propane (CAS 74-98-6)</u> <u>Acute</u> Inhalation LC50 <u>* Estimates for produc</u> SKIN CORROSION/IRRITATIO Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Rat Rat Mouse Rat Rat Rat Rat Rat Rat Rat Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATIO Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO Not a respiratory sens	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Rat Mouse Rat Rat Mouse Rat Rat Rat Rat Rat Rat Rat Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATIOI Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATION Not a respiratory sens SKIN SENSITIZATION:	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. <u>Species</u> Mouse Rat Rat Rat Rat Rat Rat Rat Rat	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATIO Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO Not a respiratory sens	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. <u>Species</u> Mouse Rat Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Sea and the sea of the sea	I237 mg/l, 120 Minutes 52%, 120 Minutes 3355 mg/l •2000 mg/kg 1237 mg/l, 120 Minutes 52%, 120 Minutes 555 mg/l	
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATIOD Prolonged skin contac SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO Not a respiratory sens SKIN SENSITIZATION: May cause an allergic GERM CELL MUTAGENICITY: No data available to ir	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. <u>Species</u> Mouse Rat Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Sea and the sea of the sea	I237 mg/l, 120 Minutes 22%, 120 Minutes 3355 mg/l *2000 mg/kg I237 mg/l, 120 Minutes 32%, 120 Minutes 32%, 120 Minutes 355 mg/l 1237 mg/l, 120 Minutes 32%, 120 Minutes 355 mg/l 355 mg/l 355 mg/l 358 mg/l/4h a not shown.	otoxic.
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATION Prolonged skin contact SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO Not a respiratory sens SKIN SENSITIZATION: May cause an allergic GERM CELL MUTAGENICITY: No data available to in CARCINOGENICITY:	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species Mouse Rat Mouse Rat Mouse Rat Mouse Rat Mouse Rat Second State	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l >2000 mg/kg 1237 mg/l, 120 Minutes 1237 mg/l, 120 Minutes 1237 mg/l, 120 Minutes 1238 mg/l/4h a not shown. t greater than 0.1% are mutagenic or gen	otoxic.
Ingestion: Expected SYMPTOMS RELATED TO THE May cause an allergic ACUTE TOXICITY: May cause an allergic Components Butane (CAS 106-97-8) Acute Inhalation LC50 d-Limonene (CAS 5989-27-5) Acute Oral LD50 Propane (CAS 74-98-6) Acute Inhalation LC50 Propane (CAS 74-98-6) Acute Inhalation LC50 * Estimates for produc SKIN CORROSION/IRRITATION Prolonged skin contact SERIOUS EYE DAMAGE/EYE I Direct contact with eye RESPIRATORY SENSITIZATIO Not a respiratory sens SKIN SENSITIZATION: May cause an allergic GERM CELL MUTAGENICITY: No data available to in CARCINOGENICITY:	to be a low ingestion hazard. PHYSICAL, CHEMICAL AND TOXICOLOG skin reaction. Dermatitis. Rash. skin reaction. Species	Test Results 1237 mg/l, 120 Minutes 52%, 120 Minutes 1355 mg/l >2000 mg/kg 1237 mg/l, 120 Minutes 1237 mg/l, 120 Minutes 1237 mg/l, 120 Minutes 1238 mg/l/4h a not shown. t greater than 0.1% are mutagenic or gen	otoxic.

	IARC Monographs. Overall Evaluation of Carcinogenicity:				
	d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.				
	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.				
	US. National Toxicology Program (NTP) Report on Carcinogens: Not listed.				
REPRO	REPRODUCTIVE TOXICITY:				
SPECIF	This product is not expected t IC TARGET ORGAN TOXICITY	to cause reproductive or developmental effects. Y -single exposure:			
	Not classified.				
	Not classified.				
	TION HAZARD:				
	Not likely, due to the form of t	he product			
	Not likely, due to the form of t				
12. Eco	logical Information				
ECOTO					
LUUIU	Toxic to aquatic life with long	lasting offects			
Comn	onents	Species	Test Results		
	nene (CAS 5989-27-5)	opeoleo			
	· · · · · · · · · · · · · · · · · · ·				
	Aquatic Crustacea EC50	Water flee (Dephaie puloy)	60.6 mg/l $49 hours$		
	Crustacea EC50 Fish LC50	Water flea (Daphnia pulex) Fathead minnow (Pimephales promelas	69.6 mg/l, 48 hours) 0.619 - 0.796 mg/l, 96 hours		
		be based on additional component data not shown.			
PERSIS	TENCE AND DEGRADABILIT				
BIOACO	No data is available on the de	egradability of this product.			
DIUACO	CUMULATIVE POTENTIAL: Partition coefficient n-octar	ol / water (log Kow)			
		ioi / water (log Kow)			
	Butane 2.89				
	d-Limonene 4.232				
MODULY	Propane 2.36 TY IN SOIL:				
MOBILI					
07050	No data available.				
OTHER	ADVERSE EFFECTS:	tel effecte (e a second deviation whether hereited a			
	No other adverse environmen	ital effects (e.g. ozone depletion, photochemical of	zone creation potential, endocrine disruption, global warming		
	potential) are expected from t	nis component.			
13 Dis					
	osal Consideration				
	osal Consideration				
	AL INSTRUCTIONS:	o in cooled containers at licensed waste diapocal o	ita. Contante under pressure. De net nuneture, incinerate er		
	AL INSTRUCTIONS: Collect and reclaim or dispose		te. Contents under pressure. Do not puncture, incinerate or		
	AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater	rial to drain into sewers/water supplies. Do not con	taminate ponds, waterways or ditches with chemical or used		
DISPOS	AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mate container. Dispose of content		taminate ponds, waterways or ditches with chemical or used		
DISPOS	AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this matel container. Dispose of content DISPOSAL REGULATIONS:	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio	taminate ponds, waterways or ditches with chemical or used		
DISPOS	AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio	taminate ponds, waterways or ditches with chemical or used		
DISPOS	Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE:	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio II applicable regulations.	taminate ponds, waterways or ditches with chemical or used nal/international regulations.		
DISPOS LOCAL HAZAR	Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio II applicable regulations. signed in discussion between the user, the produc	taminate ponds, waterways or ditches with chemical or used nal/international regulations.		
DISPOS LOCAL HAZAR	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F 	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio II applicable regulations. signed in discussion between the user, the product PRODUCTS:	taminate ponds, waterways or ditches with chemical or used nal/international regulations.		
DISPOS LOCAL HAZAR	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with 	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the produc PRODUCTS: In local regulations. Empty containers or liners may	taminate ponds, waterways or ditches with chemical or used nal/international regulations.		
DISPOS LOCAL HAZAR WASTE	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance witt must be disposed of in a safe 	rial to drain into sewers/water supplies. Do not con s/container in accordance with local/regional/natio II applicable regulations. signed in discussion between the user, the product PRODUCTS:	taminate ponds, waterways or ditches with chemical or used nal/international regulations.		
DISPOS LOCAL HAZAR WASTE	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: 	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/national/national/national/nations. signed in discussion between the user, the production of the product of the pro	taminate ponds, waterways or ditches with chemical or used nal/international regulations. er and the waste disposal company. retain some product residues. This material and its container		
DISPOS LOCAL HAZAR WASTE	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to		
DISPOS LOCAL HAZAR WASTE	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma 	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/national/national/national/nations. signed in discussion between the user, the production of the product of the pro	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED P Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED P Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may emanner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s ISportation Information UN Number: UN1950 UN Proper Shipping Name: 	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may emanner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may emanner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: -	rial to drain into sewers/water supplies. Do not cons/ s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may emanner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s ISPORTATION INFORMATION UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity)		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s ISPORTATION INFORMATION UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity)		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 	rial to drain into sewers/water supplies. Do not com s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). It retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca ca ble. er: Read safety instructions, SDS and emergency	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity)		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Exceptions: 306 	rial to drain into sewers/water supplies. Do not com s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty containers Aerosols, flammable, (each not exceeding 1 L ca can bele. er: Read safety instructions, SDS and emergency	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity)		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED P Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Exceptions: 300 	rial to drain into sewers/water supplies. Do not com s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty containers Aerosols, flammable, (each not exceeding 1 L ca can bele. er: Read safety instructions, SDS and emergency	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity)		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED P Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Previsions: N82 Packaging Exceptions: 306 Packaging Bulk: None. 	rial to drain into sewers/water supplies. Do not com s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). If y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca ca ble. ble.	transitional regulations. ter and the waste disposal company. retain some product residues. This material and its container In after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Previsions: N82 Packaging Exceptions: 306 Packaging Bulk: None. This product meets the exceptions 	rial to drain into sewers/water supplies. Do not com s/container in accordance with local/regional/natio III applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). If y retain product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L ca car: ble. er: Read safety instructions, SDS and emergency site for requirements of section 173.306 as a limited of	<pre>traminate ponds, waterways or ditches with chemical or used nal/international regulations.</pre>		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance witt must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s ISPORTATION INFORMATION UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not application Special Precautions for Use Special Provisions: N82 Packaging Non-Bulk: None. This product meets the except 12/31/2020, the "Consumer Consumer Consumer	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance witt must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Buk: None. This product meets the excep 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	<pre>traminate ponds, waterways or ditches with chemical or used nal/international regulations.</pre>		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Previsions: N82 Packaging Bulk: None. This product meets the excep 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nati	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Exceptions: 306 Packaging Bulk: None. This product meets the except 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nationall applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may emanner (See: Disposal instructions). If y retain product residue, follow label warnings events for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consiste for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not reuse empty consister for recycling or disposal. Do not recycling or disposal disposed in formatting the recycl	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Since emptied containers ma an approved waste handling s Sportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Exceptions: 306 Packaging Bulk: None. This product meets the except 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 UN Proper Shipping Name: 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/natio applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). The product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L can ble. er: Read safety instructions, SDS and emergency commodity - ORM-D" marking may still be used in antities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Previsions: N82 Packaging Exceptions: 306 Packaging Bulk: None. This product meets the except 12/31/2020, the "Consumer QUN1950 UN Proper Shipping Name: Transport Hazard Class(es) 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/natio applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). The product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L can ble. er: Read safety instructions, SDS and emergency commodity - ORM-D" marking may still be used in antities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Exceptions: 306 Packaging Bulk: None. This product meets the except 12/31/2020, the "Consumer O UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/natio applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). The product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L can ble. er: Read safety instructions, SDS and emergency commodity - ORM-D" marking may still be used in antities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Non-Bulk: None. This product meets the except 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/natio applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may manner (See: Disposal instructions). The product residue, follow label warnings even site for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L can ble. er: Read safety instructions, SDS and emergency commodity - ORM-D" marking may still be used in antities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Bulk: None. This product meets the excep 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): Zi 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nationall applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may a manner (See: Disposal instructions). If y retain product residue, follow label warnings events for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L cate). If Read safety instructions, SDS and emergency according to a structure of section 173.306 as a limited for marking may still be used in lantities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		
DISPOS LOCAL HAZAR WASTE CONTA 14. Tran DOT:	 AL INSTRUCTIONS: Collect and reclaim or dispose crush. Do not allow this mater container. Dispose of content DISPOSAL REGULATIONS: Dispose in accordance with a DOUS WASTE CODE: The waste code should be as FROM RESIDUES/UNUSED F Dispose of in accordance with must be disposed of in a safe MINATED PACKAGING: Since emptied containers ma an approved waste handling s Isportation Information UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - Label(s): 2.1 Packing Group: Not applica Special Precautions for Use Special Provisions: N82 Packaging Non-Bulk: None. This product meets the except 12/31/2020, the "Consumer C UN1950 Aerosols. Limited qu "Consumer Commodity ORM UN Number: UN1950 UN Proper Shipping Name: Transport Hazard Class(es) Class: 2.1 Subsidiary risk: - 	rial to drain into sewers/water supplies. Do not cons/container in accordance with local/regional/nationall applicable regulations. signed in discussion between the user, the product PRODUCTS: In local regulations. Empty containers or liners may a manner (See: Disposal instructions). If y retain product residue, follow label warnings events for recycling or disposal. Do not reuse empty of Aerosols, flammable, (each not exceeding 1 L cate). If Read safety instructions, SDS and emergency according to a structure of section 173.306 as a limited for marking may still be used in lantities require the limited quantity diamond mark -D" marking. Aerosols, flammable.	taminate ponds, waterways or ditches with chemical or used nal/international regulations. eer and the waste disposal company. retain some product residues. This material and its container n after container is emptied. Empty containers should be taken to containers. pacity) procedures before handling.		

	Environmental Hazards: Yes.	
	Special Precautions For User: Read safety instructions, SDS and emergency procedures before handling.	
	Other Information:	2
	Passenger and Cargo Aircraft: Allowed with restrictions.	×
	Cargo Aircraft Only: Allowed with restrictions.	
IMDG:	UN Number: UN1950	
	UN Proper Shipping Name: AEROSOLS.	
		\wedge
	Transport Hazard Class(es):	
	Class: 2.1	*
	Subsidiary risk: -	
	Label(s): None.	\sim
	Packing Group: Not applicable.	
	Environmental Hazards:	
	Marine Pollutant: Yes.	
	EmS: F-D, S-U	
	Special Precautions For User: Read safety instructions, SDS and emergency procedures before handling.	
	Packaging Exceptions: LTD QTY	
TRANSF	PORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:	
	Not applicable.	
	Not applicable.	
15 Pog	ulatory Information	
US FEDI	ERAL REGULATIONS:	
	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
	TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.	
	CERCLA Hazardous Substance List (40 CFR 302.4): Not listed.	
	SARA 304 Emergency release notification: Not regulated.	
	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated.	
SUPERF	UND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):	
	Hazard categories:	
	Immediate Hazard – Yes.	
	Delayed Hazard – No.	
	Fire Hazard – Yes.	
	Pressure Hazard – Yes.	
	Reactivity Hazard – No.	
	SARA 302 Extremely hazardous substance: Not listed.	
	SARA 311/312 Hazardous chemical: No	
	SARA 313 (TRI reporting): Not regulated.	
OTHER	FEDERAL REGULATIONS:	
	Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated.	
	Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):	
	Butane (CAS 106-97-8)	
	Propane (CAS 74-98-6)	
	Safe Drinking Water Act (SDWA): Not regulated.	
US STAT	TE REGULATIONS:	
00014	US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 111	00): Not listed
	US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.)	3, subd.(a)):
	Butane (CAS 106-97-8)	
	US. Massachusetts RTK - Substance List:	
	Butane (CAS 106-97-8)	
	Propane (CAS 74-98-6)	
	US. New Jersey Worker and Community Right-to-Know Act:	
	Butane (CAS 106-97-8)	
	Propane (CAS 74-98-6)	
	US. Pennsylvania Worker and Community Right-to-Know Law	
	Butane (CAS 106-97-8)	
	Propane (CAS 74-98-6)	
	US. Rhode Island RTK	
	Butane (CAS 106-97-8)	
	Propane (CAS 74-98-6)	
	US. California Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): Thi	s material is not known
	to contain any chemicals currently listed as carcinogens or reproductive toxins.	
Countr		n inventory (yes/no)*
Austral		Yes
Canada		Yes
Canada		No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe		No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
•		
Korea	Existing Chemicals List (ECL)	Yes
New Ze		No
Philippi	nes Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
	States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory	Yes
	" indicates that all components of this product comply with the inventory requirements administered by the governing cour	
indicate	es that one or more components of the product are not listed or exempt from listing on the inventory administered by the go	overning country(s).
muicalt	so may one or more components or the product are not listed or exempt from listing on the inventory administered by the gr	

16. Other Information

DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

ORANGE AID is powerful, heavy duty foam cleaner that clings to any hard surface, providing extended cleaning contact time. It is formulated with orange citrus solvents to remove dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon marks and deodorizes as it cleans. Foam clings to vertical surfaces to allow for guick spot cleaning.

APPLICATIONS: • Washable Surfaces • Painted Surfaces • Window Sills • Walls • Venetian Blinds • Porcelain • Tile • Doors • Bathtubs • Sinks • Toilet Bowls • Floors • Grease Spots

DIRECTIONS: SHAKE WELL BEFORE USING. Remove outer cap. Hold can in upright position. Point valve opening toward area to be cleaned. Press button and spray a small area until wet. Let stand for several seconds. Wipe off with clean dry cloth. Rinse, if desired. IMPORTANT: When using on plastic seat covers, leather or plastic tile, RINSE with clean damp cloth. For food contact surfaces, rinse thoroughly with potable water.

INSTRUCCIONES: AGITESE BIEN ANTES DE USARSE. Quite la tapa externa. Agarre el envase verticalmente. Dirija la apertura de la valvula hacia el área que va a ser limpiada. Oprima el botón y rocie un area pequeña hasta que esté humedo. Deje por varios segúndos. Limpie con un paño limpio y seco. Enjuague si desea. IMPORTANTE: Cuando sea usado en cubiertas de asientos de plastico, cuero o losas de plastico, ENJUAGUE con un paño limpio y humedo.

ORANGE AID CITRUS ALL PURPOSE CLEANER

DANGER: EXTREMELY FLAMMABLE AEROSOL. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.



PELIGRO: AEROSOL EXTREMADAMENTE INFLAMABLE. PROVOCA IRRITACIÓN OCULAR GRAVE. PUEDE PROVOCAR UNA REACCIÓN ALÉRGICA EN LA PIEL Mantener lejos de calor, chispas, llamas al descubierto, superficies calientes. - No fumar. No rocíe sobre una llama

abierta u otra fuente de ignición. No perforar ni quemar, incluso después de su uso. Lavarse concienzudamente tras

la manipulación. Llevar guantes/prendas/gafas/máscara de

protección. Evitar respirar polvos/humos/gases/nieblas/ vapores/aerosoles. La ropa de trabajo contaminada no

debe retirarse del lugar de trabajo. No dispersar en el medio

ambiente. Proteger de la luz solar. No exponer a

temperaturas superiores a 50°C/122°F. Recoger los vertidos. Eliminación de contenidos / contenedor en

Keep away from heat, hot surfaces, sparks, open fames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eve protection/face protection. Avoid breathing dust/ fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Collect spillage. Dispose of contents/container in accordance with local/regional/national/international regulations.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Move victim to fresh air. IF SWALLOWED: Rinse mouth.

CONTAINS (CAS No.): Aqua (7732-18-5), Limonene (5989-27-5), Propane (74-98-6), Butane (106-97-8) and Glycerin (56-81-5).

consonancia con los reglamentos locales / regionales / nacionales / internacionales pertinentes. PRIMEROS AUXILIOS: EN CASO DE CONTACTO CON LOS OJOS: Lavar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto cuando estén presentes y puede hacerse con facilidad. Proseguir con el lavado. Si persiste la irritación de los ojos: Consultar a un médico. EN CASO DE CONTACTO CON LA PIEL: Lavar con agua y jabón abundantes. En caso de irritación cutánea: Consultar a un médico. Lavar las prendas contaminadas antes de volver a usarlas. EN CASO DE INHALACIÓN: Transportar a la víctima al aire libre. EN CASO DE INGESTIÓN: Enjuagar la boca.

CONTIENE (No. de CAS): Aqua (7732-18-5), Limoneno (5989-27-5), Propano (74-98-6), Butano (106-97-8) y Glicerina (56-81-5)

CAUTION: Intentional misuse by concentrating and inhaling the product can be harmful or fatal. KEEP OUT OF REACH OF CHILDREN.

PRECAUCIÓN: El uso indebido por concentración e inhalación del producto puede ser dañino o fatal. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

See Safety Data Sheet for complete safety information. Mire la Hoja de Datos de Seguridad para la información completa de seguridad. Not for sale in California / No para la venta en California. Emergency Telephone: INFOTRAC 1-800-535-5053



An Exclusive Product of: PRO CHEM, INC. 1475 Bluegrass Lakes Parkway | Alpharetta, GA 30004

TO REORDER CALL 1-800-241-8180 www.procheminc.com







ORANGE

CITRUS ALL-PURPOSE CLEANER CITRUS LIMPIADOR DE PROPOSITO

CLINGING FOAM REMOVES **GREASE · DIRT · GRIME**

POWERFUL FOAMING ACTION

- FRESH CITRUS FRAGRANCE
- NO PETROLEUM SOLVENTS

DANGER: EYEIRRITANT **CONTENTS UNDER PRESSURE** SEE OTHER CAUTIONS ON BACK PANEL

PELIGRO: IRRITANTE OCULAR **CONTENIDOS BAJO PRESION VER OTRAS PRECAUCIONES EN EL PANEL POSTERIOR**

NET WT:/PESO NETO: 19 OZ. (1 LB. 3 OZ.) 539 g

3/2,