

# SUPERSOL #1635

## Aerosol Contact and Circuit Board Cleaner



### Features:

- Non-flammable spray
- VOC exempt
- Safe on most plastics, rubber and paint
- Dries quickly and residue free
- 30,000 volt dielectric strength
- EPA SNAP approved



### Description:

SUPERSOL is a high purity, high dielectric, rapidly evaporating aerosol electronic contact cleaner and degreaser. SUPERSOL cleans oil, grease, dirt, dust, condensation, and moisture from circuit boards, precision instruments, oxygen equipment, controls, switches, motors, and film. It is also excellent for cleaning and degreasing metal parts and fittings. This solvent system has been tested safe on: Neoprene, Buna, Silicone, Styrene, Polystyrene, Butyl and natural rubber, Nylon, Epoxy, PTFE, Polyethylene, Polypropylene, ABS, PVC, Polyurethane, and Hypalon®. For other plastics, test on an inconspicuous spot first.

### Applications:

- Circuit Boards
- Contacts
- Wire Terminals
- Tuners
- Motors
- Switches
- Relays
- Circuit Breakers
- Electrical and Electronic Equipment
- Control Panels
- Potentiometers
- Cable Ends and Receptacles

### Product Characteristics:

Physical State:	Liquid
Form:	Spray Aerosol
Odor:	No data available
Freezing Point:	No data available
Solubility (water):	No data available
Flash Point:	Not applicable
Oxidizing Properties:	No data available
Explosive Properties:	No data available
Vapor Pressure:	2,757 - 3,447 hPa (20°C)
Vapor Density (air=1):	No data available
pH:	No data available
Storage:	Protect from sunlight. Store in a well-ventilated place.
<b>Transport Information:</b>	
UN Number:	UN1950
Proper Shipping Name:	Aerosols, non-flammable
Class:	2.2
Packing Group:	II

### Directions:

Spray directly onto surface, holding can close to work. For hard-to-reach areas, insert extension tube into actuator orifice. Allow components to dry completely before applying current.

*Not recommended for use on acrylic or stressed polycarbonate materials. Pre-testing is strongly suggested.*

### Pictograms:



**Signal Word:**  
WARNING.

### Personal Protective Equipment Required:





### DOT Placard:



**VOC Regulations:**  
VOC exempt.

# SAFETY DATA SHEET

1. Product and Company Identification			
<b>PRODUCT NUMBER:</b>	1635	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	SUPER SOL	<b>EMERGENCY TELEPHONE:</b>	1-800-535-5053
<b>PRODUCT DESCRIPTION:</b>	Contact & Circuit Board Cleaner	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

2. Hazards Identification				
<b>GHS CLASSIFICATION:</b> <b>Physical Hazards</b> Gases under pressure - Compressed gas  <b>Health Hazards</b> Acute toxicity (Inhalation – vapor) - Category 4 Acute toxicity (Inhalation – dust and mist) - Category 4 Serious Eye Damage/Eye Irritation - Category 2A	<b>SIGNAL WORD:</b> <b>WARNING</b>	<b>SYMBOL:</b>		
<b>HAZARD STATEMENTS:</b> Contains gas under pressure; may explode if heated. Harmful if inhaled. Causes serious eye irritation.				
<b>PRECAUTIONARY STATEMENTS:</b> <b>Prevention:</b> Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. <b>Response:</b> IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. <b>Storage:</b> Protect from sunlight. Store in a well-ventilated place.				
<b>HAZARDS NOT OTHERWISE SPECIFIED:</b> None.				

3. Composition / Information on Ingredients		
Chemical Name	CAS	Concentration % by Weight
Ethene, 1,2-dichloro-, (1E)-	156-60-5	20 - <50%
Propane, 2-(ethoxydifluoromethyl)-1,1,1,2,3,3,3-heptafluoro-	163702-06-5	10 - <20%
*All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. <b>The exact concentration has been withheld as a trade secret.</b>		

4. First Aid Measures
<b>EMERGENCY OVERVIEW</b> <b>EYES:</b> Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. <b>SKIN:</b> Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. <b>INHALATION:</b> Move to fresh air. <b>INGESTION:</b> Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. <b>PERSONAL PROTECTION FOR FIRST-AID RESPONDERS:</b> Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA. <b>MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:</b> <b>Symptoms:</b> No data available. <b>Hazards:</b> No data available. <b>INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:</b> <b>Treatment:</b> Symptoms may be delayed.

5. Fire-Fighting Measures
<b>GENERAL FIRE HAZARDS:</b> Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Stop flow of gas. Move containers from fire area if you can do so without risk. <b>SUITABLE FIRE EXTINGUISHING MEDIA:</b> Use fire-extinguishing media appropriate for surrounding materials. <b>UNSUITABLE FIRE EXTINGUISHING MEDIA:</b> Do not use water jet as an extinguisher, as this will spread the fire. <b>SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:</b> Pressurized container may explode when exposed to heat or flame. <b>SPECIFIC FIRE-FIGHTING METHODS:</b> No data available.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:**

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, SCBA.

**6. Accidental Release Measures****PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES:**

No data available.

**ACCIDENTAL RELEASE MEASURES:**

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material if this is without risk.

**ENVIRONMENTAL PRECAUTIONS:**

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:**

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**7. Handling and Storage****TECHNICAL MEASURES (E.G. LOCAL AND GENERAL VENTILATION):**

No data available.

**SAFE HANDLING:**

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin.

**CONTACT AVOIDANCE MEASURES:**

No data available.

**SAFE STORAGE CONDITIONS:**

Protect from sunlight. Store in a cool place. Aerosol Level 1

**SAFE PACKAGING MATERIALS:**

No data available.

**STORAGE TEMPERATURE:**

No data available.

**8. Exposure Controls / Personal Protection****OCCUPATIONAL EXPOSURE LIMITS:**

Chemical Identity	Type	Exposure Limit Values		Source
Ethene, 1,2-dichloro-, (1E)-	REL	200 ppm	790 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	200 ppm	790 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	200 ppm		US. ACGIH Threshold Limit Values, as amended
	PEL	200 ppm	790 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended

**PERSONAL PROTECTIVE EQUIPMENT:**

**Eye/Face Protection:** Wear safety glasses with side shields (or goggles).

**Skin/Hand Protection:** No data available.

**Skin/Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**General Hygiene Considerations:** Observe good industrial hygiene practices. Avoid contact with eyes.

**APPROPRIATE ENGINEERING CONTROLS:**

No data available.

**9. Physical & Chemical Properties**

<b>Appearance:</b>		<b>Flammability(solid/gas):</b>	No data available.
<b>Physical State:</b>	Liquid	<b>Flammability Limit-lower (%):</b>	No data available.
<b>Form:</b>	Spray Aerosol	<b>Flammability Limit-upper (%):</b>	No data available.
<b>Color:</b>	No data available.	<b>Explosive Limit-Lower (%):</b>	No data available.
<b>Odor:</b>	No data available.	<b>Explosive Limit-Upper (%):</b>	No data available.
<b>Odor Threshold:</b>	No data available.	<b>Vapor Density (air=1):</b>	No data available.
<b>pH:</b>	No data available.	<b>Vapor Pressure:</b>	2,757 - 3,447 hPa (20°C)
<b>Freezing Point:</b>	No data available.	<b>Relative Density:</b>	No data available.
<b>Boiling Point:</b>	No data available.	<b>Solubility (water):</b>	No data available.
<b>Kinematic Viscosity:</b>	No data available.	<b>Solubility (other):</b>	
<b>Flash Point:</b>	Not applicable.	<b>Self-Ignition Temp:</b>	No data available.
<b>Self-Ignition Temperature:</b>	No data available.	<b>Decomposition Temp:</b>	No data available.
<b>Evaporation Rate:</b>	No data available.	<b>Partition Coeff(n-octanol/water):</b>	No data available.
<b>Explosive Properties:</b>	No data available.	<b>Dynamic Viscosity:</b>	No data available.
<b>Density:</b>	No data available.	<b>Oxidizing Properties:</b>	No data available.

**10. Stability & Reactivity Information****REACTIVITY:**

No data available.

**CHEMICAL STABILITY:**

Material is stable under normal conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS:**

No data available.

**CONDITIONS TO AVOID:**

Avoid heat or contamination.

**INCOMPATIBLE MATERIALS:**

No data available.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

No data available.

**11. Toxicological Information****INFORMATION ON LIKELY ROUTES OF EXPOSURE:**

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye Contact:** No data available.

**Ingestion:** No data available.

**SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:**

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye Contact:** No data available.

**Ingestion:** No data available.

**INFORMATION ON TOXICOLOGICAL EFFECTS****ACUTE TOXICITY:**

**Oral Product:** Not classified for acute toxicity based on available data.

**Dermal Product:** Not classified for acute toxicity based on available data.

**Inhalation Product:** ATEmix: 11 mg/l Vapour

ATEmix: 1.5 mg/l Dusts, mists and fumes

**REPEATED DOSE TOXICITY:**

**Product:** No data available.

**SKIN CORROSION/IRRITATION:**

**Product:** No data available.

**SERIOUS EYE DAMAGE/EYE IRRITATION:**

**Product:** No data available.

**RESPIRATORY SENSITIZATION:**

**Product:** No data available.

**SKIN SENSITIZATION:**

**Product:** No data available.

**CARCINOGENICITY**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified.

**U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified.

**GERM CELL MUTAGENICITY:**

**In Vitro Product:** No data available.

**In Vivo Product:** No data available.

**REPRODUCTIVE TOXICITY:**

**Product:** No data available.

**SPECIFIC TARGET ORGAN TOXICITY -single exposure:**

**Product:** No data available.

**SPECIFIC TARGET ORGAN TOXICITY -repeated exposure:**

**Product:** No data available.

**ASPIRATION HAZARD:**

**Product:** No data available.

**OTHER EFFECTS:**

No data available.

**12. Ecological Information****ECOTOXICITY:****ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT:****FISH**

**Product:** No data available.

**AQUATIC INVERTEBRATES**

**Product:** No data available.

**Components:**

Ethene, 1,2-dichloro-, (1E)- LC 50 (Water flea (Daphnia magna), 48 h): 170 - 290 mg/l Mortality

**CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT:****FISH**

**Product:** No data available.

**AQUATIC INVERTEBRATES**

**Product:** No data available.

**TOXICITY TO AQUATIC PLANTS:**

**Product:** No data available.

**PERSISTENCE AND DEGRADABILITY:****Biodegradation Product:** No data available.**Components:**

Ethene, 1,2-dichloro-, (1E)- The product is not expected to be biodegradable.

**BOD/COD RATIO****Product:** No data available.**BIOACCUMULATIVE POTENTIAL:****Bioconcentration Factor (BCF):****Product:** No data available.**PARTITION COEFFICIENT N-OCTANOL / WATER (LOG KOW)****Product:** No data available.**MOBILITY IN SOIL:**

No data available.

**Components:**

Ethene, 1,2-dichloro-, (1E)-

No data available.

Propane, 2-(ethoxydifluoromethyl)-1,1,1, 2,3,3,3-heptafluoro-

No data available.

**OTHER ADVERSE EFFECTS:**

No data available.

**13. Disposal Consideration****DISPOSAL INSTRUCTIONS:**

Wash before disposal. Dispose to controlled facilities.

**CONTAMINATED PACKAGING:**

No data available.

**14. Transportation Information**

**DOT:** UN Number: UN 1950  
**UN Proper Shipping Name:** Aerosols, flammable  
**Transport Hazard Class(es):**  
 Class: 2.2  
 Label(s): -  
 EmS No.:  
**Packing Group:** II  
**Special Precautions for User:** Not regulated.

**IATA:** UN Number: UN 1950  
**UN Proper Shipping Name:** Aerosols, flammable  
**Transport Hazard Class(es):**  
 Class: 2.2  
 Label(s): -  
**Packing Group:** -  
**Special Precautions for User:** Not regulated.  
**Other Information:**  
**Passenger and Cargo Aircraft:** Allowed. 203  
**Cargo Aircraft Only:** Allowed. 203

**IMDG:** UN Number: UN 1950  
**UN Proper Shipping Name:** Aerosols, flammable  
**Transport Hazard Class(es):**  
 Class: 2  
 Label(s): -  
 EmS No.:  
**Packing Group:** -  
**Special Precautions for User:** Not regulated.

**15. Regulatory Information****US FEDERAL REGULATIONS:****Restrictions on use:** Not known.**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)****US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)****US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):****Chemical Identity:**

1,2-TRANS-DICHLOROETHYLENE

**SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):****Hazard Categories:**

Gas under pressure, Acute toxicity (any route of exposure), Serious eye damage or eye irritation.

**US. EPCRA (SARA Title III) Section 304 Extremely hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) hazardous Substances:**

None present or none present in regulated quantities.

**US.EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 FRE 372.65) – Supplier Notification Required****Chemical Identity:** % by weight

Ethene, 1,2-dichloro-, (1E) 1.0%

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):****Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)****US STATE REGULATIONS:**

**US. California Proposition 65:**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act:****Chemical Identity:**

Ethene, 1,2-dichloro-, (1E)

**US. Massachusetts RTK - Substance List:**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances:****Chemical Identity:**

Ethene, 1,2-dichloro-, (1E)

**US. Rhode Island RTK:**

No ingredient regulated by RI Right-to-Know Law present.

**INTERNATIONAL REGULATIONS****Montreal protocol:**

Ethane, 1,1,1,2-tetrafluoro- Group I Annex F

**Stockholm convention:**

Not applicable.

**Rotterdam convention:**

Not applicable.

**Kyoto protocol:****INVENTORY STATUS:**

Australia AICS	Not in compliance with the inventory.
Canada DSL Inventory List	On or in compliance with the inventory.
EINECS, ELINCS or NLP	Not in compliance with the inventory.
Japan (ENCS) List	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Philippines PICCS	On or in compliance with the inventory.
US TSCA Inventory	On or in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory.

**16. Other Information****DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.




NON-FLAMMABLE

# SUPERSOL

CONTACT & CIRCUIT BOARD CLEANER  
LIMPIADOR DE CONTACTO Y CIRCUITOS NO INFLAMABLE

- Dries Fast
- Zero Residue
- Secada Rápido
- Cero Residuos
- Non-corrosive
- Safe on Most Plastics
- No corrosivo
- Seguro sobre la mayor parte de los plásticos



**31,000 VOLT DIELECTRIC STRENGTH**  
**FUERZA DIELÉCTRICA: 31.000 V**

**CAUTION:**  
CONTENTS UNDER PRESSURE  
SEE OTHER CAUTIONS ON BACK PANEL

**PRECAUCIÓN:**  
CONTENIDO BAJO PRESION  
VER OTRAS PRECAUCIONES EN EL PANEL POSTERIOR

**NET WT./  
PESO NETO**  
10 OZ.  
(283 g)

**SUPERSOL** is a high purity, high dielectric, rapidly evaporating, non-flammable aerosol spray, electronic contact and circuit board cleaner. Specially formulated for removing condensation, dirt, dust and other particulate matter from sensitive electronic parts. Quick drying formula will not harm most plastics, paints or rubbers. This solvent system has tested safe on: Neoprene, Buna, Silicone, Butyl and Natural Rubber, Nylon, Hypalon®, PTFE, PVC, Polyurethane, Polyethylene, Polypropylene and Epoxy.

**NOTE:** If there is any doubt as to the material construction this product is to be used on, test on a small hidden surface prior to general use. Not recommended for use on Acrylic, ABS or Polycarbonate materials. Pre-testing is strongly suggested.

**USE ON:** Electronic circuit boards and circuit breakers, wire terminals, relays, switches, contacts, tuners, potentiometers, cable ends and receptacles, control panels, and other electronic equipment.

VOC Category: Electronic Cleaner  
VOC Limit: Meets the VOC Standard of 75% by weight

**DIRECTIONS:** Spray directly onto electronic component surface, holding can close to work. For hard to reach areas, insert extension tube into actuator orifice. Allow components to dry completely before applying current.

Un producto limpiador para placas de circuitos y contactos en aerosol, no inflamable, que se evapora rápidamente, altamente dieléctrico y de alta pureza. La fórmula del producto ha sido especialmente concebida para eliminar el aceite, la grasa, la condensación, el polvo y otras partículas de materias de las partes electrónicas sensibles. Su fórmula de secado rápido no dañará la mayor parte de los plásticos, pinturas ni cauchos. Este sistema de solvente ha sido testeado como seguro sobre: neopreno, buna, siliconas, caucho de butilo y caucho natural, Nylon, Hypalon®, PTFE, PVC, poliuretano, polietileno, polipropileno y epoxis.

**NOTA:** En caso de tener alguna duda acerca del material de construcción sobre el que se utilizará este producto, realice una prueba sobre un pequeño sector poco visible antes de aplicar. No está recomendado para ser utilizado sobre Acrílico o materiales de Policarbonato estrado. Se recomienda enfáticamente la prueba previa.

**UTILIZAR EN:** Circuitos electrónicos y disyuntores, terminales de cable, relés, interruptores, contactos, sintonizadores, potenciómetros, extremos de cable y receptáculos de salida, paneles de control, y otros equipos electrónicos.

Categoría COV: Limpiador para electrónica  
Límite COV: Cumple los requisitos de valores COV establecidos de 75% por peso

**INSTRUCCIONES:** Rocíe directamente sobre la superficie del componente electrónico, sosteniendo el envase cerca del área. Para durrollegar azonas, inserte el tubo de extensión enrofiledo del actuator. Permitir que los componentes sesequen por completantes de aplicar la corriente.

See Safety Data Sheet for complete safety information.

Mire la hoja de datos de seguridad de para la información completa de seguridad.

Made in the USA with globally sourced materials.  
Hecho en los Estados Unidos con materiales globalmente fuentes.

**NOT FOR SALE IN CALIFORNIA**  
**NO PARA LA VENTA EN CALIFORNIA**

Product Code: 1635



Telephone Emergency:  
INFOTRAC 1-800-535-5053

**TO REORDER CALL**  
**1-800-241-8180**  
[www.procheminc.com](http://www.procheminc.com)



**SUPERSOL CONTACT & CIRCUIT BOARD CLEANER**  
**LIMPIADOR DE CONTACTO Y CIRCUITOS**



**WARNING:** Contains gas under pressure; may explode if heated. Harmful if inhaled. Causes eye irritation. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not puncture or incinerate container. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/ container in accordance with local/regional/national/international regulations.

**FIRST AID:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash off with soap and water. IF SWALLOWED: Rinse Mouth.

**CONTAINS (CAS NO.):** 1,2-Trans-Dichloroethylene (156-60-5), Norflurane (811-97-2), Ethyl nonafluorooisobutyl ether (163702-06-5), Hydrofluoro Ether (163702-07-8), Hydrofluoro Ether (163702-08-7), and Ethylperfluorobutylether (163702-05-4).

**ADVERTENCIA:** Contiene gas a presión; puede explotar si se calienta. Nocivo si se inhala. Provoca irritación ocular grave. Evitar respirar polvos/humos/gases/nieblas/vapores/aerosoles. Usar solo al aire libre o en un lugar bien ventilado. Mantener alejado de calor, superficies calientes, chispas, llamas abiertas y otras fuentes de ignición. No perforar ni incinerar el envase. Lavarse cuidadosamente tras la manipulación. Usar guantes/ropa de protección/equipo de protección para los ojos/la cara. Proteger de la luz solar. Almacenar en un lugar bien ventilado. No exponer a temperaturas superiores a 50°C/122°F. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales / internacionales pertinentes.

**PRIMEROS AUXILIOS:** EN CASO DE INHALACIÓN: Transportar a la víctima al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGÍA/médico si la persona se encuentra mal. EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico. EN CASO DE CONTACTO CON LA PIEL: Lavar con agua y jabón. EN CASO DE INGESTIÓN: Enjuagar la boca.

**CONTIENE (N° CAS):** 1,2-trans-dicloroetileno (156-60-5), norflurano (811-97-2), etil nonafluorooisobutil éter (163702-06-5), hidrofluoroéter (163702-07-8), hidrofluoroéter (163702-08-7) y etilperfluorobutiléter (163702-05-4).

An Exclusive Product of: **PRO CHEM, INC.**  
1475 Bluegrass Lakes Parkway, Alpharetta, GA 30004, 1-800-241-8180

**CAUTION:** Use with adequate ventilation. Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Chemical contact with flames or extremely hot surfaces may lead to the formation of dangerous decomposition products. **KEEP OUT OF REACH OF CHILDREN.**

**PRECAUCIÓN:** Utilizar con una ventilación adecuada. El abuso no deseado o intencional por concentrar e inhalar vapores puede ser dañino o fatal. El contacto del componente químico con las llamas o con superficies extremadamente calientes puede conducir a la formación de productos de descomposición peligrosos. **MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**