# SAFETY DATA SHEET

1. Product and Company Identification

 PRODUCT NUMBER:
 2697
 COMPANY PHONE:
 1-800-241-8180

PRODUCT NAME: HI-BEAM EMERGENCY TELEPHONE: 1-800-535-5053

PRODUCT DESCRIPTION: Cleaner and Restorer INFOTRAC: 1-800-535-5053

COMPANY INFORMATION: PRO CHEM, INC.

1475 Bluegrass Lakes Parkway

Alpharetta, GA 30004

### 2. Hazards Identification

GHS CLASSIFICATION:

OSHA/HCS Status: This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture: EYE IRRITATION - Category 2B

(Mild Irritant, Reversible in 7 days.)

SIGNAL WORD: WARNING.



# **HAZARD STATEMENTS:**

Causes eye irritation.

#### PRECAUTIONARY STATEMENTS:

Prevention: When storing, handling, transferring or repackaging large quantities, wear eye or face protection. Wash hands thoroughly after

andling.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical attention.

Storage: Not applicable.

Disposal: Not applicable.

# HAZARDS NOT OTHERWISE SPECIFIED:

None known.

3. Composition / Information on Ingredients		
Chemical Name	CAS	Concentration % by Weight
Aluminum oxide	1344-28-1	10 - 30
Poly(oxy-1,2-ethanediyl), .alphaundecylomegahydroxy-	34398-01-1	10 - 30
Sodium dodecylbenzenesulfonate	25155-30-0	5 - 10
Dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride	27668-52-6	1 - 5
Sodium hydroxide	1310-73-2	0.1 - 1

Substance/mixture: Mixture.

Other means of identification: Not available.

# CAS NUMBER/OTHER IDENTIFIERS: CAS number: Not applicable.

Product code: Not available.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### 4. First Aid Measures

# **EMERGENCY OVERVIEW**

**EYES:** Avoid contact with eyes. IF IN CONTACT WITH EYES: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at

least 20 minutes. Chemical burns must be treated promptly by a physician.

SKIN: Avoid contact with skin. IF IN CONTACT WITH SKIN: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.

INHALATION:

Avoid breathing vapor or mist. IF INHALED: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

### INGESTION:

Do not ingest. IF INGESTED: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Product Name: HI-BEAM
Product Number: 2697
Revision Date: 8/18/2021
Product Number: 2697
Revision Date: 8/18/2021

### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

### **POTENTIAL ACUTE HEALTH EFFECTS:**

Eve Contact: Causes eye irritation.

Inhalation: No known significant effects or critical hazards. Skin Contact: No known significant effects or critical hazards. Ingestion: May be irritating to mouth, throat and stomach.

# **OVER-EXPOSURE SIGNS/SYMPTOMS:**

Eye Contact: Adverse symptoms may include the following:

Irritation Watering Redness

Inhalation: No known significant effects or critical hazards. Skin Contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

# INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

**Notes to Physician:** In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

#### **SPECIFIC TREATMENTS:**

No specific treatment.

### PROTECTION OF FIRST-AIDERS:

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.

# 5. Fire-Fighting Measures

### SUITABLE FIRE EXTINGUISHING MEDIA:

Use an extinguishing agent suitable for the surrounding fire.

### **UNSUITABLE FIRE EXTINGUISHING MEDIA:**

None known.

# SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No specific fire or explosion hazard.

### HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:

### Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compou

halogenated compounds

metal oxide/oxides

#### SPECIFIC FIRE-FIGHTING METHODS:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental Release Measures

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

### FOR NON-EMERGENCY PERSONNEL:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### FOR EMERGENCY RESPONDERS:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See 'also the information in "For non-emergency personnel".

#### **ENVIRONMENTAL PRECAUTIONS:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal. Reference to other sections

# 7. Handling and Storage

# PROTECTIVE MEASURES:

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# ADVICE ON GENERAL OCCUPATIONAL HYGIENE:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Product Name: HI-BEAM
Product Number: 2697
Revision Date: 8/18/2021
Pro Chem, Inc.
Page 2 of 6

### SAFE STORAGE & INCOMPATIBILITIES:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# 8. Exposure Controls / Personal Protection

INGREDIENT NAME	EXPOSURE LIMITS
Aluminum oxide	NIOSH REL (United States, 6/2009).
	TWA: 5 mg/m³, (as Al) 10 hours. Form: Pyro powders and welding fumes
	OSHA PEL (United States, 6/2010).
	TWA: 5 mg/m³ 8 hours. Form: Respirable fraction
	TWA: 15 mg/m³, 8 hours. Form: Total dust
	ACGIH TLV (United States, 3/2012).
	TWA: 1 mg/m³ 8 hours. Form: Respirable fraction
Sodium hydroxide	ACGIH TLV (United States, 3/2012).
	CEIL: 2 mg/m <sup>3</sup>
	NIOSH REL (United States, 6/2009).
	CEIL: 2 mg/m <sup>3</sup>
	OSHA PEL (United States, 6/2010).
	TWA: 2 mg/m <sup>3</sup> 8 hours.

### PERSONAL PROTECTIVE EQUIPMENT:



Eye/Face Protection: None required.

Skin Protection:

Hand Protection: None required. Body Protection: None required. Other Skin Protection: None required.

Respiratory Protection: None required.

**General Hygiene Considerations:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

### APPROPRIATE ENGINEERING CONTROLS:

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **ENVIRONMENTAL EXPOSURE CONTROLS:**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

9. Physical & Chemical Prop	erties		
Physical State:	Cream.	Flammability(solid/gas):	Non-flammable.
Color:	White to off-white.	Explosive Limit-Lower (%):	Not applicable.
Odor:	Mint.	Explosive Limit-Upper (%):	Not applicable.
Odor Threshold:	Not applicable.	Vapor Density:	Not applicable.
Melting Point:	Not applicable.	Vapor Pressure:	Not applicable.
Boiling Point:	Not available.	Relative Density:	1.024
Viscosity:	Cream.	Solubility (water):	Soluble.
Flash Point:	Non-flammable.	Auto-Ignition Temp:	Not applicable.
Burning Time:	Not applicable.	Decomposition Temp:	Not available.
Burning Rate:	Not applicable.	Partition Coeff(n-octanol/water):	Not available.
Evaporation Rate:	Not applicable.	SADT:	Not available.
pH:	4		

# 10. Stability & Reactivity Information

### REACTIVITY:

No specific test data related to reactivity available for this product or its ingredients.

# CHEMICAL STABILITY:

The product is stable.

# POSSIBILITY OF HAZARDOUS REACTIONS:

Under normal conditions of storage and use, hazardous reactions will not occur.

# CONDITIONS TO AVOID:

No specific data.

# INCOMPATIBLE MATERIALS:

Reactive or incompatible with the following materials: oxidizing materials and acids.

### HAZARDOUS DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product Name: HI-BEAM
Product Number: 2697
Revision Date: 8/18/2021
Pro Chem, Inc.
Page 3 of 6

# 11. Toxicological Information

### ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Sodium dodecylbenzenesulfonate	LC50 Inhalation Vapor	Rat	310 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	438 mg/kg	-
Dimethyloctadecyl[3-(trimethoxysilyl)	LC50 Inhalation Vapor	Rat	112 mg/m³	4 hours
propyl]ammonium chloride	LD50 Oral	Rat	9910 mg/kg	-

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	SCORE	EXPOSURE	OBSERVATION
Sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250 μg	-
	Eyes - Severe irritant	Rabbit	-	1%	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
Dimethyloctadecyl[3-(trimethoxysilyl)	Skin - Mild irritant	Rabbit	-	-	-
propyl]ammonium chloride	Skin - Mild irritant	Rabbit	-	-	-
Sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1%	-
	Eyes - Mild irritant	Rabbit	-	400 µg	-
	Eyes - Severe irritant	Rabbit	-	24 hours 50 μg	-
	Eyes - Severe irritant	Rabbit	-	1%	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes 1 mg	-
	Skin - Mild irritant	Human	-	24 hours 2%	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 mg	-

Sensitization: There is no applicable data.

Mutagenicity: There is no applicable data.

Carcinogenicity: There is no applicable data.

Reproductive Toxicity: There is no applicable data.

Teratogenicity: There is no applicable data.

#### SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):

NAME	CATEGORY	ROUTE OF EXPOSURE	TARGET ORGANS
Aluminum oxide	Category 3	Not applicable.	Respiratory tract irritation.

# SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE):

There is no applicable data.

### ASPIRATION HAZARD:

There is no applicable data.

# INFORMATION ON THE LIKELY ROUTES OF EXPOSURE:

Routes of entry anticipated: Oral, Dermal, Inhalation.

# POTENTIAL ACUTE HEALTH EFFECTS:

Eye Contact: Causes eye irritation.

Inhalation: No known significant effects or critical hazards. Skin Contact: No known significant effects or critical hazards. Ingestion: May be irritating to mouth, throat and stomach.

# SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

**Eye Contact:** Adverse symptoms may include the following:

Irritation Watering Redness

Inhalation: No known significant effects or critical hazards. Skin Contact: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards.

# DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE

### **SHORT TERM EXPOSURE:**

Potential Immediate Effects: No known significant effects or critical hazards. Potential Delayed Effects: No known significant effects or critical hazards.

# LONG TERM EXPOSURÉ:

Potential Immediate Effects: No known significant effects or critical hazards. Potential Delayed Effects: No known significant effects or critical hazards.

# POTENTIAL CHRONIC HEALTH EFFECTS:

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental Effects: No known significant effects or critical hazards.

Fertility Effects: No known significant effects or critical hazards.

### NUMERICAL MEASURES OF TOXICITY

### **ACUTE TOXICITY ESTIMATES:**

ACOTE TOXICITI ESTIMATES.				
ROUTE	ATE VALUE			
Oral	811.3 mg/kg			
Dermal	4588.6 mg/kg			

Product Name: HI-BEAM
Product Number: 2697 Revision Date: 8/18/2021 Product Number: 2697 Revision Date: 8/18/2021

# 12. Ecological Information

	:ITV	

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
Poly(oxy-1,2-ethanediyl), .alpha	Acute EC50 6700 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
undecylomegahydroxy-	Acute LC50 7100 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water	Algae - Chlorella pyrenoidosa – Exponential	96 hours
·		growth phase	
	Acute EC50 7.81 mg/L Fresh water	Crustaceans - Ceriodaphnia dubia -	48 hours
		Neonate	
	Acute EC50 5.88 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 112.4 mg/L	Algae - Pseudokirchneriella subcapitata -	72 hours
		Exponential growth phase	
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
Sodium hydroxide	Acute EC50 40.38 mg/L Fresh water	Crustaceans - Ceriodaphnia dubia – Neonate	48 hours
	Acute LC50 125000 µg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours

#### PERSISTENCE AND DEGRADABILITY:

There is no data available.

### **BIOACCUMULATIVE POTENTIAL:**

PRODUCT/INGREDIENT NAME	LOGPow	BCF	POTENTIAL
Sodium dodecylbenzenesulfonate	1.96	-	low

#### MOBILITY IN SOIL:

Soil/water partition coefficient (Koc): Not available.

#### **OTHER ADVERSE EFFECTS:**

No known significant effects or critical hazards.

### 13. Disposal Consideration

#### **DISPOSAL METHODS:**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transportation Information

**DOT: UN Number:** Not regulated.

UN Proper Shipping Name: - Transport Hazard Class(es): -

Packing Group: -

IATA: UN Number: Not regulated.
UN Proper Shipping Name: Transport Hazard Class(es): -

Packing Group: -

IMDG: Environmental Hazards: No
UN Number: Not regulated.
UN Proper Shipping Name: Transport Hazard Class(es): -

Packing Group: -

**Environmental Hazards:** No **SPECIAL PRECAUTIONS FOR USER:** 

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

Not available.

# 15. Regulatory Information

#### **US FEDERAL REGULATIONS:**

TSCA 8(a) CDR Exempt/Partial Exemption: Not determined.

United States Inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 311: Sodium dodecylbenzenesulfonate; Sodium hydroxide Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed DEA List I Chemicals (Precursor Chemicals): Not listed DEA List II Chemicals (Essential Chemicals): Not listed

SARA 302/304

Composition/information on ingredients: No products were found.

SARA 304 RQ: Not applicable.

SARA 311/312:

Classification: Immediate (acute) health hazard.

Product Name: HI-BEAM
Product Number: 2697 Revision Date: 8/18/2021 Page 5 of 6

COMPOSITION/INFORMATION ON INGREDIENTS:						
NAME	%	FIRE HAZARD	SUDDEN RELEASE OF PRESSURE	REACTIVE	IMMEDIATE (ACUTE) HEALTH HAZARD	DELAYED (CHRONIC) HEALTH HAZARD
Aluminum oxide	10-30	No.	No.	No.	Yes.	No.
Poly(oxy-1,2-ethanediyl), .alphaundecyl- .omegahydroxy-	10-30	No.	No.	No.	Yes.	No.
Sodium dodecylbenzenesulfonate	5-10	No.	No.	No.	Yes.	No.
Dimethyloctadecyl[3-(trimethoxysilyl)propyl] ammonium chloride	1-5	No.	No.	No.	Yes.	No.
Sodium hydroxide	0.1-1	No.	No.	No.	Yes.	No.

### **SARA 313**

	PRODUCT NAME	CAS NUMBER	%
FORM R – REPORTING REQUIREMENTS	Aluminum oxide	1344-28-1	10 - 30
SUPPLIER NOTIFICATION	Aluminum oxide	1344-28-1	10 - 30

**SARA 313** notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### STATE REGULATIONS:

**Massachusetts:** The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate **New York:** The following components are listed: Sodium dodecylbenzenesulfonate

**New Jersey:** The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate **Pennsylvania:** The following components are listed: Aluminum oxide; Sodium dodecylbenzenesulfonate

California Prop. 65: No products were found.

# INTERNATIONAL REGULATIONS:

**International Lists:** 

Australia Inventory (AICS): Not determined. China Inventory (IECSC): Not determined. Japan Inventory: Not determined. Korea Inventory: Not determined.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines Inventory (PICCS): Not determined. Taiwan Inventory (CSNN): Not determined.

Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

### 16. Other Information

#### **KEY TO ABBREVIATIONS:**

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

### **DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.

Product Name: HI-BEAM
Product Number: 2697
Revision Date: 8/18/2021
Pro Chem, Inc.
Page 6 of 6