



# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	1794	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	CHAIN & CABLE LUBE - AEROSOL	<b>EMERGENCY TELEPHONE:</b>	1-800-535-5053
<b>PRODUCT DESCRIPTION:</b>	Aerosol Synthetic Dry Film Lubricant	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> <b>OSHA/HCS Status:</b> This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). <b>Classification of the substance or mixture:</b> FLAMMABLE AEROSOLS - Category 1 GASES UNDER PRESSURE - Compressed gas	<b>SIGNAL WORD:</b> DANGER.	<b>SYMBOL:</b>		
<b>HAZARD STATEMENTS:</b> H222 - Extremely flammable aerosol. H280 - Contains gas under pressure; may explode if heated.				
<b>PRECAUTIONARY STATEMENTS:</b> <b>Prevention:</b> P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Pressurized container: Do not pierce or burn, even after use. <b>Response:</b> Not applicable. <b>Storage:</b> P410 - Protect from sunlight. P412 - Do not expose to temperatures exceeding 50°C/122°F. P403 - Store in a well-ventilated place. <b>Disposal:</b> Not applicable.				
<b>HAZARDS NOT OTHERWISE SPECIFIED:</b> None known.				

## 3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Solvent naphtha (petroleum) heavy aliph.	64742-96-7	≥50 - ≤75
Distillates (petroleum), hydrotreated light	64742-47-8	≥50 - ≤75
Hexadecan-1-ol	36653-82-4	≥1 - ≤3

### Substance/mixture: Mixture

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

## 4. First Aid Measures

### EMERGENCY OVERVIEW

**EYES:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

**SKIN:** Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### INHALATION:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### INGESTION:

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

#### Potential acute health effects:

**Eye Contact:** No known significant effects or critical hazards.

**Inhalation:** No known significant effects or critical hazards.

**Skin Contact:** No known significant effects or critical hazards.

**Ingestion:** No known significant effects or critical hazards.

**Over-exposure signs/symptoms:****Eye Contact:** No known significant effects or critical hazards.**Inhalation:** No known significant effects or critical hazards.**Skin Contact:** No known significant effects or critical hazards.**Ingestion:** No known significant effects or critical hazards.**INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:****Notes to Physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.**Specific Treatments:** No specific treatment.**Protection of First-aiders:** No action shall be taken involving any personal risk or without suitable training.**5. Fire-Fighting Measures****SUITABLE FIRE EXTINGUISHING MEDIA:**

Use an extinguishing agent suitable for the surrounding fire.

**UNSUITABLE FIRE EXTINGUISHING MEDIA:**

None known.

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:**

Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

**HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:**

Decomposition products may include the following materials:

carbon dioxide

carbon monoxide

**SPECIFIC FIRE-FIGHTING METHODS:**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**6. Accidental Release Measures****PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:****For Non-emergency Personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.**For Emergency Responders:** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".**ENVIRONMENTAL PRECAUTIONS:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**METHODS & MATERIALS FOR CONTAINMENT & CLEANUP:****Small Spill:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.**Large Spill:** Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.**7. Handling and Storage****PROTECTIVE MEASURES:**

Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

**ADVICE ON GENERAL OCCUPATIONAL HYGIENE:**

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## 8. Exposure Controls / Personal Protection

### CONTROL PARAMETERS

#### OCCUPATIONAL EXPOSURE LIMITS:

Ingredient Name	Exposure Limits
Solvent naphtha (petroleum) heavy aliph. Distillates (petroleum), hydrotreated light	None. <b>ACGIH TLV (United States, 3/2017). Absorbed through skin.</b> TWA: 200 mg/m <sup>3</sup> , (as total hydrocarbon vapor) 8 hours
Hexadecan-1-ol	None.

#### PERSONAL PROTECTIVE EQUIPMENT:



**Eye/Face Protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin Protection:

**Hand Protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

**Other Skin Protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory Protection:** Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**General Hygiene Considerations:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### APPROPRIATE ENGINEERING CONTROLS:

The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### ENVIRONMENTAL EXPOSURE CONTROLS:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## 9. Physical & Chemical Properties

<b>Physical State:</b>	Liquid.	<b>Flammability(solid/gas):</b>	Not available.
<b>Color:</b>	Amber.	<b>Explosive Limit-Lower (%):</b>	Not available.
<b>Odor:</b>	Solvent.	<b>Explosive Limit-Upper (%):</b>	Not available.
<b>Odor Threshold:</b>	Not available.	<b>Vapor Density:</b>	Not available.
<b>pH:</b>	Not available.	<b>Vapor Pressure:</b>	Not available.
<b>Melting Point:</b>	Not available.	<b>Relative Density:</b>	Not available.
<b>Boiling Point:</b>	Not available.	<b>Solubility:</b>	Insoluble in water.
<b>Viscosity:</b>	Not available.	<b>Auto-Ignition Temp:</b>	Not available.
<b>Flash Point:</b>	Not available.	<b>Decomposition Temp:</b>	Not available.
<b>Flow time (ISO 2431):</b>	Not available.	<b>Partition Coeff(n-octanol/water):</b>	Not available.
<b>Evaporation Rate:</b>	Not available.		

## 10. Stability & Reactivity Information

#### REACTIVITY:

No specific test data related to reactivity available for this product or its ingredients.

#### CHEMICAL STABILITY:

The product is stable.

#### POSSIBILITY OF HAZARDOUS REACTIONS:

Under normal conditions of storage and use, hazardous reactions will not occur.

#### CONDITIONS TO AVOID:

Avoid all possible sources of ignition (spark or flame).

#### INCOMPATIBLE MATERIALS:

Reactive or incompatible with the following materials: oxidizing materials.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological Information

### INFORMATION ON TOXICOLOGICAL EFFECTS:

#### ACUTE TOXICITY:

Product/ingredient name	Result	Species	Dose	Exposure
Hexadecan-1-ol	LD50 Oral	Rat	5 g/kg	-

#### IRRITATION/CORROSION:

There is no data available.

#### SENSITIZATION:

There is no data available.

#### MUTAGENICITY:

There is no data available.

#### CARCINOGENICITY:

There is no data available.

#### REPRODUCTIVE TOXICITY:

There is no data available.

#### TERATOGENICITY:

There is no data available.

#### SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):

There is no data available.

#### SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE):

There is no data available.

#### ASPIRATION HAZARD:

Name:	Result:
Solvent naphtha (petroleum) heavy aliph. Distillates (petroleum), hydrotreated light	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

### INFORMATION ON THE LIKELY ROUTES OF EXPOSURE:

Dermal contact. Eye contact. Inhalation. Ingestion.

#### POTENTIAL ACUTE HEALTH EFFECTS:

**Eye Contact:** No known significant effects or critical hazards.

**Inhalation:** No known significant effects or critical hazards.

**Skin Contact:** No known significant effects or critical hazards.

**Ingestion:** No known significant effects or critical hazards.

#### SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

**Eye Contact:** No known significant effects or critical hazards.

**Inhalation:** No known significant effects or critical hazards.

**Skin Contact:** No known significant effects or critical hazards.

**Ingestion:** No known significant effects or critical hazards.

#### DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE

##### SHORT TERM EXPOSURE:

**Potential Immediate Effects:** No known significant effects or critical hazards.

**Potential Delayed Effects:** No known significant effects or critical hazards.

##### LONG TERM EXPOSURE:

**Potential Immediate Effects:** No known significant effects or critical hazards.

**Potential Delayed Effects:** No known significant effects or critical hazards.

#### POTENTIAL CHRONIC HEALTH EFFECTS:

**General:** No known significant effects or critical hazards.

**Carcinogenicity:** No known significant effects or critical hazards.

**Mutagenicity:** No known significant effects or critical hazards.

**Teratogenicity:** No known significant effects or critical hazards.

**Developmental Effects:** No known significant effects or critical hazards.

**Fertility Effects:** No known significant effects or critical hazards.

#### NUMERICAL MEASURES OF TOXICITY

##### ACUTE TOXICITY ESTIMATES:

Route:	ATE Value:
Oral	486240.1 mg/kg

## 12. Ecological Information

#### TOXICITY:

There is no data available.

#### PERSISTENCE AND DEGRADABILITY:

There is no data available.

#### BIOACCUMULATIVE POTENTIAL:

Product/Ingredient Name	LogPow	BCF	Potential
Hexadecan-1-ol	6.7	-	high

#### MOBILITY IN SOIL

##### SOIL/WATER PARTITION COEFFICIENT (KOC):

Not available.

#### OTHER ADVERSE EFFECTS:

No known significant effects or critical hazards.

### 13. Disposal Consideration

#### DISPOSAL INSTRUCTIONS:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### 14. Transportation Information

**DOT:** UN Number: UN1950  
UN Proper Shipping Name: Aerosols, flammable (each not exceeding 1 L capacity)  
Transport Hazard Class(es): 2.1  
Packing Group: -  
Environmental Hazards: No.

**IATA:** UN Number: UN1950  
UN Proper Shipping Name: Aerosols, flammable (each not exceeding 1 L capacity)  
Transport Hazard Class(es): 2.1  
Packing Group: -  
Environmental Hazards: No.

**IMDG:** UN Number: UN1950  
UN Proper Shipping Name: Aerosols, flammable (each not exceeding 1 L capacity)  
Transport Hazard Class(es): 2.1  
Packing Group: -  
Environmental Hazards: No.

**AERG:** 126

#### SPECIAL PRECAUTIONS FOR USER:

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### ADDITIONAL INFORMATION:

DOT Classification: Remarks Limited Quantity Exemption  
IMDG: Remarks Limited Quantity Exemption  
IATA: Remarks Limited Quantity Exemption

### 15. Regulatory Information

#### US FEDERAL REGULATIONS:

TSCA 6 Proposed Risk Management: Lead  
TSCA 8(A) PAIR: Siloxanes and Silicones, di-Me  
TSCA 8(A) CDR Exempt/Partial Exemption: Not determined.  
TSCA 12(B) One-time Export: None of the components are listed.  
TSCA 12(B) Annual Export Notification: None of the components are listed.  
United States inventory (TSCA 8b): All components are listed or exempted.  
Clean Water Act (CWA) 307: Benzene  
Clean Water Act (CWA) 311: Benzene  
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Listed.  
Clean Air Act Section 602 Class I Substances: Not listed.  
Clean Air Act Section 602 Class II Substances: Not listed.  
DEA List I Chemicals (Precursor Chemicals): Not listed.  
DEA List II Chemicals (Essential Chemicals): Not listed.

#### SARA 302/304

#### COMPOSITION/INFORMATION ON INGREDIENTS:

No products were found.

#### SARA 304 RQ:

Not applicable.

#### SARA 311/312:

Classification: Not applicable.

#### COMPOSITION/INFORMATION ON INGREDIENTS:

Name	Classification
Solvent naphtha (petroleum) heavy aliph.	FLAMMABLE LIQUIDS - Category 3 ASPIRATION HAZARD - Category 1
Distillates (petroleum),	FLAMMABLE LIQUIDS - Category 3 ASPIRATION HAZARD - Category 1


#### SARA 313:

There is no data available.

#### US STATE REGULATIONS:

Massachusetts: None of the components are listed.  
New York: None of the components are listed.  
New Jersey: None of the components are listed.  
Pennsylvania: None of the components are listed.

#### California Prop. 65

 **WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**INVENTORY LIST****NATIONAL INVENTORY:**

**Australia:** All components are listed or exempted.

**Canada:** All components are listed or exempted.

**China:** All components are listed or exempted.

**New Zealand:** All components are listed or exempted.

**Philippines:** All components are listed or exempted.

**Republic of Korea:** All components are listed or exempted.

**Petroleum components contained in this product meet the IP 346 criteria of less than 3 percent DMSO-extractable components.**

**16. Other Information****DISCLAIMER:**

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.