






# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>PRODUCT NUMBER:</b>	2137005	<b>COMPANY PHONE:</b>	1-800-241-8180
<b>PRODUCT NAME:</b>	MOLY LUBE II - BULK	<b>EMERGENCY TELEPHONE:</b>	1-800-535-5053
<b>PRODUCT DESCRIPTION:</b>	Methylene Chloride-Free Dry Film Anti-Seize Lubricant	<b>INFOTRAC:</b>	1-800-535-5053
<b>COMPANY INFORMATION:</b>	<b>PRO CHEM, INC.</b> 1475 Bluegrass Lakes Parkway Alpharetta, GA 30004		

## 2. Hazards Identification

<b>GHS CLASSIFICATION:</b> Flammable Liquid: Category 2 Skin Irritant: Category 2 Eye Irritant: Category 2A Reproductive Toxicity: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 Specific Target Organ Toxicity (Repeated Exposure): Category 2	<b>SIGNAL WORD:</b> <b>DANGER</b>	<b>SYMBOL:</b>			
---	--------------------------------------	----------------	---	---	---

### HAZARD STATEMENTS:

Highly flammable liquid and vapor. Causes skin and serious eye irritation. Suspected of damaging fertility or the unborn child. May cause respiratory irritation, drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. This product contains the following percentage of chemicals of unknown toxicity: 0%

### PRECAUTIONARY STATEMENTS:

**Prevention:** Keep away from heat, sparks, open flames and hot surfaces. No smoking. Wash hands thoroughly after handling. Wear protective gloves and eye protection.

**Response IF ON SKIN:** Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If exposed or concerned: Get medical advice or attention. Do not breathe fumes, mist, vapor and spray. Use only outdoors or in a well-ventilated area. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

**Storage:** Keep container tightly closed. Store in a well-ventilated place locked up. Keep cool.

**Disposal:** Dispose of contents and container in accordance with local, state, and national regulations.

### HAZARDS NOT OTHERWISE SPECIFIED:

N/A

## 3. Composition / Information on Ingredients

Chemical Name	CAS	Concentration % by Weight
Acetone	67-64-1	50-70%
Isopropyl Alcohol	67-63-0	5-15%
Toluene	108-88-3	3-7%

## 4. First Aid Measures

### EMERGENCY OVERVIEW

**EYES:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**SKIN:** Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation develops.

### INHALATION:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

### INGESTION:

Do not induce vomiting unless directed by medical authority. Immediately rinse mouth with water. Drink large quantities (1 qt, 2-4 glasses) of water. Seek immediate medical attention.

### ACUTE HEALTH HAZARDS:

**Eyes:** redness, tearing, blurred vision

**Skin:** defatting and dermatitis

### CHRONIC HEALTH HAZARDS:

May cause damage to the following organs: kidneys, liver, respiratory, reproductive and central nervous systems.

### NOTE TO PHYSICIAN:

There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

## 5. Fire-Fighting Measures

### EXTINGUISHING MEDIA:

Dry chemical, carbon dioxide and alcohol foam.

### UNSUITABLE EXTINGUISHING MEDIA:

Water spray/stream.

### SPECIAL FIRE FIGHTING PROCEDURES:

Wear NIOSH approved Self-Contained Breathing Apparatus with a full-face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers.

### UNUSUAL FIRE AND EXPLOSION HAZARDS:

FLAMMABLE. Keep away from heat, sparks, open flames and other sources of ignition.

### HAZARDOUS COMBUSTION PRODUCTS:

Oxides of carbon.

## 6. Accidental Release Measures

### PERSONAL PROTECTIVE EQUIPMENT:

Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Clean up with rag or use some non-combustible material like vermiculite, sand or earth.

### WASTE DISPOSAL:

Dispose of in accordance with federal, state and local regulations. Do not reuse, puncture, or incinerate container. Wrap container and place in trash collection.

### RCRA STATUS:

Waste solvent likely considered U220 (Toluene), hazardous, under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## 7. Handling and Storage

### HANDLING AND STORAGE:

Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Store in a cool, dry area. Away from sources of ignition or excessive heat. Wash hands after use.

### OTHER PRECAUTIONS:

Keep out of the reach of children.

### INCOMPATIBILITY:

Concentrated nitric & sulfuric acid mixtures, oxidizing materials, chloroform, alkalis, chlorine compounds, acids, plastics, rubber, coatings.

## 8. Exposure Controls / Personal Protection

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Acetone	1000 ppm	500 ppm
Isopropyl Alcohol	400 ppm	200 ppm
Toluene	200 ppm	50 ppm

**PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses and chemical resistant gloves



**Eye/Face Protection:** Safety glasses.

**Skin Protection:** Chemical resistant gloves.

**Respiratory Protection:** Not required with normal use. Wear NIOSH/MSHA approved respiratory protection if exposure limits are exceeded.

### ENGINEERING CONTROLS/VENTILATION:

Normal, forced ventilation required. Local exhaust ventilation is generally preferred.

### ADDITIONAL MEASURES:

Wash hands thoroughly after handling.

## 9. Physical & Chemical Properties

<b>Appearance:</b>	Black Liquid	<b>Flammability(solid/gas):</b>	Flammable liquid.
<b>Odor:</b>	Solvent odor	<b>Flammability Limit-lower (%):</b>	Not determined.
<b>Odor Threshold:</b>	Not determined.	<b>Flammability Limit-upper (%):</b>	Not determined.
<b>pH:</b>	Not applicable.	<b>Explosive Limit-Lower (%):</b>	Not determined.
<b>Melting/Freezing Point:</b>	Not determined.	<b>Explosive Limit-Upper (%):</b>	Not determined.
<b>Initial Boiling Point/Range:</b>	Not determined.	<b>Vapor Density (AIR=1):</b>	4.5
<b>Viscosity:</b>	Not determined.	<b>Vapor Pressure (mm Hg):</b>	77.3 @ 77°F (25°C)
<b>Flash Point:</b>	Not determined.	<b>Relative Density (H2O=1):</b>	0.830 @ 77°F (25°C)
<b>Evaporation Rate:</b>	> 1	<b>Solubility(ies):</b>	Miscible
<b>Decomposition Temp:</b>	Not determined.	<b>Auto-Ignition Temp:</b>	Not determined.
<b>Partition Coefficient (n-octanol/water):</b>	Not determined.		

## 10. Stability & Reactivity Information

### REACTIVITY:

None known.

### CHEMICAL STABILITY:

Stable.

### POSSIBILITY OF HAZARDOUS REACTIONS:

None known.

**CONDITIONS TO AVOID:**

None known.

**INCOMPATIBLE MATERIALS:**

Concentrated nitric and sulfuric acid mixtures, oxidizing materials, chloroform, alkalis, chlorine cmpnds, acids, plastics, rubber, coatings.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Oxides of carbon

**11. Toxicological Information****TOXICOLOGICAL INFORMATION:**

**Acetone** (67-64-1) LD50 (Oral, Rabbit) 5340 mg/kg; LD50 (Dermal, Rabbit) 20000 mg/kg

**Toluene** (108-88-3) LD50 (Oral, Rat) 5580 mg/kg; LD50 (Dermal, Rabbit) > 5000 mg/kg; LC50 (Inhalation, Rat) > 28.1 mg/l/4h

**PRIMARY ROUTE OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**Eyes:** Redness, irritation, causes temporary corneal opacity

**Skin:** Causes severe irritation, localized defatting.

**Inhalation:** Causes dizziness, anesthesia, possibly death if breathed directly.

**Ingestion:** May cause nausea, diarrhea, vomiting, depending on the amount ingested.

**MEDICAL CONDITION AGGRAVATED:**

Pre-existing conditions of the skin, liver, kidneys, CNS and respiratory system.

**ACUTE HEALTH HAZARDS:**

**Eyes:** Redness, tearing, blurred vision.

**Skin:** Defatting and dermatitis.

**CHRONIC HEALTH HAZARDS:**

May cause damage to the following organs: kidneys, liver, respiratory, reproductive and central nervous systems.

**CARCINOGENICITY:** OSHA: No      ACGIH: No      NTP: No      IARC: No      OTHER: CA Prop 65

**12. Ecological Information****ECOTOXICITY:**

**Acetone** (67-64-1) LC50 (Trout, 96hr) 5540 mg/L; LC50 (Bluegill, 96hr) 8300 mg/L; LC50 (Fathead Minnow, 96hr) 7500 mg/L

**Isopropyl Alcohol** (67-63-0) LC50 (Fathead Minnow, 96 hrs) 9640 mg/L

**PERSISTENCE AND DEGRADABILITY:**

This product is biodegradable.

**BIOACCUMULATIVE POTENTIAL:**

This product is not expected to bioaccumulate.

**MOBILITY IN SOIL:**

This product is mobile in soil.

**OTHER ADVERSE EFFECTS:**

This material is toxic to aquatic life.

**13. Disposal Consideration****WASTE DISPOSAL:**

Dispose of in accordance with federal, state and local regulations. Do not reuse, puncture, or incinerate container. Wrap container and place in trash collection.

**RCRA STATUS:**

Waste solvent likely considered U220 (Toluene), hazardous, under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

**14. Transportation Information**

**DOT:** **Proper Shipping Name:** Flammable Liquid, N.O.S.

**Hazard Class/Division:** 3

**UN/NA Number:** UN 1993

**Packing Group:** II

**IATA:** **AIR SHIPMENT**

**Proper Shipping Name:** Flammable Liquid, N.O.S.

**Hazard Class/Division:** 3

**UN/NA Number:** UN 1993

**Packing Group:** II

**IMDG:** **SHIPPING BY WATER:**

**VESSEL (IMO/IMDG)**

**Proper Shipping Name:** Flammable Liquid, N.O.S.

**Hazard Class/Division:** 3

**UN/NA Number:** UN 1993

**Packing Group:** II

**Environmental Hazards Water:** N/A

## 15. Regulatory Information

### TSCA STATUS:

All Chemicals are listed or exempt.

### CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

**Acetone** (67-64-1) Reportable Quantity = 5,000 lbs **Toluene** (108-88-3) Reportable Quantity = 1,000 lbs

### SARA 311/312 HAZARD CATEGORIES:

Acute Health, Fire, Pressure.

### SARA 313 REPORTABLE INGREDIENTS:

**Toluene** (108-88-3)

### CLEAN WATER ACT: None

### STATE REGULATIONS:

**Acetone** (67-64-1) Connecticut hazardous material survey, Illinois toxic substances disclosure to employee act, Illinois chemical safety act, New York release reporting list, **RTK** - RI, PA, FL, MN, MA, NJ; Massachusetts spill list, New Jersey spill list, Louisiana spill reporting, California List of Hazardous Substances (8 CCR 339): Acetone TSCA 8(b) inventory: Acetone TSCA 4(a) final test rules: Acetone TSCA 8(a) IUR: Acetone

**CA Prop 65:** This product contains chemicals known to the state of California to cause cancer, reproductive and/or developmental toxicity:

**Benzene** (71-43-2) Cancer and Reproductive

**Crystalline Silica (Quartz)** (14808-60-7) Cancer

**Ethylbenzene** (100-41-4) Cancer

**Toluene** (108-88-3) Reproductive

### INTERNATIONAL REGULATIONS:

**Acetone** (67-64-1) Australia, China, Europe (EINECS), Japan, Korea, United Kingdom, Canada, WHMIS (Canada): CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-2B: Material causing other toxic effects (TOXIC). p. 6; DSCL (EEC): R11- Highly flammable. R36- Irritating to eyes. S9- Keep container in a well-ventilated place. S16- Keep away from ignition sources. S26- In case of eye contact, rinse immediately with plenty of water and seek medical advice.

## 16. Other Information

N/A = Not Applicable; N/D = Not Determined

### DISCLAIMER:

To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard, which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product, which may not be covered by this SDS. The user is responsible for full compliance.