

ELECTRO SOLV II #1182301

Aerosol Safety Solvent



Features:

- Non-corrosive, non-conductive, non-flammable, non-combustible
- 30,000 volt dielectric strength
- Safe for cleaning energized electrical equipment
- No petroleum distillates and no CFC's
- Energized electrical cleaner
- Powerful flushing solvent
- Fast drying
- High power spray



Description:

A residue free, super-fast drying, high power spray that dissolves grease and rinses away dirt and grime without injury to working parts. Contains an accepted replacement for 1,1,1-Trichlorethane under the EPA SNAP program. Contains no CFC's, ozone depleting chemicals or petroleum distillates. Features a 30,000 volt dielectric strength. High dielectric strength combined with non-flammability makes this the only degreaser safe for use on motors, generators, relays and control panels even while equipment is in operation. Energized equipment only. Not to be used for motorized vehicle maintenance or their parts

Applications:

- Marine Equipment
- Industrial Equipment
- Refrigeration Equipment
- Electric Motors
- Power Tools
- Generators
- Heating & Air Conditioning Equipment
- Food Processing Equipment
- Windings

Product Characteristics:

Appearance:	N.A.
Odor:	N.A.
Vapor Pressure:	N.A.
Solubility(ies):	N.A.
Viscosity:	N.A.
Flash Point:	N.A.
pH:	N.A.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up
Transport Information:	
UN Number:	Limited Quantity
Proper Shipping Name:	Limited Quantity
Class:	Limited Quantity
Packing Group:	Limited Quantity

Directions:

Saturate part to be cleaned. Wipe or allow to air dry. For heavily encrusted areas, brush, then rinse off with a second application. May remove some paints, pre-testing is suggested. CAUTION: Intentional misuse by concentrating and inhaling product can be harmful or fatal.

Note: Energized equipment use only. Do not use on motorized vehicle maintenance and solvent sensitive plastic surfaces or materials. May remove some paints. Always test first on scrap material or on a small inconspicuous area. Tilt forward for jet stream that shoots 8 feet to reach remote objects and small devices. Push down for regular spray to cover surface areas.

DOT Placard:

Not available.

VOC Compliancy:

Not available.

Pictograms:



Signal Word:

DANGER.

Personal Protective Equipment Required:

